

WATER WELL RECORD

DRILLERS LOG OF WELL

FROM (FT.)	TO (FT.)	KIND OF MATERIAL, COLOR, ETC. (NOTE WATER ZONES, AMOUNT, QUALITY)
0	2	Sandy Top Soil
2	25	Sandstone- yellow
2 5	3 5	Sandy Shale-blue
35	75	Sandy Shale- gellow
75	100	Sandstone-light green
100	131	Sandstone-grey
131	T.D	•
•		

Well Owner Mr. Larry Demoss
Address 1608 N. 63rd Place
Drilling Contractor Breuer Drilling Co.
Basehor, Ks. 913-724-1800
Date Drilled 9- 18-72
Method of Drilling Cable Tool (Cable tool, rotary, reverse rotary, etc.)
Casing Schedule 132 6 11 plastic (Amount, Size, Setting—New, Used—Steel, Galv.—Gage or Weight)
•
Screen Data (if any):(Length, Diameter, Slot Size, Setting)
Measured depth to water on completed well (Static Level) is 85 ft. below land surface (Land Surface, Top of Casing, Etc.)
TESTED YIELD: 22 gallons per min (Min., Hour)
TESTED YIELD: 22 gallons per
as determined by <u>bailing</u> (Balling, Test Pumping, Etc.)
as determined by bailing (Balling, Test Pumping, Etc.) Drawdown: ft. after hrs.
as determined by bailing (Balling, Test Pumping, Etc.) Drawdown: ft. after hrs. pumping at gal, per minute.
as determined by bailing (Balling, Test Pumping, Etc.) Drawdown: ft. after hrs. pumping at gal, per minute.
as determined by bailing (Balling, Test Pumping, Etc.) Drawdown: ft. after hrs. pumping at gal, per minute.
as determined by bailing (Balling, Test Pumping, Etc.) Drawdown: ft. after hrs. pumping at gal, per minute.
as determined by bailing (Balling, Test Pumping, Etc.) Drawdown: ft. after hrs. pumping at gal, per minute.
as determined by

"To preserve water well information and to promote the conservation, protection, and evelopment of ground-water resources."



27-1467-6---27-32