WATER WELL RECORD Form WWC-5 X Original Record Correction Change in Well Ust				ision of Water urces App. No.		Well ID	MW1		
	WATER WELL:	Fraction	11050	Section Numb	er Township Num	, ,	Number		
County Wyandor		SW ¼ NW ¼	SE ¼ NW ¼		T 11	S R 2			
2 WELL OWNER	: Last Name:	First:	Street or Rural A	ddress where we	ell is located (if unk	nown, distance			
Business: The Asp		from nearest tow	rom nearest town or intersection): If at owner's address, check here:						
Address: PO Box Address:	6263	ŀ	6901 Inland Drive, F	Kansas City					
I .	sas City State: KS	ZIP: 66106							
3 LOCATE WELL		COMPLETED WELL:	50 ft	5 Latitude:	39.067	768 (de	cimal degrees)		
WITH "X" IN	Depth(s) Groundwa	iter Encountered: 1)	ft	Longitude	94.737	768(de	cimal degrees)		
SECTION BOX:	2) ft	3) ft, or 4) 1	Ory Well		Datum: WGS		33 X NAD 27		
N WELL'S STATIC WATER LEVEL: 45.2 X below land surface, measured on (mo-day-yr)					Latitude/Longitude unit make/model:	:	,		
	above land surface massured on (me day un)				AAS enabled?	Yes No	<i>)</i>		
NW NE	ft		Survey Topog		,				
w 4	gpm	_	Mapper						
	Water well was				ît				
SW —— SE	SW SE after hours pumping Estimated Yield: gpm			6 Elevation	767.58 ft				
		gpm eter: 7.25 in to	C 1	Source X Land Survey GPS Topographic Map					
S	ft, and	ft, and Other							
1 mile		in to	*						
7 WELL WATER TO BE USED AS:									
l Domestic:		Supply: well ID			Water Supply: leas	e			
Household 6 Dewatering: how many wells? Lawn & Garden 7 Aquifer Recharge: well ID			1	11 Test Hole: well ID Cased Uncased Geotechnical					
Livestock	1	12 Geothermal: How many bores?							
2 Irrigation		a) Closed Loop Horizontal Vertical							
3 Feedlot	or	b) Open Loop Surface Discharge Inj. of Water							
4 Industrial	Recovery	Injection		Other (spe	cify):				
Was a chemical/bacteriological sample submitted to KDHE? Yes X No If yes, date sample was submitted:									
Water well disinfected? Yes X No									
8 TYPE OF CASING USED: Steel X PVC Other CASING JOINTS: Glued Clampled Welded X Threaded Casing diameter 2 in to 30 ft, Diameter in to ft, Diameter in to ft,									
Casing height above land surface -0.28 in. Weight lbs./ft. Well thickness or gauge No									
TYPE OF SCREEN OR PERFORATION MATERIAL:									
Steel Stainless Steel Fiberglass X PVC Other (Specify)									
Brass Galvanized Steel Concrete tile None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:									
Continuous Slot X Mill Slot Gauze Wrapped Torch Cut Drilled Holes Other (Specify)									
Louvered Shutter Key Punched Wire Wrapped Saw Cut None (Open Hole)									
SCREEN-PERFORATED INTERVALS: From 30 ft. to 50 ft, From ft. to ft, From ft. to ft,									
GRAVEL PACK INTERVALS: From 28 ft. to 50 ft, From ft. to ft, From ft. to ft,									
9 GROUT MATERIAL: Neat cement Cement grout X Bentonite X Other Concrete: 0-1'									
Grout intervals: From 1 ft. to 28 ft, From ft. to ft, From ft. to ft,									
Nearest source of possible contamination:									
Septic Tank	Lateral Lines	=		tock Pens	Insecticide				
Sewer Lines Watertight Sewer Li	Cess Pool	Sewage Lagoon	=	Storage		d Water Well			
Other (Secretary)		Feedyard	Fertil	izer Storage	Oil Well /	Gas Well			
Direction from well? SW		Distance from w	 ell? ~8		ft				
10 FROM TO	LITHOI	LOGIC LOG	FROM	ТО	LITHO, LOG (co	nt.) or PLUGGIN	G INTERVALS		
0 0.4	Asphalt					,			
0.4 6 6 12.5	Silty clay	1							
	12.5 Silty clay, occasional limestone gravel 20 Silt								
20 25	Silt with clayey silt fingers								
25 43	Fine to medium sand								
43 50	Coarse sand		Notes: KDH	E ID: The Aspl	ialt Sales Compan	y; A4-105-404	83		
11 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed, or plugged under my									
jurisdiction and was completed on (mo-day-year) 2/21/18 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No 757 This Water Well Record was completed on (mo-day-year) 4/2/18									
under the business name	of Larsen & Associates, Inc	coold was completed on (III)		Signature		\leq)		
Mail 1 white copy along with a fee of \$5.00 for each constructed well to: Kansas Department of Health and Environment, Bureau of Water, GWI Section,									
1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Mail one to Water Well Owner and retain one for your records. Telephone 785-296-5524. Visit us at http://www.kdheks.gov/waterwell/index.html KSA 82a-1212 Revised 7/10/2015									
visit us at http://www.k	dheks.gov/waterwell/index.html	KSA 82a-	1414			Kevised	//10/2015		

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home 785-286-1990 Fax

Jessica Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046 March 16, 2018

RE: Monitor Well Elevation Survey 6901 Inland Drive, Kansas City, Kansas Proj. 18-00F The Asphalt Sales Company A4-105-40483

Bench Mark #1: Rail road spike in power pole at NW corner of property. Asphalt plant Elev: 765.98 North 3447 West 3993 (from SE Cor. Sec. 27-11-24E)

Bench Mark #2: Chisled Sq. on storm sewer basin NE of the building. Concrete plant (from SE Cor. Sec. 27-11-24E) West 4314 North 2316 Elev: 768.63 MW-1 767.86 North 3301 SW1/4,NW1/4,SE1/4,NW1/4 rim Lat= 39.06768 Long = 94.73768West 3919 top pipe 767.58 MW-2 769.57 North 2180 SE1/4,NE1/4,NW1/4,SW1/4 rim Lat= 39.06461 Long = 94.738894256 top pipe 769.12 West SW1/4.NW1/4.SE1/4.NW1/4 3338 MW3 rim 764.56 North Lat= 39.06778 Long = 94.73744 764.21 West 3852 top pipe 769.02 NW1/4,SW1/4,SE1/4,NW1/4 MW-4 North 3235 rim West 3871 Lat= 39.06750 Long = 94.73751top pipe 768.74 SE1/4,NE1/4,SW1/4,NW1/4 3406 MW-5 765.46 North rim top pipe 765.13 West 4021 Lat= 39.06797 Long = 94.73804SE1/4,NE1/4,SW1/4,NW1/4 MW-6 764.98 North 3320 rim 4090 Lat= 39.06774 Long = 94.73828top pipe 764.73 West MW-7 SW1/4,NW1/4,SE1/4,NW1/4 rim 764.88 North 3453 Lat= 39.06810 Long = 94.73768764.55 West 3921 top pipe 769.67 SE1/4,NE1/4,NW1/4,SW1/4 MW-8 North 2113 rim West 4271 Lat=39.06443 Long = 94.73894top pipe 769.43 SE1/4,NE1/4,NW1/4,SW1/4 MW-9 rim 769.67 North 2244

RECEIVED MAY 1 2 2018 BUREAU OF WATER

Lat & Long derived existing Shawnee 7.5' quad map. WGS 84.

West

769.15

Elevation established from USGS BM K 259 Reset NAVD 88.


If you have any questions, please feel free to call me. Thank you for the opportunity to be

4286

Lat= 39.06479 Long = 94.73899


Dennis Luanda RL

top pipe



RECEIVED

MAY 1 2 2018



MAY 1 2 2018

BUREAU OF WATER