WATER WELL RECORD	Form WWC-5	Divis	ion of Water] [
X Original Record Corr	rection Change in Well Ust	Resour	rces App. No.		Well ID	MW7			
1 LOCATION OF WATER County Wyandotte	WELL: Fraction NW 1/4 NE 1/4	NE ¼ NW ½	Section Number 8	Township Nun		Number 4 X E W			
2 WELL OWNER: Last Nam			Idress where well is		own, distance ar	d direction			
Business: KDHE		from nearest town	•	If at owner's ac	ldress, check he	re:			
Address: 1000 SW Jackson Address:	[~	60' W of 8245 State	Ave., Kansas City,	KS					
City Topeka	State: KS ZIP: 66612				 				
3 LOCATE WELL WITH "X" IN	4 DEPTH OF COMPLETED WELL: Depth(s) Groundwater Encountered: 1)	14 ft	5 Latitude: Longitude	39.116 94.771		cimal degrees) cimal degrees)			
SECTION BOX:	2)ft 3)ft, or 4)D	ry Well		Datum: X WGS		3 NAD 27			
N	2 ft. -yr) 11/18-19/19		atitude/Longitude	<u></u>					
NW NE	above land surface, measured on (mo-day- Pump test data: Well water was	ft	X Land Survey Topographic Map						
wE	, after hours pumping gpm				Online Mapper				
	Water well was after hours pumping	ft gnm	6 Elevation	941.50 ft	Ground Le	vel X TOC			
SW — SE —	Estimated Yield: gpm								
	Bore Hole Diameter: 7.25 in to	ft, and		Other					
S 1 mile	in to	ft	- ·						
7 WELL WATER TO BE USE									
1 Domestic:	5 Public Water Supply: well ID		10 Oil Field W		e				
Household Lawn & Garden	6 Dewatering: how many wells? 7 Aquifer Recharge: well ID		11 Test Hole: well Cased	Uncased	Geotechnica	ıl			
Livestock	8 X Monitoring, well ID MW7		12 Geothermal: How						
2 Irrigation 3 Feedlot					a) Closed Loop Horizontal Vertical b) Open Loop Surface Discharge Inj. of Water				
4 Industrial	Air Sparge Soil Vapor Extraction	ЭТ	b) Open Loop Other (spec	L	ischarge	ing, or water			
Was a chemical/hacteriological san	mple submitted to KDHE? Yes X N	o If yes date	sample was submi						
· — — —	X No	o ii yes, uan	sample was suom		***************************************				
8 TYPE OF CASING USED:	Steel X PVC Other	CASING JOIN	NTS: Glue			X Threaded			
Casing diameter 2 in. to Casing height above land surface	4 ft, Diameter in to	ft,	Diameterhickness or gauge N	in. to	ft,				
TYPE OF SCREEN OR PERFORM									
Steel Stainless Steel			Other (Specify)						
Brass Galvanized Ste		hole)							
Continuous Slot X Mill		h Cut Drille	d Holes	Other (Specify	/)				
Louvered Shutter Key	y Punched Wire Wrapped Saw	Cut None	(Open Hole)						
GRAVEL PACK INTERV	/ALS: From 4 ft. to 14 ft,	From f	t. tof	t, From	ft. to				
9 GROUT MATERIAL:	ALS: From 2 ft. to 14 ft, Neat cement Cement grout X Bento		Concrete: 0-0.5'		1. to				
Grout intervals: From 0.5 f			n ft. t	· • • • • • • • • • • • • • • • • • • •					
Nearest source of possible contain	mination:								
Septic Tank	Lateral Lines Pit Privy	<u></u>	tock Pens	Insecticid	U				
Sewer Lines Watertight Sewer Lines	Cess Pool Sewage Lagoon Seepage Pit Feedyard	==	Storage zer Storage		d Water Well Gas Well				
Other (Specity)									
Direction from well? NE	Distance from w	ell? ~110		n .					
10 FROM TO 0.5 Grass/to	LITHOLOGIC LOG	FROM	TO	LITHO. LOG (co	ont.) or PLUGGIN	IG INTERVALS			
	opsoil iy w/ gravel					 -			
1.5 5 Silty cla 5 13 Silty cla					***************************************				
3.17.2.2	y w/ gravel & sand ndy gravel & clay								
14 14 Limesto									
			E ID: Saco Petrole itoring well is shall	•		as installed at the			
		direction of K	DHE.	or groundwater,	-20 of grout W	as mstancu at tile			
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was X constructed, reconstructed or plugged under my jurisdiction and was completed on (mo-day-year) 1/13/19 and this record is true to the best of my knowledge and belief. Kansas Water well was									
jurisdiction and was completed on License No 757	This Water Wall Pagerd was completed on (me			bellet. Kansas W	ontra	actor's			
under the business name of Lars	sen & Associates, Inc.		Signature		ラナ ノ				
	long with a fee of \$5.00 for each constructed well to: Ka St., Suite 420, Topeka, Kansas 66612-1367. Mail one to					· ·			
Visit us at http://www.kdheks.go	-	Pa-1212	a return one for your I	coords, rereptione	Revised 7	/10/2015			

DENNIS L HANDKE

1820 NW 59th Terrace TOPEKA, KANSAS 66618 785-286-4047 Home 785-286-1990 Fax

Jess Chapman Larsen & Associates 1311 E. 25th Street, Suite B Lawrence, Kansas, 66046

November 22, 2019

RE: Monitor Well Elevation Survey 8245 State Ave., Kansas City, Kansas Proj. 19-00II Saco Petroleum U4-105-10699

Bench Mark: Square cut on North center of concrete storm sewer inlet near the North center of property on South curb of State Ave..

Elev: 947	7.98	North 5242.	27	West 3060.81	(from SE Cor. Sec. 8-11-24E)
MW-1	rim	946.87	North	5149.19	NW1/4,NE1/4,NE1/4,NW1/4
	top pipe	946.63	West	2998.43	Lat= 39.11600 Long = 94.77109
MW-2	rim	948.16	North	5201.45	NW1/4,NE1/4,NE1/4,NW1/4
	top pipe	947.91	West	3023.99	Lat= 39.11614 Long = 94.77118
MW-3	rim	944.53	North	5160.89	NW1/4,NE1/4,NE1/4,NW1/4
	top pipe	944.20	West	3111.53	Lat= 39.11603 Long = 94.77149
MW-4	rim	952.55	North	5356.42	SW1/4,SE1/4,SE1/4,SW1/4 (Sec. 5-11-24E)
	top pipe	952.32	West	3068.08	Lat= 39.11657 Long = 94.77134
MW-5	rim	942.22	North	5015.96	NW1/4,NE1/4,SE1/4,NW1/4
	top pipe	941.89	West	3013.29	Lat= 39.11563 Long = 94.77114
MW-6	rim	939.78	North	5030.42	NW1/4,NE1/4,NE1/4,NW1/4
	top pipe	939.49	West	3071.27	Lat= 39.11567 Long = 94.77135
MW-7	rim	941.77	North	5129.77	NW1/4,NE1/4,NE1/4,NW1/4
	top pipe	941.50	West	3211.89	Lat= 39.11657 Long = 94.77134
MW-8	rim	935.69	North	4975.58	NW1/4,NE1/4,NE1/4,NW1/4
	top pipe	935.45	West	3159.46	Lat= 39.11552 Long = 94.77166

Lat & Long derived from Edwardsville 7.5 quad map. WGS84.

Elevation established from City of Kansas City Survey Department. NAVD 29

If you have any questions, please feel free to call me. Thank you for the opportunity to be

