

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number								
County: Wyandotte		NE ¼ NW ¼ NW ¼	4	T 11 S	R 24 E/W								
Distance and direction from nearest town or city street address of well if located within city? 7705 Parallel Parkway, Kansas City, Kansas													
2 WATER WELL OWNER: Amoco Oil Company													
RR#, St. Address, Box #: 8700 Indian Creek Pkwy													
City, State, ZIP Code: Overland Park, Kansas 66210													
Board of Agriculture, Division of Water Resources Application Number:													
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: 15.3 ft. ELEVATION: 896.9											
<div style="text-align: center;">N 1 Mile W E S</div> <table border="1" style="margin: auto; text-align: center;"><tr><td>X</td><td></td></tr><tr><td>NW</td><td>NE</td></tr><tr><td></td><td></td></tr><tr><td>SW</td><td>SE</td></tr></table>		X		NW	NE			SW	SE	Depth(s) Groundwater Encountered 1. Dry ft. 2. ft. 3. ft.			
		X											
		NW	NE										
SW	SE												
WELL'S STATIC WATER LEVEL 3.26 ft. below land surface measured on mo/day/yr 9-4-90													
Pump test data: Well water was ft. after hours pumping gpm													
Est. Yield gpm: Well water was ft. after hours pumping gpm													
Bore Hole Diameter 7 in. to 15.3 ft., and in. to ft.													
WELL WATER TO BE USED AS:													
5 Public water supply 8 Air conditioning 11 Injection well													
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)													
2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well													
Was a chemical/bacteriological sample submitted to Department? Yes No X ; If yes, mo/day/yr sample was submitted													
Water Well Disinfected? Yes No X													
5 TYPE OF BLANK CASING USED:													
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped													
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded													
7 Fiberglass Threaded X													
Blank casing diameter 2 in. to 4 ft., Dia in. to ft., Dia in. to ft.													
Casing height above land surface 35ft weight lbs./ft. Wall thickness or gauge No. SCH-40PVC													
TYPE OF SCREEN OR PERFORATION MATERIAL:													
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 10 Asbestos-cement													
2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify)													
12 None used (open hole)													
SCREEN OR PERFORATION OPENINGS ARE:													
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)													
2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes													
7 Torch cut 10 Other (specify)													
SCREEN-PERFORATED INTERVALS: From 4 ft. to 15.1 ft. From ft. to ft.													
From ft. to ft. From ft. to ft.													
GRAVEL PACK INTERVALS: From 3.2 ft. to 15.3 ft. From ft. to ft.													
From ft. to ft. From ft. to ft.													
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other													
Grout Intervals: From 2 ft. to 0 ft. From 1.1 ft. to 1.1 ft. From 3.2 ft. to ft.													
What is the nearest source of possible contamination:													
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well													
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well													
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)													
13 Insecticide storage													
Direction from well? N.W. How many feet? 100'													
FROM		TO		LITHOLOGIC LOG									
0		1		6" concrete, 6" gravel base									
1		3'		H. green w/brown mottles ln. clay, sl. odor to 1.5'; dk. green w/black mottles lean clay, moderate odor									
3		8'		lt. to dk. green w/some black mottles ln. clay, strong odor, bec. orangish at bottom									
8		8.2'		dk. brown ln. clay, odor									
8.2		10.5'		multicolored fat clay w/sand & pebbles sl. odor									
10.5		13.0		orange and green mottled weath, shale, bec. reddish brown sl. weath, shale									
13.0		14.0		brown sl. weath, shale									
14.0		14.5		multicolored ln. to fat clay, w/pebbles									
14.5		15.3		lt. greenish brown st. weathered shale									
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8-27-90 and this record is true to the best of my knowledge and belief. Kansas													
Water Well Contractor's License No. 416 This Water Well Record was completed on (mo/day/yr) 9-19-90													
under the business name of Terracon by (signature) <i>[Signature]</i>													
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-7320. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.													