		WATE	R WELL RECORD	Form WWC-5	KSA 82a	-1212		_ F	6		
LOCATION OF W		Fraction		Sec	tion Number	Township	Number	1	nge Nurr	4	
County: WYAN		NE 14		NW 1/4	13	Т	S	R	24	(E)W	
		•	ddress of well if loc								
	AKER RI	D KAN			_						
WATER WELL O	WNER: HAF	RCKOS -	CHEMIC	ALS IN						_	
RR#, St. Address, E				- ( )   -	,		of Agriculture,	Division o	of Water I	Hesource	
City, State, ZIP Cod		sas cit	KANSA:		o		tion Number:				
LOCATE WELL'S	LOCATION WITH	4 DEPTH OF C	OMPLETED WELL	78.72	ft. ELEVA	TION:	· · · 5 5 · · · ·				
AN X IN SECTI	N BOX.	Depth(s) Ground	water Encountered	1,	ft. 2	<u>2</u> <i></i>	ft. :	3	· · · · · •	ft.	
	!	WELL'S STATIC	WATER LEVEL	. <b>60</b> ft. b	elow land sur	face measured	l on mo/day/yr				
NW	NE		p test data: Well w								
			gpm: Well w								
<u> </u>	<u> </u>	Bore Hole Diam	eterin.	to				n. to		ft.	
. w <u> </u>	1 ! 1	WELL WATER	TO BE USED AS:	5 Public water	r supply	8 Air condition	ning 11	Injection	well		
sw _	- SE	1 Domestic	3 Feedlot	6 Oil field wa		9 Dewatering		Other (S			
3	1 - 3 1	2 Irrigation	4 Industrial			10 Monitoring					
	1	Was a chemical/	bacteriological samp	le submitted to D	epartment? Yo	esNo.	X; If yes	s, mo/day/	yr sample	e was sub	
	\$	mitted			Wa	ter Well Disinfe			No		
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING	JOINTS: Glue	ed	Clamped	1	
1 Steel	3 RMP (S	SR)	6 Asbestos-Ceme	ent 9 Other	(specify below	<b>v</b> )		ded			
<b>②</b> PVC	4 ABS		7 Fiberglass					aded			
			7 ft., Dia								
Casing height above	land surface		.in., weight			ft. Wall thickne	ss or gauge N	10 SC	H 44 C	) <i></i> .	
YPE OF SCREEN	OR PERFORATIO	N MATERIAL:		<b>⊘</b> PV	C	10	Asbestos-cem	ent			
1 Steel	1 Steel 3 Stainless steel			8 RM	IP (SR)	11	Other (specify	)			
2 Brass	2 Brass 4 Galvanized steel			6 Concrete tile 9 ABS			None used (o	pen hole)			
CREEN OR PERFORATION OPENINGS ARE:			5 Gauzed wrapped			8 Saw cut 11 None (open hole)					
1 Continuous :	lot (3) A	Mill slot	6 W	ire wrapped		9 Drilled hol					
2 Louvered sh	utter 4 K	(ey punched		orch cut	7	10 Other (spe					
SCREEN-PERFORA	TED INTERVALS:	: From	<b>68.7</b> ft. to	o							
		From	ft. to			m					
GRAVEL F	ACK INTERVALS	: From	65.8 ft. to				_		• • • • • •	ft.	
t		From	ft. to		ft., Fro		ft.		VITE	. <u>n</u>	
GROUT MATERI		cement	2 Cement grout	<b>⊘</b> Bento		Other . CEN			77: 1'r <del></del>		
			7 ft., From	ft.						π.	
What is the nearest	•					tock pens		Abandone		vell	
	1 Septic tank 4 Lateral lines			7 Pit privy		• • • • • • • • • • • • • • • • • • • •			5 Oil well/Gas well		
2 Sewer lines 5 Cess pool			8 Sewage	-		12 Fertilizer storage					
•	wer lines 6 See	page pit	9 Feedyard	i .		ticide storage	CHEMIC	W. W	<b>FKK</b>	. <b></b>	
Direction from well?			100	T 55011	How ma	ny feet?	DLUCCING	INITED\/A			
FROM TO 0.5	ASPHALT	LITHOLOGIC	LOG	FROM	то		PLUGGING	INIEHVA	LO		
0.5 35											
35 82.3		SAND									
82.3 83	SHALE										
	<del>                                     </del>										
<del></del>	+					<del></del>					
									<del></del>		
<u> </u>					L						
CONTRACTOR	OR LANDOWNE	R'S CERTIFICAT	ION: This water we								
completed on (mo/d	ny/year) 1.2 -	23-9170	1.2	<i></i>	and this reco	rd is true to the	e best of my kr	nowledge			
Vater Well Contract	ar'a Liaanna Na	10.7	This Mate	r Well Record wa	e completed	on (moldaylyr)	T-72 -	イン			
inder the business	ors license No.	. <b> </b>	ITHS WALE	1 11011 1100014 110	is combiered	on (mo/day/yr)					
nuoi the business					by (signa		-nMC	50			
INSTRUCTIONS: Use	name of LAY	NE WES	STEKN FIRMLY and PRINT clearly	/. Please fill in blanks,	by (signa	ture)	ers. Send top three	e copies to K	ansas Depa	artment	
INSTRUCTIONS: Use	name of LAY	NE WES		/. Please fill in blanks,	by (signa	ture)	ers. Send top three	e copies to K	(ansas Depa	artment	