		WATE	R WELL RECORD	Form WWC-5	KSA 82a-	1212		MW==995
LOCATION OF WA		Fraction		Sec	tion Number	Township	Number	Range Number
ounty: WYAN	DOTTE	NW 1/4		IW 1/4	13	T 11	S	R 24 @W
Distance and direction	on from nearest town	or city street a	ddress of well if locat	ed within city?				
5200 SP	EAKER RO	KAN	SAS CITY	KANS	45			
WATER WELL O	WNER: HAR	1R05 (CHEMICALS	1616				
RR#, St. Address, B	, ,-	SPEAKE		1100		Board o	of Agriculture. [Division of Water Resource
City, State, ZIP Code			Y KANSA	5 6610	6		tion Number:	
AN "X" IN SECTION		4						
	- N !	Depth(s) Ground	water Encountered	27	π. 2		π. 3	
	1 1 1							
NW	NE							mping gpm
 								mping gpm
w 1/	·	Bore Hole Diame	eterin. to	0	ft., a	ind	in.	to
ŧ" !		WELL WATER 1	TO BE USED AS:	5 Public wate	er supply	8 Air condition	ing 11	Injection well
SW	_ SE	1 Domestic	3 Feedlot	6 Oil field was	ter supply	9 Dewatering	12	Other (Specify below)
3\\	- %	2 Irrigation	4 Industrial	7 Lawn and g	arden only (Monitoring v		*******************
li		Nas a chemical/	bacteriological sample	submitted to De	epartment? Ye	sNo	.X; If yes,	mo/day/yr sample was sub
		mitted				er Well Disinfe		
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concre				Clamped
1 Steel	3 RMP (SR)	1	6 Asbestos-Cemen		(specify below			ed
PVC	4 ABS	•	7 Fiberglass			, 		ded X
		n to 35		in to		4 Dia	Tillea	n. to ft.
								n. to π. o
			.in., weight					
	OR PERFORATION			(7) v			Asbestos-ceme	
1 Steel	3 Stainless		5 Fiberglass		P (SR)	11 (Other (specify)	
2 Brass	4 Galvanize	d steel	6 Concrete tile	9 AB	S	12 1	None used (op	en hole)
CREEN OR PERF	ORATION OPENING		5 Gau	zed wrapped		8 Saw cut		11 None (open hole)
1 Continuous s	slot 3Mill	slot	6 Wire	wrapped		9 Drilled hole	es	
	utter 4 Key TED INTERVALS: PACK INTERVALS:	From	32.0 ft. to	55. 55.	Oft., From ft., From ft., From	1	ft. to)
GRAVEL P GROUT MATERIA Grout Intervals: Fr	PACK INTERVALS: AL: 1 Neat ce	From From From ment t. to 3.	35. 0 ft. to ft. to ft. to ft. to 2 Cement grout	55.	O. ft., From ft., From ft., From ft., From nite 4 (Other CEME	ft. to)
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest	PACK INTERVALS: AL: 1 Neat cerom. 5.4 frest	From From From ment t. to 3.4	35. O ft. to 2 Cement grout ft., From	55. 55. (§ Bento	O ft., From ft., From ft., From ft., From nite 4 () to	Other CEME ft., From ock pens	ft. to ft. to ft. to ft. to ft. to	ft. toft.
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest	PACK INTERVALS: AL: 1 Neat ce rom5.4 fs source of possible ce 4 Lateral	From From From From From From From From	35. O. ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy	55 - 55 - 3 Bento ft.	O	other CEME tt., From ock pens	ft. to ft	tt. to
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines	PACK INTERVALS: AL: 1 Neat ce rom. 5. + 6 source of possible ce 4 Lateral 5 Cess p	From From From ment to to	35. O. ft. to	55 - 55 - 3 Bento ft.	O	other CEME tt., From ock pens ttorage ter storage	ft. to ft	tt. to
GRAVEL P GROUT MATERIA Grout Intervals: Fr Vhat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se	PACK INTERVALS: AL: 1 Neat ce rom5.4 fs source of possible ce 4 Lateral	From From From ment to to	35. O. ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy	55 - 55 - 3 Bento ft.	Oft., From tt., From ft., From nite 4 (to	other CEME ft., From ock pens storage ter storage icide storage	ft. to ft	tt. to
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well?	PACK INTERVALS: AL: 1 Neat ce rom. 5. + 6 source of possible ce 4 Lateral 5 Cess p	From	35. O. ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	55. 55. Sento ft.	Oft., From ft., From ft., From nite 4 (to	other CEME ft., From ock pens storage ter storage icide storage	ft. to ft	the control of the co
GRAVEL P GROUT MATERIA Grout Intervals: Fr Vhat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se	PACK INTERVALS: AL: 1 Neat cerom. 5.4 fitsource of possible conductions of Cess prewer lines 6 Seepage	From From From ment to to	35. O. ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	55 - 55 - 3 Bento ft.	Oft., From tt., From ft., From nite 4 (to	other CEME ft., From ock pens storage ter storage icide storage	ft. to ft	tt.
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	PACK INTERVALS: AL: 1 Neat cerom. 5. 4 finescent for the fines of the	From	35. O. ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	55. 55. Sento ft.	Oft., From ft., From ft., From nite 4 (to	other CEME ft., From ock pens storage ter storage icide storage	ft. to ft	tt.
GRAVEL P GROUT MATERIA Grout Intervals: Fr Vhat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	PACK INTERVALS: AL: 1 Neat cerom. 5.4 fitsource of possible of 4 Lateral 5 Cess prewer lines 6 Seepage	From	35. O. ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	55. 55. Sento ft.	Oft., From ft., From ft., From nite 4 (to	other CEME ft., From ock pens storage ter storage icide storage	ft. to ft	the control of the co
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	PACK INTERVALS: AL: 1 Neat cerom. 5. 4 finescent for the fines of the	From	35. O. ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	55. 55. Sento ft.	Oft., From ft., From ft., From nite 4 (to	other CEME ft., From ock pens storage ter storage icide storage	ft. to ft	the control of the co
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	PACK INTERVALS: AL: 1 Neat cerom. 5.4 fitsource of possible of 4 Lateral 5 Cess prewer lines 6 Seepage	From	35. O. ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	55. 55. Sento ft.	Oft., From ft., From ft., From nite 4 (to	other CEME ft., From ock pens storage ter storage icide storage	ft. to ft	the control of the co
GRAVEL P GROUT MATERIA irout Intervals: Fr /hat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se pirection from well? FROM TO	PACK INTERVALS: AL: 1 Neat cerom. 5.4 fitsource of possible of 4 Lateral 5 Cess prewer lines 6 Seepage	From	35. O. ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	55. 55. Sento ft.	Oft., From ft., From ft., From nite 4 (to	other CEME ft., From ock pens storage ter storage icide storage	ft. to ft	ft. to ft bandoned water well I well/Gas well ther (specify below) CAL MFR R.F. I
GRAVEL P GROUT MATERIA Grout Intervals: Fr Vhat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	PACK INTERVALS: AL: 1 Neat cerom. 5.4 fitsource of possible of 4 Lateral 5 Cess prewer lines 6 Seepage	From	35. O. ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	55. 55. Sento ft.	Oft., From ft., From ft., From nite 4 (to	other CEME ft., From ock pens storage ter storage icide storage	ft. to ft	ft. to ft bandoned water well I well/Gas well ther (specify below) CAL MFR R.F. I
GRAVEL P GROUT MATERIA irout Intervals: Fr /hat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se pirection from well? FROM TO	PACK INTERVALS: AL: 1 Neat cerom. 5.4 fitsource of possible of 4 Lateral 5 Cess prewer lines 6 Seepage	From	35. O. ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	55. 55. Sento ft.	Oft., From ft., From ft., From nite 4 (to	other CEME ft., From ock pens storage ter storage icide storage	ft. to ft	ft. to ft bandoned water well I well/Gas well ther (specify below) CAL MFR R.F. I
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	PACK INTERVALS: AL: 1 Neat cerom. 5.4 fitsource of possible of 4 Lateral 5 Cess prewer lines 6 Seepage	From	35. O. ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	55. 55. Sento ft.	Oft., From ft., From ft., From nite 4 (to	other CEME ft., From ock pens storage ter storage icide storage	ft. to ft	ft. to ft bandoned water well I well/Gas well ther (specify below) CAL MFR R.F. I
GRAVEL P GROUT MATERIA irout Intervals: Fr /hat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se pirection from well? FROM TO	PACK INTERVALS: AL: 1 Neat cerom. 5.4 fitsource of possible of 4 Lateral 5 Cess prewer lines 6 Seepage	From	35. O. ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	55. 55. Sento ft.	Oft., From ft., From ft., From nite 4 (to	other CEME ft., From ock pens storage ter storage icide storage	ft. to ft	ft. to ft bandoned water well I well/Gas well ther (specify below) CAL MFR R.F. I
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	PACK INTERVALS: AL: 1 Neat cerom. 5.4 fitsource of possible of 4 Lateral 5 Cess prewer lines 6 Seepage	From	35. O. ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	55. 55. Sento ft.	Oft., From ft., From ft., From nite 4 (to	other CEME ft., From ock pens storage ter storage icide storage	ft. to ft	the control of the co
GRAVEL P GROUT MATERIA irout Intervals: Fr /hat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se pirection from well? FROM TO	PACK INTERVALS: AL: 1 Neat cerom. 5.4 fitsource of possible of 4 Lateral 5 Cess prewer lines 6 Seepage	From	35. O. ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	55. 55. Sento ft.	Oft., From ft., From ft., From nite 4 (to	other CEME ft., From ock pens storage ter storage icide storage	ft. to ft	the control of the co
GRAVEL P GROUT MATERIA Grout Intervals: Fr Vhat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	PACK INTERVALS: AL: 1 Neat cerom. 5.4 fitsource of possible of 4 Lateral 5 Cess prewer lines 6 Seepage	From	35. O. ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	55. 55. Sento ft.	Oft., From ft., From ft., From nite 4 (to	other CEME ft., From ock pens storage ter storage icide storage	ft. to ft	the control of the co
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	PACK INTERVALS: AL: 1 Neat cerom. 5.4 fitsource of possible of 4 Lateral 5 Cess prewer lines 6 Seepage	From	35. O. ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	55. 55. Sento ft.	Oft., From ft., From ft., From nite 4 (to	other CEME ft., From ock pens storage ter storage icide storage	ft. to ft	ft. to ft bandoned water well I well/Gas well ther (specify below) CAL MFR R.F. I
GRAVEL P GROUT MATERIA Grout Intervals: Fr Vhat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	PACK INTERVALS: AL: 1 Neat cerom. 5.4 fitsource of possible of 4 Lateral 5 Cess prewer lines 6 Seepage	From	35. O. ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	55. 55. Sento ft.	Oft., From ft., From ft., From nite 4 (to	other CEME ft., From ock pens storage ter storage icide storage	ft. to ft	ft. to ft bandoned water well I well/Gas well ther (specify below) CAL MFR R.F. I
GRAVEL P GROUT MATERIA Grout Intervals: Fr Vhat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	PACK INTERVALS: AL: 1 Neat cerom. 5.4 fitsource of possible of 4 Lateral 5 Cess prewer lines 6 Seepage	From	35. O. ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	55. 55. Sento ft.	Oft., From ft., From ft., From nite 4 (to	other CEME ft., From ock pens storage ter storage icide storage	ft. to ft	ft. to ft bandoned water well I well/Gas well ther (specify below) CAL MFR R.F. I
GRAVEL P GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO	PACK INTERVALS: AL: 1 Neat cerom. 5.4 fitsource of possible of 4 Lateral 5 Cess prewer lines 6 Seepage	From	35. O. ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	55. 55. Sento ft.	Oft., From ft., From ft., From nite 4 (to	other CEME ft., From ock pens storage ter storage icide storage	ft. to ft	the control of the co
GRAVEL P GROUT MATERIA Grout Intervals: Fr Vhat is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO O 10 52	PACK INTERVALS: PACK INTERVALS: AL: 1 Neat ce rom. 5. 4 fe source of possible of 4 Lateral 5 Cess p ewer lines 6 Seepage ATTACHED SAND W/ SAND	From	35. O. ft. to ft	SS	Oft., Fromft., From ft., From ft., From nite 4 (to	Other CEME tt., From ock pens storage cer storage icide storage y feet?	ft. to ft	tt. to ft. tt. to ft. tt. to ft. to f
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Waterlight se Direction from well? FROM TO O 10 52 CONTRACTOR'S	PACK INTERVALS: PACK INTERVALS: AL: 1 Neat ce rom. 5. 4 Interval of possible of the possib	From From From From From From From From	7 Pit privy 8 Sewage la 9 Feedyard	SS	Oft., Fromft., From ft., From ft., From ft., From nite 4 (to	Other CEME tt., From ock pens storage cer storage icide storage y feet?	ft. to ft	the state of the s
GRAVEL P GROUT MATERIA Grout Intervals: Fr What is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se Direction from well? FROM TO O ID S2 CONTRACTOR'S completed on (mo/da	PACK INTERVALS: PACK INTERVALS: AL: 1 Neat ce rom. 5. 4 Interval of possible of the possib	From.	7 Pit privy 8 Sewage la 9 Feedyard	SS. SPento ft. goon FROM was (1) construction	Oft., From tt., From ft., From ft	Other CEME ft., From ock pens storage ser storage sicide storage y feet?	ft. to ft	tt. tt. tt. tt. tt. tt. tt. tt.
GRAVEL P GROUT MATERIA GROUT MATERIA Grout Intervals: Fr And is the nearest: 1 Septic tank 2 Sewer lines 3 Watertight se FROM TO O ID ID S2 CONTRACTOR'S CONTRACTOR'S COMPleted on (mo/dat/ater Well Contractor)	PACK INTERVALS: AL: 1 Neat cerom. 5.4 fitsource of possible consumers of Seeparate SAND WASAND SAND WASAND SOR LANDOWNER'S ay/year) 12-11-	From.	35. O. ft. to ft. to ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard LOG	SS. SPento ft. goon FROM was (1) construction	Oft., From tt., From ft., From ft	other CEME ft., From ock pens storage ser storage side storage y feet?	ft. to ft	of the control of the