	WATER \	WELL RECORD	Form WWC-5	KSA 82a			
1 LOCATION OF WATER WELL:	Fraction		Sec	tion Number	Township N		Range Number
County: Wyandotte	5W 1/4		E 14	13	<u> </u>	S	R 24 EW
Distance and direction from nearest town	or city_street add	ress of well if locate	ed within city?	12-	1,4	n	A -
5200 Speaker	Ra	Kunsag	ربعم	<u>.</u> Ks		1w 2	8 2
2 WATER WELL OWNER: Plane		> New York	Fre				
RR#, St. Address, Box # : 520		cer Rd					ision of Water Resources
		City,	KS 6	6106	Application	Number:	
3 LOCATE WELL'S LOCATION WITH 4	DEPTH OF CO	MPLETED WELL	5.0	ft. ELEVA	TION:	7.40.5	ush
AN A IN SECTION BOX:	epth(s) Groundwa	ter Encountered	و بهجر به به به به به به به به به	<b>0</b> /ft. 2	2	ft. 3	
T I V	VELL'S STATIC W	/ATER LEVEL $m{\mathscr{G}}$	. <b>/≎</b> ft. b	elow land sur	face measured or	mo/day/yr .	71.3 <i>-9.4</i>
							ping gpm
E	st. Yield	gpm: Well wat	er was	ft. a	fter	hours pum	ping gpm
							o
	VELL WATER TO		5 Public water		8 Air conditioning		
	1 Domestic	3 Feedlot	6 Oil field wa	ter supply	9_Dewatering	12 01	her (Specify below)
2M  2F	2 Irrigation	4 Industrial	7 Lawn and g	garden only	Monitoring we	۱ ,	
	Vas a chemical/bar	cteriological sample	submitted to De	epartment? Ye	esNo	∠; If yes, m	o/day/yr sample was sub-
	nitted				ter Well Disinfecte	•	No
5 TYPE OF BLANK CASING USED:	5	Wrought iron	8 Concre				Clamped
1_Steel 3 RMP (SR)	$\epsilon$	Asbestos-Cement	9 Other	(specify below	v)	Welded	
€ PVC 4_ABS		' Fiberglass					ed
Blank casing diameter 2 in	ı. to <b>3</b> <i>O</i>	ft., Dia	in. to		ft., Dia	in.	to ft.
Casing height above land surface	3.6in	., weight	<i>©</i> .	k	ft. Wall thickness	or gauge No.	Sch. 40
TYPE OF SCREEN OR PERFORATION	MATERIAL:		<b>7)</b> v	С	10 Asi	estos-cement	
1 Steel 3 Stainless s	iteel 5	Fiberglass	8 RM	IP (SR)	11 Oth	er (specify)	
2 Brass 4 Galvanized steel		6 Concrete tile 9 ABS		S	12 None used (open hole)		
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped			8 Saw cut 11 None (open hole)		
1 Continuous slot		6 Wire wrapped			9 Drilled holes		
2 Louvered shutter 4 Key	punched	7 Torch					
SCREEN-PERFORATED INTERVALS:	From 5.	ft. to .	3 <i>.</i> 0	ft., Fror	m	ft. to.	
GRAVEL PACK INTERVALS:	From5		2.5	ft., Fror	m	ft. to.	
	From	ft. to		ft., Fron		ft. to	ft.
6 GROUT MATERIAL: 1 Neat cer		Cement grout					mont
Grout Intervals: From	. to	ft., From	ft.	to	ft., From		ft. to
What is the nearest source of possible co	ontamination:				tock pens		ndoned water well
1 Septic tank 4 Lateral lines		7 Pit privy 11 Fu		11 Fuel:	storage 15 Oil well/Gas well		
2 Sewer lines 5 Cess po		8 Sewage lag	joon	12 Fertili	zer storage	<b>C</b> Oothe	er (specify below)
3 Watertight sewer lines 6 Seepag		9 Feedyard		13 Insect	ticide storage	Chemi	cal Pout
	wwwos	property	41 1	How mar		11001110 11	·
FROM TO	LITHOLOGIC LO		FROM	то	PI	LUGGING INT	ERVALS
0 /8 /	with	some sand	<b>π</b>				
20 50 Jand	· med	to Coarse					
				<del>-</del>			
				-			
				·			
Z CONTRACTOR'S OR LANDOWNER'S	CERTIFICATION	I: This water well w					
completed on (mo/day/year) 7						st of my know	ledge and belief. Kansas
Water Well Contractor's License No	•	This Water W	Vell Record wa			12 11	71.7
under the business name of Luy				by (signat	7 - 2	nice	6
INSTRUCTIONS: Use typewriter or ball point pen	DI EACE DRECC FIRM	IV and PRINT clearly Die	age fill in blanks	indorlino or cirolo	the correct answers S	and tan three can	ico to Konson Donortment