			orm WWC-5				
LOCATION OF W		Fraction		tion Number		Range Number	
County: Wyandotte Distance and direction from nearest town of				27	<u>  T 11                                 </u>	R 24 EXX	
DISTANCE AND DIRECT	on nom nearest town (	or only sugget address or well it located	with the city?				
A MATER MELL	Tnland	Quarries-Americold Ware	house				
NATER WELL ( RR#, St. Address,	(FOO T	land Drive			Board of Agricultur	e, Division of Water Resources	
City, State, ZIP Co.	20X #	City, Kansas 66110			Application Number	NT / A	
City, State, ZIP CO	L OCATION WITH	DEPTH OF COMPLETED WELL	25		Application Number	H .	
AN "X" IN SECT	ION BOX:	pth(s) Groundwater Encountered 1.	بربر	ft. ELEVA	ATION:	t 3	
<del>,</del>	T I W	ELL'S STATIC WATER LEVEL	171211	eiow land su	rface measured on mo/day	Nr Dec. 28,1987	
1   1						pumping gpm	
NW -	NE     Es	t. Yield 1 gpm: Well water					
.	l l Bo	ore Hole Diameter5. 7./8.in. to .	***************************************	25 #	and	in to	
* w			5 Public wate			11 Injection well	
-   i	"				•	12 Other (Specify below)	
sw -	-  SE						
1 1 :	l l w	as a chemical/bacteriological sample su					
!		tted	20		ater Well Disinfected? Yes		
TYPE OF BLAN	K CASING USED:	5 Wrought iron	8 Concr			lued Clamped	
1 Steel	3 RMP (SR)	6 Asbestos-Cement		(specify belo		elded	
2 PVC	4 ABS	7 Fiberglass			•	nreaded.)	
		to 15.0 . ft., Dia					
		18 in., weight					
	OR PERFORATION M		7 PV	_	10 Asbestos-ce		
1 Steel	3 Stainless st			IP (SR)		ify)	
2 Brass	4 Galvanized	•	9 AB		12 None used	•	
	ORATION OPENINGS	- +	d wrapped		8 Saw cut	11 None (open hole)	
1 Continuous			rapped		9 Drilled holes	Tritone (open hele)	
2 Louvered sh		ounched 7 Torch					
	ATED INTERVALS:	From		) ft Fro			
		From ft. to					
GRAVEL I	PACK INTERVALS:	From					
						t. to ft.	
GROUT MATER	AL: 1 Neat cem					ellets	
Grout Intervals: F	rom12.0ft.	to					
What is the nearest	source of possible con	ntamination:		10 Lives	tock pens 14	Abandoned water well	
1 Septic tank 4 Lateral lin		nes 7 Pit privy			uel storage / 15 Oil well/Gas well		
2 Sewer lines 5 Cess poo		ol 8 Sewage lagoo	8 Sewage lagoon		12 Fertilizer storage 16 Other (specify below)		
3 Watertight s	ewer lines 6 Seepage	pit 9 Feedyard			cticide storage		
Direction from well?	South-S	Southwest		How ma	ny feet? ≈ 30		
FROM TO		LITHOLOGIC LOG	FROM	TO	LITHOL	OGIC LOG	
0.0 0.5	asphalt apr	on			deposits		
0.5 1.0	fine brown	sand - under pack for	18.5	21.0		dk.gray saturated	
	asphalt apr				alluvial		
1.0 14.0		moist to dry light	21.0	25.0		- shale 600 psi on	
		Kansas River Alluvial			bit - pull down	Hushpuckney	
	deposits				Shale ?		
14.0 18.0	very fine s	and - dark to light			Available to the second of the		
		to saturated at 16 ft.			T.D. 25 feet		
		ne odors coming out of					
	asphalt apr	on cracks - measured					
	39% LEL on	Gastech Air Monitor -					
	changed to	water injection drill					
	method						
18.0 18.5		vels with very fine					
		d. saturated alluvial					
CONTRACTOR'S	OR LANDOWNER'S	CERTIFICATION: This water well was	(1) constru	cted (2) reco	enstructed, or (3) pluaged i	under my jurisdiction and was	
completed on (mo/d	av/vear) Decembe	er. 23, 1987.		and this reco	rd is true to the best of my	knowledge and belief. Kansas	
Nater Well Contract	or's License No. 48	3 This Water We	Il Record wa	s completed	on (mo/day/vr) Decembe	er 24, 1987	
Inder the business	name of Total Env	ironmental Services & T	echnolo	giebe (signa	ture) Describe I	Brinkley	
INSTRUCTIONS: Us	e typewriter or ball point per	n. PLEASE PRESS FIRMLY and PRINT clearly	y. Please fill in l	blanks, underlin	e or circle the correct answers.	Send top three copies to Kansas	
Department of Health	and Environment, Bureau	of Water Protection, Topeka, Kansas 66620-	7320, Telephor	ne: 913-862-936	60. Send one to WATER WELL	OWNER and retain one for your	
records.							