

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number
County: <u>Wyandotte</u>	$\frac{1}{4}$ <u>NE</u> $\frac{1}{4}$ <u>SE</u> $\frac{1}{4}$	<u>20</u>	T <u>11</u> S	R <u>25</u> <u>E/W</u>

Distance and direction from nearest town or city street address of well if located within city?

South of Argentine Blvd., East of 26th Street, Kansas City, Kansas

2 WATER WELL OWNER:	<u>The Atchison, Topeka, Santa Fe Railway Company</u>	Board of Agriculture, Division of Water Resources
RR#, St. Address, Box # :	<u>920 SE Quincy</u>	Application Number:
City, State, ZIP Code :	<u>Topeka, KS 66612</u>	

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL	ELEVATION:
	<u>36.5</u> ft.	<u>750.19</u> ft.
	Depth(s) Groundwater Encountered <u>1</u> ft.	
	WELL'S STATIC WATER LEVEL <u>30</u> ft. below land surface measured on mo/day/yr	<u>4-13-95</u>
	Pump test data: Well water was	ft. after
	Est. Yield	gpm: Well water was
	Bore Hole Diameter	in. to
	WELL WATER TO BE USED AS:	
	1 Domestic	3 Feedlot
	2 Irrigation	4 Industrial
	5 Public water supply	8 Air conditioning
	6 Oil field water supply	9 Dewatering
	7 Lawn and garden only	10 Monitoring well
	11 Injection well	12 Other (Specify below)
	Was a chemical/bacteriological sample submitted to Department? Yes	No <u>X</u> ; If yes, mo/day/yr sample was submitted
	Water Well Disinfected? Yes	No <u>X</u>

5 TYPE OF BLANK CASING USED:	5 Wrought iron	8 Concrete tile	CASING JOINTS: Glued
1 Steel	3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)
2 PVC	4 ABS	7 Fiberglass	Welded
Blank casing diameter	in. to	ft., Dia	Threaded
Casing height above land surface	in.	weight	lbs./ft. Wall thickness or gauge No.
TYPE OF SCREEN OR PERFORATION MATERIAL:	1 Steel	3 Stainless steel	5 Fiberglass
2 Brass	4 Galvanized steel	6 Concrete tile	8 RMP (SR)
SCREEN OR PERFORATION OPENINGS ARE:	1 Continuous slot	3 Mill slot	4 Key punched
2 Louvered shutter	4 Key punched	5 Gauzed wrapped	8 Saw cut
SCREEN-PERFORATED INTERVALS:	From	ft. to	ft., From
GRAVEL PACK INTERVALS:	From	ft. to	ft., From

6 GROUT MATERIAL:	1 Neat cement	2 Cement grout	3 Bentonite	4 Other
GROUT INTERVALS:	From	ft. to	ft., From	ft. to
What is the nearest source of possible contamination:	1 Septic tank	4 Lateral lines	7 Pit privy	10 Livestock pens
2 Sewer lines	5 Cess pool	8 Sewage lagoon	11 Fuel storage	14 Abandoned water well
3 Watertight sewer lines	6 Seepage pit	9 Feedyard	12 Fertilizer storage	15 Oil well/Gas well
Direction from well?		How many feet?	<u>1400</u>	

FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
		<u>see attached</u>			
<u>0</u>	<u>19</u>	<u>none</u>			
<u>19</u>	<u>28.5</u>	<u>sand</u>			
<u>28.5</u>	<u>29</u>	<u>none</u>			
<u>29</u>	<u>31</u>	<u>sand</u>			
<u>31</u>	<u>31.5</u>	<u>none</u>			
<u>31.5</u>	<u>32</u>	<u>sand</u>			
<u>32.1</u>	<u>36.5</u>	<u>none</u>			

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:	This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)	<u>4-13-95</u>	and this record is true to the best of my knowledge and belief. Kansas
Water Well Contractor's License No.	<u>102</u>	This Water Well Record was completed on (mo/day/yr)	<u>7-24-95</u>
under the business name of	<u>Layne Inc</u>	by (signature)	<u>[Signature]</u>