			WAT	ER WELL RECORD	Form WWC-5	KSA 82a-	1212	$\mathcal{N}$	1W# 1	
LOCATIO	N,OF WAT	ER WELL:	Fraction		Sec	tion Number	Township N	· I	Range Number	
		do HE		4 SW 14 SE		31	т //_	s	R 23 6W	<u>v</u>
Distance an	$\sim$			address of well if located	within city?					
4113			DRIV	Omogram Ch	m V i	1 450 1				$\dashv$
WATER	WELL OW	NER: MICC	off, C	ompany c/o	W.t. t	1 MO>0 M	Board of	Agriculture Div	ision of Water Resou	rces
City State	aaress, box	(# PO.B	0X 3363	KANSAS lole	10.3			n Number:	iolon of trator rioses	
LOCATE	WELL'S LO	CATION WITH	A DEPTH OF	COMPLETED WELL.	20	# FLEVAT				
AN "X" I	N SECTION	BOX:		dwater Encountered 1.						
, r	1		WELL'S STATI	C WATER LEVEL	NA ft. b	elow land surf	ace measured or	n mo/day/yr .		
	1	1		np test data: Well water						
-	- NW	NE	Est. Yield	gpm: Well water	was	ft. aft	ter	. hours pump	oing g	pm
<u>.</u> L	_ i l		Bore Hole Dian	neter	25					.ft.
₹ w  -	· ·	!	WELL WATER		5 Public water		B Air conditioning	g 11 Inj	ection well	
īĿ	- sw	SF	1 Domestic			ter supply	_		her (Specify below)	
	- 311	₹- 'E	2 Irrigation		-					
Į L			i	/bacteriological sample s	ubmitted to De					sub-
-	<u> </u>	A SING LIGER	mitted	F Minnesota incom	0.0		er Well Disinfecto		No Clamped	
		ASING USED:	B)	5 Wrought iron 6 Asbestos-Cement	8 Concre	ete tile (specify below			Clamped	
1 Ste		3 RMP (S 4 ABS	n)	7 Fiberglass			) . <i></i>		od. <b>X</b>	
_		_	in to 10	ft., Dia					to	
				in., weight .Sc.h.s.						
		R PERFORATIO		,	Ø₽V			bestos-cement		
1 Ste	el	3 Stainles	s steel	5 Fiberglass	8 RM	IP (SR)	11 Ott	ner (specify)		
2 Bra	ISS	4 Galvania	zed steel	6 Concrete tile	9 AB	S	12 <b>N</b> o	ne used (open	hole)	
SCREEN C	OR PERFOR	RATION OPENIN	IGS ARE:	5 Gauze	d wrapped		8 Saw cut	1	1 None (open hole)	
1 Cor	ntinuous slo	t <b>@</b> M	fill slot	6 Wire v	vrapped		9 Drilled holes			
	vered shutte		ey punched	7 Torch			` '	• -		
SCREEN-P	PERFORATE	ED INTERVALS:		2.0 ft. to						
c	DAVEL DAV	CK INTERVALS:	From 2 : From 2	ft. to	_					
G	INAVEL FA	CK INTERVALS.	From	ft. to	6	ft., Fron		ft. to		ft.
6 GROUT	MATERIAL	: 1 Neat			Bento					
Grout Inten				ft., From <b>£</b>	ft.	to6	ft., From .	<b>.</b>	ft. to	ft.
What is the	nearest so	ource of possible	contamination:			10 Livest	ock pens	14 Aba	ndoned water well	
		eral lines 7 Pit privy		11 Fuel s		storage 15 Oil well/Gas we		well/Gas well		
2 Sewer lines 5 Cess				on 12 Fertilize		zer storage	16 Othe	er (specify below)		
	tertight sew	er lines 6 Seep	oage pit	9 Feedyard		13 Insect	icide storage			
Direction fr		WES+			55014	How man		S (	EDVALC	
FROM	TO	1.01	LITHOLOGIC	LOG	FROM	то		LUGGING INT	ERVALS	
511	31	Hopha	7		<del> </del>					
	B'	Residen	A Pla	chie Clay						
3'	121	Brut	Licht	Bra						
		Sligh	11351	Fu Clay						
12'	19.5	ASA	balus 6	Econing						
		Fattsi	: With	Iron Nodu	25					
19.5	20.0	Wigth	SIEC TA	4 Clay						
				7						
										-
					-					
				144						
						LL		-1	mu inviediation and	
7 CONTR	ACTOR'S	OR LANDOWNE	R'S CERTIFICA	TION: This water well wa	constru	cted, (2) reco	nstructed, or (3)	plugged under	my jurisdiction and to	was
			~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~~	This Was a second	all Bossa	and this recor	a is true to the b	est of my know	9-7-9	ısas
		s License No.		This Water W	ell riecord wa	is completed of by (signat	// /			
	business na			FIRMLY and PRINT clearly. Ple	ase fill in blanks			Send top three cor	pies to Kansas Department	
INSTRUC		pewriter of dall point	Pen. FLEASE PHESS	THINK I AND FRINT CHAIN, FIRE	200 mm m Olatino,	WATER WELL ON	NER and retain one	for your records		
of Health	h and Environm	ent, Bureau of Water	r, Topeka, Kansas 66	620-0001. Telephone: 913-296-5	545. Send one to	WATER WELL OF	FILL THE TOTAL OFF	ior your records.		