				R WELL RECORD	Form W		82a-1212		<del></del>		
		TER WELL:	Fraction 1/4	NW 1/4	SW 14	Section Num	ber Township	Number S		Numbe	er Ew
	nd direction	andotte from nearest town ax, Kansas	or city street a	ddress of well if lo				5	<u> </u>		5/vv
	WELL OV	<u>.</u>		ansas Cit	v/Don i	ones					
,	ddress, Bo	O_I	1 N. 7t		,, ,, ,, ,,	000	Board of	Agriculture, I	Division of W	ater Res	sources
•	ZIP Code	7 0		ty, KS. 6	6101		Applicati	on Number:			
LOCATE	WELL'S L	OCATION WITH 4	DEPTH OF C	OMPLETED WELL		r ft. ELI	EVATION:				
iΓ	l 1	ر ا ا	ELL'S STATIC	WATER LEVEL .	13.15	ft. below land	ft. 2 surface measured	on mo/day/yr	3-24-	7.7	
-	- NW	NE E					ft. after				
: w  -	<u>i</u>	B	ore Hole Diame	eter 8.//21in	. to .201.		ft., and	in	. to	· · · · · ·	ft.
* v	Ţ.		ELL WATER 1	O BE USED AS:	5 Public	water supply	8 Air conditioni	ng 11	Injection we	1	
ī	I SW	SE	1 Domestic	3 Feedlot	6 Oil fie	ld water supply	Dewatering	12	Other (Spec	fy below	v)
	- 317	1 1 1 1	2 Irrigation	4 Industrial			ly (10)Monitoring w	ell			
<u>L</u>	<u> </u>		/as a chemical/l iitted	bacteriological sam	ple submitted	I to Department	? YesNo		, mo/day/yr s No		as sub
TYPE C	F BLANK	CASING USED:		5 Wrought iron	8 (	Concrete tile		OINTS: Glue		<i></i>	
ر 1 Ste	el	3 RMP (SR)		6 Asbestos-Cem	ent 9 0	Other (specify b			led		
2 PV	ō)	4 ABS	,	7 Fiberglass					adedX		
		2.3.75in.	. to .I.O'								
	-	and surface.FUL	. 4				lbs./ft. Wall thicknes				
		R PERFORATION I		,		7 PVC		sbestos-ceme		. 4 0	
1 Ste		3 Stainless s		5 Fiberglass	_	8 RMP (SR)		ther (specify)			
2 Bra	SS	4 Galvanized	steel	6 Concrete tile		9 ABS		one used (op			
CREEN C	R PERFO	RATION OPENINGS	S ARE:		auzed wrapp	ed	8 Saw cut	(op	11 None (d	open hol	le)
1 Co	ntinuous sk	ot 3 Mill s	slot		Vire wrapped		9 Drilled hole	s	(,		•,
	vered shut		punched		orch cut ,		10 Other (spec				
		ED INTERVALS:	From 2	^'	100		From	• •			
			From				From				
G	RAVEL PA	CK INTERVALS:	_				From				
			From	ft	to	ft	From	ft t	io.		ft
GROUT	MATERIAL	Neat cen	ment /	2)Cement grout	. 3	Bentonite 4	4 Other				
Grout Inten	vals: Fro	m 9' =	to 4	ft. From	4'	ft to	ft From		ft to		ft
What is the	nearest so	ource of possible co	ntamination:		(2)	10 L	ivestock pens	14 A	bandoned w	ater well	1
1 Sec	otic tank	4 Lateral	lines	7 Pit privy	,	(TN) F	uel storage Four	15.0	il well/Gas w	ell	
2 Sewer lines		5 Cess po		8 Sewage					Other (specify below)		
		er lines 6 Seepag		9 Feedyar	•		secticide storage		······································	20.011,	
		verbrooth					many feet?				
FROM	ТО		LITHOLOGIC	LOG	FRO			PLUGGING I	NTERVALS		
0	.50	Asphalt									
.50	13	Med brn s			ained,			•	-		
		dry, no o	dor, sul	orounded.							
13	16.50	Fine-coar	se sand	, wet at :	13',						
		no odor,									
6.50	20	Dk gray m									
	<u></u>	highly pl									
		wet.									
		WCCI									
		-				1					
							_				
	<del></del>						Flush mt.	OK'd	by Don	Tay1	lor
+					<del></del>						
1										: _ a f	
CONTR	ACTOR'S	OR LANDOWNER'S	CERTIFICATI	ON: This water we	eli was (1) co						
		/year) <b>3-//9</b>	539			and this r	ecord is true to the	best of my kn	cyledge and	belief. K	(ansas
Water Well	Contractor	's License No		This Wate	er Well Reco		ted on (mo/day/yr)	2007	6		
inder the b	ousiness na	me of JB Env	Troumen.	Lai DETIL	1119	by (si	gnature) CAM	usible			
INSTRUC	TIONS: Use ty	pewriter or ball point pen	. PLEASE PRESS F	IRMLY and PRINT clear	ly. Please fill in b	lanks, underline or	circle the correct answers	. Send top three	copies to Kansa	s Departme	ent
of Health	and Environm	ent, Bureau of Water, Top	peka, Kansas 6662	0-0001. Telephone: 913-	296-5545. Send	one to WATER WEL	L OWNER and retain one	for your records	3.		