\mathcal{G}

Form WWC-5 KSA 82a-1212 Township Number Range Number 1 LOCATION OF WATER WELL: Fraction Section Number NW 1/4 NW 25 County: Wyandotte Distance and direction from nearest town or city street address of well if located within city? 1549 State Ave, Kansas City, KS. Tom Schnabel/FJE, INC. 2 WATER WELL OWNER: 1549 State Ave. Board of Agriculture, Division of Water Resources RR#, St. Address, Box # : Kansas City, Ks. Application Number: City, State, ZIP Code LOCATE WELL'S LOCATION WITH 4 DEPTH OF COMPLETED WELL. 10'...... ft. ELEVATION: AN "X" IN SECTION BOX: WELL'S STATIC WATER LEVEL 0.75 ft. below land surface measured on mo/day/yr 3-24-9 Pump test data: Well water was ft. after hours pumping NW --NE -Est. Yield gpm: , Well water was ft. after hours pumping gpm W WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning OFFICE 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) SE -2 Irrigation 4 Industrial 7 Lawn and garden only (10) Monitoring well Water Well Disinfected? Yes TYPE OF BLANK CASING USED: 5 Wrought iron CASING JOINTS: Glued 8 Concrete tile 1 Steel 3 RMP (SR) 6 Asbestos-Cement Welded 9 Other (specify below) 2 PVC 4 ABS Threaded....X....... 7 Fiberglass Blank casing diameter 2.3.75. 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 4 Galvanized steel 9 ABS 2 Brass 6 Concrete tile 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 3 Mill slot 6 Wire wrapped 9 Drilled holes 1 Continuous slot 7 Torch cut 4 Key punched 2 Louvered shutter SCREEN-PERFORATED INTERVALS: ft. to ft. to 26 ft., From ft. to From. . . 1.0 GRAVEL PACK INTERVALS: From 6 GROUT MATERIAL: Neat cement ②Cement grout 3Bentonite , Grout Intervals: From.... 2/2... to 2.....
What is the nearest source of possible contamination: ft., From 2'. 10 Livestock pens 14 Abandoned water well 4 Lateral lines 7 Pit privy (11) Fuel storage Former 15 Oil well/Gas well 1 Septic tank 12 Fertilizer storage 5 Cess pool 8 Sewage lagoon 2 Sewer lines 16 Other (specify below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage Direction from well? How many feet? 55 PLUGGING INTERVALS LITHOLOGIC LOG FROM **FROM** TO .50 Asphalt .50 Med-lt. brn mottled silty clay w/ weathered bedrock frag, moist to wet, no odor. 3 Red brn weathered shaley clay w/ ls.rx. sandstone frag., moistwet, oxide staining, no odor 9 10 Limestone bedrock, weathered red brn-blk. graveley clay, hard, no odor. Flush mt. OK'd by Don Taylor Water Well Contractor's License No. 539 This Water Well Record was completed on (mo/day/yr) 3-25 under the business name of JB Environmental Drilling by (signature)

INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.