1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Oft 2 Irrigation 4 Industrial 7 Lawn and garden only 0 Monitoring well	oing gp oing gp oction well ther (Specify below) No X Clamped to
Distance and direction from nearest town or city street address of well if located within city? To minesota Ave. Kansas City K5	ision of Water Resource ift ift iff iff iff iff iff if
WATER WELL OWNER: 107al Petroleum, Inc., RR#, St. Address, Box # : 999 18 St., Suite 2201 Board of Agriculture, Dividence of St., State 2201 Application Number: Application	oing gp oing gp oction well ther (Specify below) No X Clamped to
Board of Agriculture, Divided to Denver Control RR#, St. Address, Box #: 999 / 18 St. Suite 2201 Board of Agriculture, Divided Application Number: Applica	oing gp oing gp oction well ther (Specify below) No X Clamped to
Board of Agriculture, Divided to the property of the property	oing gp oing gp oction well ther (Specify below) No X Clamped to
Application Number: Column Column	oing gp oing gp oction well ther (Specify below) No X Clamped to
Depth of COMPLETED WELL. 2 6, 5 ft. ELEVATION: 85 4, 2 7. Depth(s) Groundwater Encountered 1. Dry ft. 2. ft. 3. WELL'S STATIC WATER LEVEL. 5, ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pump Est. Yield gpm: Well water was ft. after hours pump Bore Hole Diameter 8 in. to 2 6, 5 ft., and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Inje 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Oth 2 Irrigation 4 Industrial 7 Lawn and garden only 0 Monitoring well 1 Mw1 Was a chemical/bacteriological sample submitted to Department? Yes. No. X if yes, me Water Well Disinfected? Yes TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile 9 ABS 12 None used (open 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) . 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open	oing gp oing gp ocetion well her (Specify below) /// o/day/yr sample was si No Clamped to
DEPTH OF COMPLETED WELL. 26,5 ft. ELEVATION: 85%.27 Depth(s) Groundwater Encountered 1. Dry ft. 2. ft. 3. WELL'S STATIC WATER LEVEL 5. ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pump Est. Yield gpm: Well water was ft. after hours pump Bore Hole Diameter 8. in to 26,5 ft., and in to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 lojet 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Oth 2 Irrigation 4 Industrial 7 Lawn and garden only Was a chemical/bacteriological sample submitted to Department? Yes. No. X if yes, mo mitted Water Well Disinfected? Yes TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Blank casing diameter 2 in to 6.5 ft., Dia in to ft., Dia in. Casing height above land surface. Flash in, weight 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) . 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open	oing gp oing gp ocetion well her (Specify below) /// o/day/yr sample was si No Clamped to
Depth(s) Groundwater Encountered 1. Dry ft. 2. ft. 3. WELL'S STATIC WATER LEVEL 5. ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pump Bore Hole Diameter 8. in. to 20.5. ft., and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Inje 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Oth 2 Irrigation 4 Industrial 7 Lawn and garden only 0 Monitoring well water well Disinfected? Yes TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Water was gianness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) . 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open	oing gp oing gp ocetion well her (Specify below) /// o/day/yr sample was si No Clamped to
WELL'S STATIC WATER LEVEL 5. ft. below land surface measured on mo/day/yr Pump test data: Well water was ft. after hours pump Est. Yield gpm: Well water was ft. after hours pump Bore Hole Diameter 5 in. to 26,5 ft., and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Inje 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Oth 2 Irrigation 4 Industrial 7 Lawn and garden only 0 Monitoring well water well Disinfected? Yes TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Water well Disinfected? Yes TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Water well Disinfected? Threade 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Threade Blank casing diameter 2 in. to 6,5 ft., Dia in. to ft., Dia in. Casing height above land surface Flush in., weight 9,703 Ibs./ft. Wall thickness or gauge No. of TYPE OF SCREEN OR PERFORATION MATERIAL: 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) . 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open	oing gp oing gp oing gp oction well ther (Specify below) o/day/yr sample was si No X Clamped
Est. Yield gpm: Well water was ft. after hours pump Bore Hole Diameter 8 in. to 20,5 ft., and in. to WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Inje 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Ott 2 Irrigation 4 Industrial 7 Lawn and garden only Water Well Disinfected? Yes mitted Water Well Disinfected? Yes Welded 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Type OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 1 Steel 3 Stainless steel 6 Concrete tile 9 ABS 12 None used (open	oing gp bection well her (Specify below) /// o/day/yr sample was si No Clamped to
Bore Hole Diameter . S. in. to	ection well her (Specify below) // // // // // // // // //
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Oth 2 Irrigation 4 Industrial 7 Lawn and garden only 0 Monitoring well 2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well 12 Oth 12 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well 12 Oth 12 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well 12 Oth 12 Irrigation 4 Industrial 7 Lawn and garden only 11 Injection 12 Oth 13 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well 12 Oth 13 Irrigation 14 Industrial 7 Lawn and garden only 10 Monitoring well 12 Oth 13 Irrigation 15 Irrigation 15 Wrought iron 8 Concrete tile 15 Water Well Disinfected? Yes 15 Irrigation 15 Wrought iron 8 Concrete tile 15 Irrigation 15 Irrigation 15 Irrigation 16 Asbestos-Cement 9 Other (specify below) 17 Irrigation 18 Irrigation 18 Irrigation 19 Irrigat	ection well her (Specify below) // // o/day/yr sample was si No Clamped to
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Oth 2 Irrigation 4 Industrial 7 Lawn and garden only Water Well Disinfected? Yes Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded Threade Blank casing diameter 2 in to 6.5 ft., Dia in to ft., Dia in. Casing height above land surface Flush in., weight 9 Type OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) . 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open	her (Specify below) // o/day/yr sample was si No Clamped to
2 Irrigation 4 Industrial 7 Lawn and garden only 0 Monitoring well was a chemical/bacteriological sample submitted to Department? Yes No. X if yes, monitted Water Well Disinfected? Yes TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threade Blank casing diameter 2 in to 6.5 ft., Dia in to ft., Dia in Casing height above land surface. Flush in, weight 9, 7.03 Ibs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open	No X Clamped to
2 Irrigation 4 Industrial 7 Lawn and garden only 0 Monitoring well	No X Clamped
S mitted Water Well Disinfected? Yes TYPE OF BLANK CASING USED: 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued . 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threade Blank casing diameter 2 in. to 6.5 ft., Dia in. to ft., Dia in. Casing height above land surface Flush in., weight 9, 703 Ibs./ft. Wall thickness or gauge No. of the concrete tile 10 Asbestos-cement 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) . 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open	No X Clamped
TYPE OF BLANK CASING USED: 1 Steel 2 PVC 4 ABS 7 Fiberglass Casing height above land surface. Flush 1 Steel 3 Stainless steel 5 Wrought iron 8 Concrete tile 9 Other (specify below) Welded Threade 9 Other (specify below) Welded 1 Steel 1 Steel 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 1 Other (specify below) 1 Double (specify	Clampedto
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threade Blank casing diameter 2 in. to 6.5 ft., Dia in. to ft., Dia in. Casing height above land surface Flash in., weight 7 PVC 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open	to
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threade Blank casing diameter 2 in to 6.5 ft., Dia in to ft., Dia in. Casing height above land surface Flush in, weight 7,703 lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open	to
PVC 4 ABS 7 Fiberglass 7 Fiberglass 7 Fiberglass 7 Fiberglass 7 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open	to
Casing height above land surface. Flush in., weight	
Casing height above land surface. Flush in., weight properties of gauge No. Type OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open	
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)	0697 7 0
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open	•
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open	
***************************************	hole)
	1 None (open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From 6.5 ft. to 26.5 ft., From ft. to	
From	
GRAVEL PACK INTERVALS: From. 4,5 ft. to 26,5 ft., From ft. to.	
,	
GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	
Grout Intervals: From	
····	ndoned water well
	vell/Gas well
	er (specify below)
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	(opeony deleti)
Direction from well? East How many feet? ~ 150	
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTI	ERVALS
0.0 0.5 Asphaltic Concrete Concrete Flushmous	
0,5 1,5 Topsoil Per Agreement w	11 Well to Ton Tour
0,5 1.5 Topsoil 1,5 4.0 Red Silty Clay With KDHE	Tree Deer lay 10
4.0 7.5 Red mottled Silty Clay	
7.5 Red Mattled Silty Clay 7.5 25.5 Tan Sandy Clay	
//	
25.5 26.5 Limestone	
25.5 26.5 Limestone	
25.5 26.5 Limestone CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under	my jurisdiction and wa
	my jurisdiction and walledge and belief. Kansa
25.5 26.5 Limestone 7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under completed on (mo/day/year) and this record is true to the best of my knowly water Well Contractor's License No. 53/ This Water Well Record was completed on (mo/day/yr)	ledge and belief. Kansa
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under completed on (mo/day/year) and this record is true to the best of my knowledge.	ledge and belief. Kansa