1 LOCATION										
			Fraction			tion Number		Number	Range N	_
	wonan		N€ 1/			<u>33 </u>	TU	S	R 25	(B)W
Distance a	nd direction	from nearest tow	n or city street a	address of well if locate	d within city?					
123	78 W	berrain	Lane	Kan	sas City	KS				
2 WATER		NER: Go G				J	Mus	_		
				lare			•		ivision of Wate	r Resources
		# : 1228		~ ~~				•	IVISION OF WAR	i riesources
City, State,		· Kc'						n Number:		
3 LOCATE	E WELL'S LO IN SECTION			COMPLETED WELL						
	N		Depth(s) Ground	dwater Encountered 1		π.	2	n. 3.	10/15/9	<u>ن</u> ا
Ŧ	!!	!!!		S WATER LEVEL 3.						
	- NW	- NE	Pum	p test data: Well water	erwas	ft. a	after	. hours pur	nping	gpm
	~ ``` ` A	- 111-1	Est. Yield	gpm: Well water	rwas	ft. a	after	. hours pur	nping	gpm
·	- i 'l	, i .	Bore Hole Diam	eterin. to			and	in.	to	
₹ w -	1	- E	WELL WATER	TO BE USED AS:	5 Public water	r supply	8 Air conditionin	a 11 i	njection well	
-	1	i [1 Domestic			,	9_Dewatering	•	Other (Specify	below)
-	- SW	SE					10 Monitoring we			
	!	! ! !	2 Irrigation							
<u> </u>	<u> </u>		was a chemical	bacteriological sample s	submitted to De				<i>(</i> '')	pie was sub-
-			mitted			Wi	ater Well Disinfec		(10)	
5 TYPE O	OF BLANK C	ASING USED:		5 Wrought iron	8 Concre	ete tile	CASING JO	DINTS: Glued	Clamp	oed
1 Ste	eel	3 RMP (SF	R)	6 Asbestos-Cement	9 Other	(specify belo	w)	Welde	d	
(2 P)	C	4 ABS	,	7 Fiberglass				Threa	ded)	
		_	in to 5	ft., Dia						
			_							1
	_	nd surface		.in., weight			ft. Wall thickness			
TYPE OF	SCREEN OF	R PERFORATION	MATERIAL:		(7 PV	C	10 As	bestos-cemer	nt	l
1 Ste	eel	3 Stainless	steel	5 Fiberglass	8 RM	IP (SR)	11 O	her (specify)		
2 Bra	ass	4 Galvanize	ed steel	6 Concrete tile	9 AB	S	12 No	one used (ope	en hole)	
SCREEN C	OR PERFOR	ATION OPENING	GS ARE:	5 Gauz	ed wrapped		8 Saw cut		11 None (ope	n hole)
1 Co	ntinuous slot	S Mi	lt slot		wrapped		9 Drilled holes		(-1-	,
	uvered shutte	_			• • •					
			y punched	7 Torch			10 Other (spec			
SCHEEN-F	PERFORATE	D INTERVALS:	From				om			
			From	ft. to			om	ft. to	·	ft.
G	BRAVEL PAC	K INTERVALS:	From	4	15	ft., Fro	om	ft. to		ft.
			From	ft. to		ft., Fro	om	ft. to	1	ft.
6 GROUT	MATERIAL:	1 Neat c		//						
			ement C	Cement grout	3 Pento	nite 4	Other			
Grout Inter	vals: Fron	n	ement C	//	3 Pento	nite 4	Other			
Grout Inter	vals: Fron e nearest so	urce of possible of	ement	Cement grout ft., From 2	3 Pento	nite 4 to 4 10 Lives	Other	14 Ab	ft. to	
Grout Inten What is the 1 Sep	vals: Fron e nearest so ptic tank	urce of possible of 4 Latera	ement C ft. to	Cement grout	3 Pento	nite 4 to 4 10 Lives	Other	14 Ab	ft. to andoned water	ft.
Grout Inten What is the 1 Sep	vals: Fron e nearest so	urce of possible of	ement C ft. to	7 Pit privy 8 Sewage lage	3 ento	nite 4 to. 4 10 Lives 11 Fuel	Other	14 Ab	ft. to	ft.
Grout Inter What is the 1 Sep 2 Sev	vals: From e nearest son ptic tank wer lines	urce of possible of 4 Latera	ement ft. to	Cement grout ft., From 2 7 Pit privy	3 ento	nite 4 to 10 Lives 11 Fuel 12 Ferti	Other ft., From . stock pens storage	14 Ab	ft. to andoned water	ft.
Grout Inter What is the 1 Sep 2 Sev	vals: From e nearest son ptic tank wer lines atertight sewe	urce of possible of 4 Latera 5 Cess	ement ft. to	7 Pit privy 8 Sewage lage	3 ento	nite 4 to. 4 10 Lives 11 Fuel 12 Ferti 13 Insee	Other	14 Ab	ft. to andoned water	ft.
Grout Inten What is the 1 Sep 2 Sev 3 Wa	vals: From e nearest son ptic tank wer lines atertight sewe	urce of possible of 4 Latera 5 Cess	ement ft. to	7 Pit privy 8 Sewage lage 9 Feedyard	3 ento	nite 4 to. 4 10 Lives 11 Fuel 12 Ferti 13 Insee	Other ft., From . stock pens storage lizer storage cticide storage any feet?	14 Ab	ft. to	ft.
Grout Inten What is the 1 Sep 2 Sev 3 Wa Direction fr	vals: From e nearest son ptic tank wer lines atertight sewer rom well?	urce of possible of 4 Latera 5 Cess er lines 6 Seepa	ement ft. to	7 Pit privy 8 Sewage lage 9 Feedyard	3 ento	nite 4 to4 10 Lives 11 Fuel 12 Ferti 13 Insee	Other ft., From . stock pens storage lizer storage cticide storage any feet?	14 Ab 15 Qi Gis Ot US(3	ft. to	ft.
Grout Inter What is the 1 Sep 2 Sep 3 Wa Direction fr FROM	vals: From e nearest son ptic tank wer lines atertight sewe rom well? TO Z	urce of possible of 4 Latera 5 Cess	ement ft. to	7 Pit privy 8 Sewage lage 9 Feedyard	3 ento	nite 4 to4 10 Lives 11 Fuel 12 Ferti 13 Insee	Other ft., From . stock pens storage lizer storage cticide storage any feet?	14 Ab 15 Qi Gis Ot US(3	ft. to	ft.
Grout Inter What is the 1 Sep 2 Sex 3 Wa Direction fr FROM 0	vals: From e nearest son ptic tank wer lines atertight sewer rom well? TO 2	urce of possible of 4 Latera 5 Cess er lines 6 Seepa	ement ft. to	7 Pit privy 8 Sewage lage 9 Feedyard	3 ento	nite 4 to4 10 Lives 11 Fuel 12 Ferti 13 Insee	Other ft., From . stock pens storage lizer storage cticide storage any feet?	14 Ab 15 Qi Gis Ot US(3	ft. to	ft.
Grout Inter What is the 1 Sep 2 Sex 3 Wa Direction fr FROM 0	vals: From e nearest son ptic tank wer lines atertight sewe rom well? TO Z	urce of possible of 4 Latera 5 Cess er lines 6 Seepa	ement ft. to	7 Pit privy 8 Sewage lage 9 Feedyard	3 ento	nite 4 to4 10 Lives 11 Fuel 12 Ferti 13 Insee	Other ft., From . stock pens storage lizer storage cticide storage any feet?	14 Ab 15 Qi Gis Ot US(3	ft. to	ft.
Grout Inter What is the 1 Sep 2 Sex 3 Wa Direction fr FROM 0	vals: From e nearest son ptic tank wer lines atertight sewer rom well? TO 2	urce of possible of 4 Latera 5 Cess er lines 6 Seepa	ement ft. to	7 Pit privy 8 Sewage lage 9 Feedyard	3 ento	nite 4 to4 10 Lives 11 Fuel 12 Ferti 13 Insee	Other ft., From . stock pens storage lizer storage cticide storage any feet?	14 Ab 15 Oi 6 Oi USTS	ft. to	ft.
Grout Inter What is the 1 Sep 2 Sex 3 Wa Direction fr FROM 0	vals: From e nearest son ptic tank wer lines atertight sewer rom well? TO 2	urce of possible of 4 Latera 5 Cess er lines 6 Seepa	ement ft. to	7 Pit privy 8 Sewage lage 9 Feedyard	3 ento	nite 4 to4 10 Lives 11 Fuel 12 Ferti 13 Insee	Other ft., From . stock pens storage lizer storage cticide storage any feet?	14 Ab 15 Oi 6 Oi USTS	ft. to	ft.
Grout Inter What is the 1 Sep 2 Sex 3 Wa Direction fr FROM 0 5	vals: From e nearest son ptic tank wer lines atertight sewer rom well? TO 2	urce of possible of 4 Latera 5 Cess er lines 6 Seepa	ement ft. to	7 Pit privy 8 Sewage lage 9 Feedyard	3 ento	nite 4 to4 10 Lives 11 Fuel 12 Ferti 13 Insee	Other ft., From . stock pens storage lizer storage cticide storage any feet?	14 Ab 15 Oi 6 Oi USTS	ft. to	ft.
Grout Inter What is the 1 Sep 2 Sex 3 Wa Direction fr FROM D 5	vals: From e nearest son ptic tank wer lines atertight sewer rom well? TO 2	urce of possible of 4 Latera 5 Cess er lines 6 Seepa	ement ft. to	7 Pit privy 8 Sewage lage 9 Feedyard	3 ento	nite 4 to4 10 Lives 11 Fuel 12 Ferti 13 Insee	Other ft., From . stock pens storage lizer storage cticide storage any feet?	14 Ab 15 Oi 6 Oi USTS	ft. to	ft.
Grout Inter What is the 1 Sep 2 Sex 3 Wa Direction fr FROM D 5	vals: From e nearest son ptic tank wer lines atertight sewer rom well? TO 2	urce of possible of 4 Latera 5 Cess er lines 6 Seepa	ement ft. to	7 Pit privy 8 Sewage lage 9 Feedyard	3 ento	nite 4 to4 10 Lives 11 Fuel 12 Ferti 13 Insee	Other ft., From . stock pens storage lizer storage cticide storage any feet?	14 Ab 15 Oi 6 Oi USTS	ft. to	ft.
Grout Inter What is the 1 Sep 2 Sex 3 Wa Direction fr FROM D 5	vals: From e nearest son ptic tank wer lines atertight sewer rom well? TO 2	urce of possible of 4 Latera 5 Cess er lines 6 Seepa	ement ft. to	7 Pit privy 8 Sewage lage 9 Feedyard	3 ento	nite 4 to4 10 Lives 11 Fuel 12 Ferti 13 Insee	Other ft., From . stock pens storage lizer storage cticide storage any feet?	14 Ab 15 Oi 6 Oi USTS	ft. to	ft.
Grout Inter What is the 1 Sep 2 Sex 3 Wa Direction fr FROM 0 5	vals: From e nearest son ptic tank wer lines atertight sewer rom well? TO 2	urce of possible of 4 Latera 5 Cess er lines 6 Seepa	ement ft. to	7 Pit privy 8 Sewage lage 9 Feedyard	3 ento	nite 4 to4 10 Lives 11 Fuel 12 Ferti 13 Insee	Other ft., From . stock pens storage lizer storage cticide storage any feet?	14 Ab 15 Oi 6 Oi USTS	ft. to	ft.
Grout Inter What is the 1 Sep 2 Sex 3 Wa Direction fr FROM D 5	vals: From e nearest son ptic tank wer lines atertight sewer rom well? TO 2	urce of possible of 4 Latera 5 Cess er lines 6 Seepa	ement ft. to	7 Pit privy 8 Sewage lage 9 Feedyard	3 ento	nite 4 to4 10 Lives 11 Fuel 12 Ferti 13 Insee	Other ft., From . stock pens storage lizer storage cticide storage any feet?	14 Ab 15 Oi 6 Oi USTS	ft. to	ft.
Grout Inter What is the 1 Sep 2 Sex 3 Wa Direction fr FROM D 5	vals: From e nearest son ptic tank wer lines atertight sewer rom well? TO 2	urce of possible of 4 Latera 5 Cess er lines 6 Seepa	ement ft. to	7 Pit privy 8 Sewage lage 9 Feedyard	3 ento	nite 4 to4 10 Lives 11 Fuel 12 Ferti 13 Insee	Other ft., From . stock pens storage lizer storage cticide storage any feet?	14 Ab 15 Oi 6 Oi USTS	ft. to	ft.
Grout Inter What is the 1 Sep 2 Sex 3 Wa Direction fr FROM D 5	vals: From e nearest son ptic tank wer lines atertight sewer rom well? TO 2	urce of possible of 4 Latera 5 Cess er lines 6 Seepa	ement ft. to	7 Pit privy 8 Sewage lage 9 Feedyard	3 ento	nite 4 to4 10 Lives 11 Fuel 12 Ferti 13 Insee	Other ft., From . stock pens storage lizer storage cticide storage any feet?	14 Ab 15 Oi 6 Oi USTS	ft. to	ft.
Grout Inter What is the 1 Sep 2 Sex 3 Wa Direction fr FROM D 5	vals: From e nearest son ptic tank wer lines atertight sewer rom well? TO 2	urce of possible of 4 Latera 5 Cess er lines 6 Seepa	ement ft. to	7 Pit privy 8 Sewage lage 9 Feedyard	3 ento	nite 4 to4 10 Lives 11 Fuel 12 Ferti 13 Insee	Other ft., From . stock pens storage lizer storage cticide storage any feet?	14 Ab 15 Oi 6 Oi USTS	ft. to	ft.
Grout Inter What is the 1 Sep 2 Sex 3 Wa Direction fr FROM 0	vals: From e nearest son ptic tank wer lines atertight sewer rom well? TO 2	urce of possible of 4 Latera 5 Cess er lines 6 Seepa	ement ft. to	7 Pit privy 8 Sewage lage 9 Feedyard	3 ento	nite 4 to4 10 Lives 11 Fuel 12 Ferti 13 Insee	Other ft., From . stock pens storage lizer storage cticide storage any feet?	14 Ab 15 Oi 6 Oi USTS	ft. to	ft.
Grout Inter What is the 1 Sep 2 Sex 3 Wa Direction fr FROM 0 5	vals: From e nearest son ptic tank wer lines atertight sewer rom well? TO 2	urce of possible of 4 Latera 5 Cess er lines 6 Seepa	ement ft. to	7 Pit privy 8 Sewage lage 9 Feedyard	3 ento	nite 4 to4 10 Lives 11 Fuel 12 Ferti 13 Insee	Other ft., From . stock pens storage lizer storage cticide storage any feet?	14 Ab 15 Oi 6 Oi USTS	ft. to	ft.
Grout Inter What is the 1 Sep 2 Sex 3 Wa Direction fr FROM 0	vals: From e nearest son ptic tank wer lines atertight sewer rom well? TO 2	urce of possible of 4 Latera 5 Cess er lines 6 Seepa	ement ft. to	7 Pit privy 8 Sewage lage 9 Feedyard	3 ento	nite 4 to4 10 Lives 11 Fuel 12 Ferti 13 Insee	Other ft., From . stock pens storage lizer storage cticide storage any feet?	14 Ab 15 Oi 6 Oi USTS	ft. to	ft.
Grout Inter What is the 1 Sep 2 Sev 3 Wa Direction fr FROM 0 5	vals: From e nearest son ptic tank wer lines atertight sewe rom well? TO 2 7 12 17	Topso Clay CLay	ement ft. to	Feement grout ft., From 2 7 Pit privy 8 Sewage lago 9 Feedyard LOG SILT, Brown SILT, Brown	FROM with g	nite 4 to	Other ft., From . stock pens storage lizer storage cticide storage any feet?	14 Ab 15 Oil Ge of US(S) PLUGGING IN	tt. to	r well
Grout Inter What is the 1 See 2 See 3 Wa Direction fr FROM 0 5 10 15	vals: From e nearest son ptic tank wer lines atertight sewe rom well? TO 2 7 12 17	Topso Clay Clay CLA	ement ft. to	Feement grout ft., From 2 7 Pit privy 8 Sewage lage 9 Feedyard LOG S. It, Lower S. It, Lower S. It, Lower S. It, brown	FROM FROM With a with a	nite 4 to	Other	14 Ab 15 Qi Ge of US(S) PLUGGING IN	ft. to	on and was
Grout Inter What is the 1 Set 2 Set 3 Wa Direction fr FROM D 5 10 15	vals: From e nearest son ptic tank wer lines atertight sewe rom well? TO 2 7 12 17 ACTOR'S O on (mo/day/y	Topso Clay Clay CLay CLay CLay	ement ft. to 2 contamination: al lines pool age pit LITHOLOGIC I MARKET SCERTIFICAT 127(97)	Feement grout ft., From 2 7 Pit privy 8 Sewage lage 9 Feedyard LOG S. It, brown S. It, brown S. It, brown	FROM FROM With a with a great the great that a great the great that a great the great that a g	nite 4 to	Other	14 Ab 15 Qi Ge of US(S) PLUGGING IN	ft. to	on and was
Grout Inter What is the 1 Sep 2 Sev 3 Wa Direction fr FROM 0 5 10 15	vals: From e nearest son ptic tank wer lines atertight sewe rom well? TO 2 12 17 ACTOR'S O on (mo/day/y) Contractor's	Topso Clay Clay Clay Clay Clay Clay Clay Clay	ement ft. to 2 contamination: al lines pool age pit LITHOLOGIC MARCH AND SCERTIFICAT STATES 13 13 13 13 13 13 13 13 13 1	Feement grout ft., From 2 7 Pit privy 8 Sewage lage 9 Feedyard LOG S. It, Lower S. It, Lower S. It, Lower S. It, brown	FROM FROM With a with a great the great that a great the great that a great the great that a g	nite 4 to	Other	14 Ab 15 Qi Ge of US(S) PLUGGING IN	ft. to	on and was
Grout Inter What is the 1 Sep 2 Sev 3 Wa Direction fr FROM 0 5 10 15 7 CONTR completed of Water Well under the b	vals: From e nearest son ptic tank wer lines atertight sewe rom well? TO 2 7 12 17 Contractor's business nan	Topso Clay Clay Clay Clay Clay Clay Clay Clay	ement ft. to 2 contamination: al lines pool age pit LITHOLOGIC I MINOR S CERTIFICAT 127(97)	Feement grout ft., From 2 7 Pit privy 8 Sewage lage 9 Feedyard LOG S. It, brown S. It, brown S. It, brown	FROM FROM With a with a second was (1) constructions.	nite 4 to	Other	Plugged under the plugged unde	tt. to	on and was