

1 LOCATION OF WATER WELL:	Fraction	Section Number	Township Number	Range Number	
County: <u>Wyandotte</u>	<u>SE 1/4 SE 1/4 NW 1/4</u>	<u>11</u>	T <u>11</u> S	R <u>25</u> <u>EW</u>	
Distance and direction from nearest town or city street address of well if located within city?					
<u>37 South James Street, Kansas City, Kansas</u>					
2 WATER WELL OWNER: <u>Ryder Truck</u>		Board of Agriculture, Division of Water Resources			
RR#, St. Address, Box #: <u>37 South James Street</u>		Application Number:			
City, State, ZIP Code: <u>Kansas City, Kansas</u>					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL: <u>23.75</u> ft. ELEVATION: <u>723.8</u>			
		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr			
		Pump test data: Well water was <u>NA</u> ft. after hours pumping gpm Est. Yield <u>NA</u> gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter: <u>8 1/4</u> in. to ft., and in. to ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only <u>10</u> Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes No <u>✓</u> If yes, mo/day/yr sample was submitted		Water Well Disinfected? Yes No <u>✓</u>			
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped <u>2</u> PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded 7 Fiberglass Threaded <u>✓</u>					
Blank casing diameter in. to <u>12.75</u> ft. Dia. in. to ft. Dia. in. to ft.					
Casing height above land surface <u>-0.5</u> in., weight <u>sch 40</u> lbs./ft. Wall thickness or gauge No.					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass <u>7</u> PVC 10 Asbestos-cement 2 Brass 4 Galvanized steel 6 Concrete tile 8 RMP (SR) 11 Other (specify) 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot <u>3</u> Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes 7 Torch cut 10 Other (specify)					
SCREEN-PERFORATED INTERVALS: From <u>13.25</u> ft. to <u>23.25</u> ft., From ft. to ft.					
GRAVEL PACK INTERVALS: From <u>11.0</u> ft. to <u>25.0</u> ft., From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement <u>2</u> Cement grout <u>3</u> Bentonite 4 Other					
Grout Intervals: From <u>0</u> ft. to <u>2.0</u> ft., From <u>2.0</u> ft. to <u>11.0</u> ft., From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage <u>16</u> Other (specify below) <u>Former UST</u> 13 Insecticide storage					
Direction from well? How many feet?					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	1	concrete			
1	4.5	silty clay with debris			
4.5	6.5	sand			
6.5	11.5	clay			
11.5	25	sand			
mw-2 Tag # 00191845					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>1</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>10/21/97</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>529</u> This Water Well Record was completed on (mo/day/yr) <u>11/18/97</u> under the business name of <u>GEORGE WOODRUFF INC.</u> by (signature) <u>[Signature]</u>					