KTUM # 9/176		_			5	RR#(n
LOCATION OF WATER WELL; 1/4 Fraction	R WELL RECORD	Form WWC-	5 KSA 82 ction Numbe		mber	Range Number
County: JOHASON WY		W 1/4	10	т_//_	(S)	R 25 (EW
Distance and direction from nearest town or city street a	ddress of well if locate	ed within city?	,,			
215 S. 18TH STREET	KANSAS	CITY	KANS	GAS		
WATER WELL OWNER: FINA OIL &						
RR#, St. Address, Box # : P.O. BOX 2/26	Chemische	20/np///	"J	Board of Ag	riculture, C	Division of Water Resources
City, State, ZIP Code : DALLAS, TEX	rs 75211			Application	Number:	
LOCATE WELL'S LOCATION WITH 4 DEPTH OF C	OMPLETED WELL.		ft. ELEV	ATION:		
AN "X" IN SECTION BOX: Depth(s) Ground	water Encountered 1	I <i></i>	ft.	2	ft. 3.	
WELL'S STATIC	WATER LEVEL	ft. I	pelow land si	urface measured on i	mo/day/yr	
Pum	p test data: Well wat	er was	ft.	after	hours pur	mping gpm
Est. Yield	gpm; Well wat	er was	ft.	after	hours pur	mping gpm
Bore Hole Diam	eter7 3 //in. to	2./		and	in.	to ,
WELL WATER	TO BE USED AS:	5 Public wat	er supply	8 Air conditioning	11	Injection well
1 Domestic	3 Feedlot	6 Oil field wa				Other (Specify below)
2 Irrigation	4 Industrial	7 Lawn and	garden only	10 Monitoring well	, ,	2011 130RING
Was a chemical	bacteriological sample	submitted to D	epartment?	YesNo	; If yes,	mo/day/yr sample was sub-
S mitted			W	ater Well Disinfected	? Yes	No
TYPE OF BLANK CASING USED:	5 Wrought iron	8 Conc	ete tile	CASING JOIN	NTS: Glued	I Clamped
1 Steel 3 RMP (SR)	6 Asbestos-Cement	9 Other	(specify belo	ow)	Welde	ed
2 PVC 4 ABS	7 Fiberglass				Threa	ded
Blank casing diameter in. to	ft., Dia	in. to) <i></i>	ft., Dia	i	in. to ft.
Casing height above land surface	.in., weight		Ibs	./ft. Wall thickness or	r gauge No)
TYPE OF SCREEN OR PERFORATION MATERIAL:		7 P\	/C	10 Asbe	stos-ceme	nt
1 Steel 3 Stainless steel	5 Fiberglass	8 RI	MP (SR)	11 Othe	r (specify)	
2 Brass 4 Galvanized steel	6 Concrete tile	9 A	3S	12 None	used (ope	en hole)
SCREEN OR PERFORATION OPENINGS ARE:	5 Gauz	ed wrapped		8 Saw cut		11 None (open hole)
1 Continuous slot 3 Mill slot	6 Wire	wrapped		9 Drilled holes		
2 Louvered shutter 4 Key punched	7 Torch	n cut		10 Other (specify)		
SCREEN-PERFORATED INTERVALS: From	ft. to .		ft., Fr	om	ft. to	o
From	ft. to .		ft., Fr	om	ft. to	o
GRAVEL PACK INTERVALS: From	\ldots . ft. to .		ft., Fr	om	ft. to	o
From	ft. to		ft., Fr	om	ft. to	ft.
GROUT MATERIAL: 1 Neat cement	20Cement grout	3 Bent	onite 4	1 Other		
Grout Intervals: Fromft. to	ft., From	ft.	to	ft., From	• • • • • • • •	. ft. to
What is the nearest source of possible contamination:			10 Live	stock pens	14 At	pandoned water well
1 Septic tank 4 Lateral lines	7 Pit privy		11 Fue	l storage	15 Oi	l well/Gas well
2 Sewer lines 5 Cess pool	8 Sewage lag	joon	12 Fert	ilizer storage	16 O	ther (specify below)
3 Watertight sewer lines 6 Seepage pit	9 Feedyard		13 Inse	ecticide storage	<i></i> .	
Direction from well?			How m	any feet?		
FROM TO LITHOLOGIC	LOG	FROM	TO			NTERVALS
UITOPHALL		1,D.	SURFACE	With ceme	nt G	rout
4" 1' CRUSHED ROCK			-	0 1/2/		. 11/ 1 1
1' 12' SANDY SILT, IT. b	ROWN - RED			TOTAL VOI	ume -	: 46.2 gallons
121 17.51 Silty SAND, 1+. bre	own-kep					
17.5' 21' SHALE, dk gray						
						
	MANUAL		-			
			-			
			 			
			 			
			_			
			1			
CONTRACTOR'S OR LANDOWNER'S CERTIFICAT	ION: This water well w	as (1) constru	ucted, (2) red	constructed, or (3) old	ugged und	er my jurisdiction and was
completed on (mo/day/year) $2-24-9.7$.						wledge and belief. Kansas
Water Well Contractor's License No 5.75	This Water V	Vell Record w	as completed	کے (mo/day/yr)	1-14-	7. T
under the business name of KURTL ENVIRON)ERVICE	by (sign		Klast	>
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS of Health and Environment Bureau of Water Topeka, Kansas 666.	FIRMLY and PRINT clearly. Pl	ease fill in blanks,	underline or circ	cle the correct answers. Sei	nd top three	copies to Kansas Department