

SB#4

1 LOCATION OF WATER WELL: County: <u>JOHNSON WY</u> Fraction: <u>NW 1/4 SW 1/4 NW 1/4</u> Section Number: <u>16</u> Township Number: <u>T 11</u> Range Number: <u>R 25 E</u>	
Distance and direction from nearest town or city street address of well if located within city? <u>215 S. 18TH STREET KANSAS CITY, KANSAS</u>	
2 WATER WELL OWNER: <u>FINA OIL & CHEMICAL COMPANY</u>	
RR#, St. Address, Box #: <u>P.O. BOX 2126</u> Board of Agriculture, Division of Water Resources	
City, State, ZIP Code: <u>DALLAS, TEXAS 75211</u> Application Number:	
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:	4 DEPTH OF COMPLETED WELL: ft. ELEVATION: ft.
	Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.
	WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr
	Pump test data: Well water was ft. after hours pumping gpm
	Est. Yield gpm; Well water was ft. after hours pumping gpm
	Bore Hole Diameter: <u>7 3/4</u> in. to <u>15</u> in. to ft. and in. to ft.
	WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well
	1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)
	2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well <u>Soil Boring</u>
	Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted
5 TYPE OF BLANK CASING USED:	Water Well Disinfected? Yes No
1 Steel 3 RMP (SR)	5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped
2 PVC 4 ABS	6 Asbestos-Cement 9 Other (specify below) Welded
Blank casing diameter in. to ft. Dia in. to ft. Dia in. to ft.	7 Fiberglass Threaded
Casing height above land surface in. weight lbs./ft. Wall thickness or gauge No.	
TYPE OF SCREEN OR PERFORATION MATERIAL:	10 Asbestos-cement
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR)	11 Other (specify)
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS	12 None used (open hole)
SCREEN OR PERFORATION OPENINGS ARE:	8 Saw cut 11 None (open hole)
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes	
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify)	
SCREEN-PERFORATED INTERVALS: From ft. to ft. From ft. to ft. From ft. to ft.	
GRAVEL PACK INTERVALS: From ft. to ft. From ft. to ft. From ft. to ft.	
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other	
Grout Intervals: From ft. to ft. From ft. to ft. From ft. to ft.	
What is the nearest source of possible contamination:	10 Livestock pens 14 Abandoned water well
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage	
Direction from well?	How many feet?
FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS	
0 5" ASPHALT T.D. SURFACE WITH CEMENT GROUT	
5" 1' CRUSHED ROCK	
1' 5' Silty clay, brn, wet	
5' 8' Silty sand, greenish gray	
8' 12.5' Silty clay, grayish-brn	
12.5' 15' shale, yellowish-gray	
	TOTAL Volume = 33 gallons
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>2-27-97</u> and this record is true to the best of my knowledge and belief. Kansas	
Water Well Contractor's License No. <u>575</u> This Water Well Record was completed on (mo/day/yr) <u>3-24-97</u>	
under the business name of <u>KURTZ ENVIRONMENTAL SERVICE</u> by (signature) <u>Ken L. Kurtz</u>	
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.	