41.00-	011 02	PPD 147711		NELL RECORL) FOIII VV		2a-1212	N 1		Microsoft or o	
	ION OF WAT		Fraction	18	. 16	Section Number	1 1		Range		
	Wyan			SE 1/4	NE 14	l lo	T _ 1 \	S	l R 25	CDW	
Uistance a			vn or city street a	address of well if lo	cated within	city?				İ	
_,	1) 10.	James									
2 WATE	R WELL OW	NER: P	otherhood	1 KunK			Wa)		1	
RR#, St.	Address, Box	سد : * ×	a	H. V.		Board of Agriculture, Division of Water Resources					
City, State	e, ZIP Code	· · · · · · · · · ·	ansas C	aly KS		_	Applicat	ion Number:			
3 LOCAT	E WELL'S LO	OCATION WITH	4 DEPTH OF C	COMPLETED WELL	. 35	ft. ELEV	/ATION:				
AN "X"	IN SECTION	N BOX:		dwater Encountered							
т Г	1			WATER LEVEL .						ľ	
	i	i		p test data: Well						i i	
-	NW	NE						·			
! !	Est. Yield gpm: Well water was ft. after hours pumping gpm Bore Hole Diameter in. to ft., and in. to ft.										
¥ w		E									
<u> </u>	- ! !			TO BE USED AS:		water supply	8 Air condition	•	Injection well		
1 .	sw l	SE	1 Domestic			ld water supply			Other (Specify		
	1	i i	2 Irrigation	4 Industrial			10 Monitoring v			1 '	
ll L		<u> </u>	Was a chemical	bacteriological sam	nple submitted	I to Department?	Yes	; If yes,	mo/day/yr sai	mple was sub-	
1	\$		mitted				Vater Well Disinfe	cted? Yes	(NO)		
5 TYPE	OF BLANK C	CASING USED:		5 Wrought iron	8 (Concrete tile	CASING	OINTS: Glued	Clam	nped	
1 St		3 RMP (SI	R)	6 Asbestos-Cem		Other (specify bel			ed		
(2-8)	70	4 ARS	•	7 Fiberglass		., .	•	Threa	aded		
Blank and	ina diamatar	٠ - کوي	in to 14.	ft., Dia		in to	ff Dia	711100	in to		
				π., Dia .in., weight							
_	-			.in., weight			s./ft. Wall thicknes	• •		• • • • • • • • • • • • • • • • • • • •	
_		R PERFORATIO			•	7 PVC		Asbestos-ceme			
1 St	eel	3 Stainless	s steel	5 Fiberglass		8 RMP (SR)	11 (Other (specify)			
2 Br	ass	4 Galvaniz	ed steel	6 Concrete tile		9 ABS	12 N	lone used (op	en hole)		
SCREEN	OR PERFOR	RATION OPENIN	GS ARE:	5 0	auzed wrapp	ed	8 Saw cut		11 None (op	en hole)	
1 C	ontinuous slo	t 3	lill slot	6 V	Vire wrapped		9 Drilled hole	s			
2 Louvered shutter 4 Key punched 11 Torch cut 10 Other (specify)											
SCREEN-	PERFORATE	ED INTERVALS:	From	≁.) _{ft.} .	to 25		rom	ft. to	0		
			From	ft. [.]						I	
	CDAVEL DA	CK INTERVALS:		 ft .			rom				
'	GRAVEL FA	OK INTERVALS.		_						4	
0001	T 144 TENIA!	4 61 - 4	From	(a)		ft., Fr		ft. to			
_	T MATERIAL		cement	2 Cement grout			4 Other				
Grout Inte				ft., From							
What is th	ne nearest so	ource of possible	contamination:			10 Live	estock pens		bandoned wat	· · ·	
1 Septic tank 4 Lateral lines 7 Pit privy						11 Fue	el storage		il well/Gas we	·	
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage								ther (specify b	elow)		
3 W	atertight sew	er lines 6 Seep	age pit	9 Feedya	rd	13 Inse	ecticide storage	400	men Ac	thur MSIS	
	from well?	•	•	•			any feet?		•		
FROM	TO		LITHOLOGIC	LOG	FRO		1	PLUGGING II	NTERVALS		
0	317	AsoluH									
2	20	Clar	han hik	~~ * }	-c son	d, some	311				
20	25	711	212 62 2	9.21.	- San	, S	 ~ ''				
		$J_i i \tau_i g$	12 2m, 7	-C Sand					· · · · · · · · · · · · · · · · · · ·		
	 						-				
<u> </u>							 				
	ļ										
	1						•				
	†									;	
	<u> </u>						7/11-1	Lu			
	-						Tursh,	Con w	7:00		
	 						<u> </u>	W. long	lor		
L											
,	<u> </u>		All the second s				 				
7 CONTI	RACTOR'S	OR LANDOWNER	R'S CERTIFICAT	ION: This water we	ell was /11	Instructed. (2) re-	constructed or (3) plugged und	ler mv iurisdic	tion and was	
	on (mo/day/		1/14/98				constructed, or (coord is true to the				
		s License No.	1492				d on (mo/day/yr)	1 1 1 4		1	
			TEST	inis vvat	er vven Heco	•	77	10 1 1	h. 11		
	business nar					by (sigr		· www	y u		
INICTOL	ICTIONS: Lies to	newriter or hall point	nen PLEASE PRESS	FIRMLY and PRINT clear	ly Please fill in h	lanks underline or cir.	cle the correct answer	Send too three	conies to Kansas	Denartment	