

1 LOCATION OF WATER WELL: County: Wyandotte Fraction: NW 1/4 SW 1/4 NW 1/4 Section Number: 16 Township Number: T 11 Range Number: R 25 EW

Distance and direction from nearest town or city street address of well if located within city?

2 WATER WELL OWNER: Firm Oil Chemical Co. RR#, St. Address, Box #: 215 S. 18th Street City, State, ZIP Code: Kansas City, Kansas 66117 Board of Agriculture, Division of Water Resources Application Number:

3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:

4 DEPTH OF COMPLETED WELL: 19 ft. ELEVATION: 851.73

Depth(s) Groundwater Encountered: Not Encountered ft. 2. ft. 3. ft.

WELL'S STATIC WATER LEVEL: N/A ft. below land surface measured on mo/day/yr

Pump test data: Well water was N/A ft. after N/A hours pumping N/A gpm

Est. Yield: N/A gpm: Well water was N/A ft. after N/A hours pumping N/A gpm

Bore Hole Diameter: 7.25 in. to 19 ft. and N/A in. to N/A ft.

WELL WATER TO BE USED AS:

5 Public water supply 8 Air conditioning 11 Injection well

1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)

2 Irrigation 4 Industrial 7 Lawn and garden only 10 Monitoring well

Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yr sample was submitted

Water Well Disinfected? Yes No

5 TYPE OF BLANK CASING USED:

1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued Clamped

2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded

Blank casing diameter: 2 in. to 19 ft. Dia. in. to ft. Dia. in. to ft.

Casing height above land surface: N/A in. weight Flush Mount lbs./ft. Wall thickness or gauge No. Schedule 40

TYPE OF SCREEN OR PERFORATION MATERIAL:

1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 10 Asbestos-cement

2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)

SCREEN OR PERFORATION OPENINGS ARE:

1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)

2 Louvered shutter 4 Key punched 6 Wire wrapped 9 Drilled holes

3 Torch cut 10 Other (specify)

SCREEN-PERFORATED INTERVALS: From 19 ft. to 9 ft. From ft. to ft.

GRAVEL PACK INTERVALS: From N/A ft. to N/A ft. From N/A ft. to N/A ft.

6 GROUT MATERIAL: 1 Neat cement 3 Cement grout 5 Bentonite 4 Other

Grout Intervals: From 19 ft. to 3 ft. From ft. to ft. From ft. to ft.

What is the nearest source of possible contamination:

1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well

2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well

3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below) U.S.T. Diesel/Gasoline

13 Insecticide storage

Direction from well? How many feet?

FROM TO LITHOLOGIC LOG FROM TO PLUGGING INTERVALS

7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 8/29/97 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 606 This Water Well Record was completed on (mo/day/yr) 9/2/97 under the business name of PSA Environmental by (signature) [Signature]

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.