		WELL RECORD	Form W						
1 LOCATION OF WATER WELL:	Fraction	11: · Atm		Section Number	Township Nu			Number	
County: Wyandotte		NW "NE		29	T	<u>s</u>	R 25	(E#	
Distance and direction from nearest town or city street address of well if located within city?  2425 Metro politen, K.C., K5  MW-4									
2 WATER WELL OWNER: McCall	15	ita							
RR#, St. Address, Box # : 2425 Metropolitan				Board of Agriculture, Division of Water Resources					
City, State, ZIP Code : KGMSES CITY, KS				Application Number:					
3 LOCATE WELL'S LOCATION WITH 4	DEPTH OF CO	MPLETED WELL							
AN "X" IN SECTION BOX:	epth(s) Groundwa	ater Encountered 1	l #. #	ft. 2		ft. 3	,	.,ft.	
T W	ELL'S STATIC V	VATER LEVEL .1.3.	,33	ft. below land surf	face measured on	mo/day/yr	8/30/	<i>.</i> 9.9	
	Pump t	est data: Well wat	er was .	ft. at	fter	hours pu	mping	map	
	st. Yield	gpm: Well wate	er was	ft. at	fter	hours nu	mpina	dom.	
	ore Hole Diamete	r <b>\$</b> in. to	2	4 ft :	and	in	to.	gpiii	
:- W	ELL WATER TO			•	8 Air conditioning		Injection well		
-	1 Domestic	3 Feedlot		d water supply	•		Other (Specif		
SW SE	2 Irrigation	4 Industrial		and garden only (	_		· •		
	•	cteriological sample							
	tted	cteriological sample	Submitted					mpie was sub-	
5 TYPE OF BLANK CASING USED:		Mrought ires	0.0		ter Well Disinfected		No		
		Wrought iron		oncrete tile	CASING JOIN			•	
1 Steel 3 RMP (SR)		Asbestos-Cement		ther (specify below	•		ed		
2 bVC 4 ABS	<i>(1)</i>	7 Fiberglass				Threa	ded.)		
Blank casing diameter		ft., Dia		n. to	ft., Dia		n. to	<i></i> ft.	
Casing height above land surface. F/45		., weight	4	773	t. Wall thickness o	r gauge No	)		
TYPE OF SCREEN OR PERFORATION N			_	≱vc	10 Asbe	stos-ceme	nt		
1 Steel 3 Stainless st		Fiberglass		RMP (SR)	11 Othe	r (specify)			
2 Brass 4 Galvanized		Concrete tile		9 ABS		used (op	en hole)		
SCREEN OR PERFORATION OPENINGS		5 Gauz	ed wrapp	ed	8 Saw cut		11 None (o <sub>l</sub>	pen hole)	
1 Continuous slot 3 Mill s	slot	6 Wire	wrapped		9 Drilled holes				
2 Louvered shutter 4 Key p	punched	7 Torch		1	10 Other (specify)				
SCREEN-PERFORATED INTERVALS:	From	<b>7</b> ft. to .	27	ft., Fron	n , , ,	ft. to	<b>)</b>	<i>.</i>	
	From	ft. to .		ft., Fron	n	ft. to	<b>)</b>	<i></i> ft.	
GRAVEL PACK INTERVALS:	From	.7 ft. to .	ス.ケ	ft., Fron	n <i></i>	ft. to	<b>.</b>		
	From	ft. to		ft., Fron				ft.	
6 GROUT MATERIAL: 1 Neat cem	nent 2	Cement grout	8)	Bentonite 4	Other				
Grout Intervals: From	to	ft., From			ft., From		. ft. to		
What is the nearest source of possible cor				10 Livest			andoned wa		
1 Septic tank 4 Lateral li	•			1D-uel storage		15 Oil well/Gas well			
,			oon	12 Fertilizer storage		16 Other (specify below)			
3 Watertight sewer lines 6 Seepage		9 Feedyard			icide storage				
Direction from well? South we				How man	-//	)			
	LITHOLOGIC LO	OG	FRO			JGGING IN	ITERVALS		
D. S Acabalt	L								
.5' 5' gravel	and clay	. L:11							
11 171 Sclay 4	deitt	lock brown	امد						
121 2410 Sand f	ine con	weel wille							
12 at Juda, Ti	11 grai	HA WICH	<b>y</b>						
qnq 3/1	, gray	, we							
			-						
			+						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was									
completed on (mo/day/year) 9/24/									
Water Well Contractor's License No	Ce 56	This Water W	/ell Recor			9/3/	991		
under the business name of Flegge		ssociate		by (signati		Just 1	House	ser	
INSTRUCTIONS: Use typewriter or ball point pen.		-				nd ton three	opies to Kansas	Department	
and mountains; use typewriter or ball point pen.	LEASE FRESS FIRM	and Frinti Cleany. Fle	CAS O	ATTER MELL ON	the confect answers. Se	io top tillee c	opies to natisas	Dopartinent	