	(IEN WALL:								
iounty: VV C	15/10	Fraction SE 1/4	SWY	SW4 300	tion Number $34$	Township		Range R 2	
	n from nearest town o	r city street add			21	1 11		11	- 744
ソラレ WATER WELL O	N. Courty Liv	ne road N	27547 5141			····	-,	<del></del>	
WATER WELL O	WNER: U-DO	COVOE	react of the	کریمر)					
R#, St. Address, B	ox # : JSCO-1	s, coy	dil ruck k	صر	AALAS	Board of Applicati	Agriculture, D	ivision of Wa	ater Resourc
ty, State, ZIP Code	: Fense	es cit.	, 125		MYW	Applicati	on Number:		
LOCATE WELL'S	LOCATION WITH 4	DEPTH OF CO	MPLETED WELL	201	2. ft. ELEVA	tion:97	8.66		
AN "X" IN SECTIO	ON BOX:	pth(s) Groundw	ater Encountered	1. 967.1	. <b>Z</b> ft. :	2 <i></i>	ft. 3.		<b>.</b>
			WATER LEVEL //						
i	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		test data: Well wat	_					
NW	NE	rump • Vield	gpm: Well wat	ter was	· · · · · · · · · · · · · · · · · · ·	4	nouis pui	nping	
1									
w   <u>'</u>			erdin. to						
			BE USED AS:	5 Public water		8 Air conditionii	ng 11	njection well	
sw	.  SE	1 Domestic	3 Feedlot	6 Oil field wa		9 Dewatering		Other (Specif	•
ار آ	1 7 1 1	2 Irrigation	4 Industrial			Monitoring w			
i X	Wa	as a chemical/ba	acteriological sample	submitted to D	epartment? Y	esNo	.X; If yes,	mo/day/yr sa	ımple waş sı
	\$ mit	tted			Wa	ter Well Disinfed	ted? Yes	(No)	)
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING J	OINTS: Glued		mped
1 Steel	3 RMP (SR)		6 Asbestos-Cement	9 Other	(specify below	v)	Welde	d	
(2)PVC	4 ABS	_	7 Fiberglass				Threa	de <del>ld</del>	
	or in.		ft., Dia	in. to	·	ft., Dia	i	n. to	1
_	land surface								
	OR PERFORATION M	•	,	(FV			sbestos-ceme		
1 Steel	3 Stainless ste		5 Fiberglass	_	MP (SR)		ther (specify)		
2 Brass	4 Galvanized		6 Concrete tile	9 AB	• •				• • • • • • • • •
	RATION OPENINGS			_	3		one used (ope	•	
<b>7</b>				zed wrapped		8 Saw cut		11 None (o	pen noie)
Continuous s				wrapped		9 Drilled holes			
2 Louvered shu		ounched 12	7 Torc	th cut of Z		10 Other (spec	• •		
CREEN-PERFORAT	TED INTERVALS:	From	(1/2) # 10	$\sim$			4 4.		
			<b>)</b>			m			
		From			ft., Fro	m	ft. to	) <i>.</i>	<b>.</b> f
GRAVEL PA	ACK INTERVALS:		ft. to .		ft., Fro	m	ft. to	) <i>.</i>	
GRAVEL PA	ACK INTERVALS:	From	/ 12 ft. to . ft. to . ft. to	Z!	ft., Fro	m	ft. to	) )	<b>.</b> f
		From	ft. to		ft., Fro ft., Fro ft., Fro	m	ft. to	)	
GROUT MATERIA	AL: 1 Neat cem	From	ft. to	Z / 3 Bento	ft., From the ft., From t	m	ft. to	)	
GROUT MATERIA	NL: 1 Neat cemom	FromFrom	ft. to	Z / 3 Bento	ft., Fro	m m Other ft., From	ft. to	o	
GROUT MATERIA rout Intervals: Fro that is the nearest s	Neat cemom	From From to Contamination:	Cement grout  tt., From	Z / 3 Bento	ft., Fro ft., Fro ft., Fro onite 4 to	m m Other tt., From .	ft. to	ott. to	
GROUT MATERIA rout Intervals: Fro that is the nearest s 1 Septic tank	nL:  1 Neat cem om	FromFrom ent to	Cement grout  ft. to  Cement grout  ft., From  7 Pit privy	3 Bento	ft., Frointe 4 to	m  Tother  ft., From tock pens storage	ft. to ft	ft. to  pandoned wa	
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines	nL: 1 Neat cermom	FromFrom ent to	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft. ft. from ft., From ft., From ft., 8 Sewage lag	3 Bento	ft., Fro ft., Fro ft., Fro nite 4 to	m	ft. to ft	ott. to	
GROUT MATERIA rout Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se	source of possible con 4 Lateral lii 5 Cess poo	FromFrom ent to	Cement grout  ft. to  Cement grout  ft., From  7 Pit privy	3 Bento	tt., Fro	m	ft. to ft	ft. to  pandoned wa	
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se rection from well?	1 Neat cerm om	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft., From ft., From ft., From ft., Sewage lag 9 Feedyard	3 Bento	tt., Fro	m	14 A&	oft. to  pandoned wa I well/Gas we ther (specify	
GROUT MATERIA rout Intervals: From that is the nearest sometimes and the second	1 Neat cerm om	FromFrom ent to	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft., From ft., From ft., From ft., Sewage lag 9 Feedyard	3 Bento	tt., Fro	m	ft. to ft	oft. to  pandoned wa I well/Gas we ther (specify	
GROUT MATERIA out Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO	source of possible con  4 Lateral lii  5 Cess poo  wer lines 6 Seepage	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft., From ft., From ft., From ft., Sewage lag 9 Feedyard	3 Bento	tt., Fro	m	14 A&	oft. to  pandoned wa I well/Gas we ther (specify	ter well
GROUT MATERIA out Intervals: From that is the nearest sometimes and the second	source of possible con  4 Lateral lii  5 Cess poo  wer lines 6 Seepage  WW  Concrete  5 //y clay	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft., From ft., From ft., From ft., Sewage lag 9 Feedyard	3 Bento	tt., Fro	m	14 A&	oft. to  pandoned wa I well/Gas we ther (specify	ter well
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO	source of possible con  4 Lateral lii  5 Cess poo  wer lines 6 Seepage	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft., From ft., From ft., From ft., Sewage lag 9 Feedyard	3 Bento	tt., Fro	m	14 A&	oft. to  pandoned wa I well/Gas we ther (specify	ter well
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO	source of possible con  4 Lateral lii  5 Cess poo  wer lines 6 Seepage  WW  Concrete  5 //y clay	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft., From ft., From ft., From ft., Sewage lag 9 Feedyard	3 Bento	tt., Fro	m	14 A&	oft. to  pandoned wa I well/Gas we ther (specify	ter well
GROUT MATERIA out Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO	source of possible con  4 Lateral lii  5 Cess poo  wer lines 6 Seepage  WW  Concrete  5 //y clay	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft., From ft., From ft., From ft., Sewage lag 9 Feedyard	3 Bento	tt., Fro	m	14 A&	oft. to  pandoned wa I well/Gas we ther (specify	ter well
GROUT MATERIA out Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO	source of possible con  4 Lateral lii  5 Cess poo  wer lines 6 Seepage  WW  Concrete  5 //y clay	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft., From ft., From ft., From ft., Sewage lag 9 Feedyard	3 Bento	tt., Fro	m	14 A&	oft. to  pandoned wa I well/Gas we ther (specify	ter well
GROUT MATERIA out Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO	source of possible con  4 Lateral lii  5 Cess poo  wer lines 6 Seepage  WW  Concrete  5 //y clay	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft., From ft., From ft., From ft., Sewage lag 9 Feedyard	3 Bento	tt., Fro	m	14 A&	oft. to  pandoned wa I well/Gas we ther (specify	ter well
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO	source of possible con  4 Lateral lii  5 Cess poo  wer lines 6 Seepage  WW  Concrete  5 //y clay	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft., From ft., From ft., From ft., Sewage lag 9 Feedyard	3 Bento	tt., Fro	m	14 A&	oft. to  pandoned wa I well/Gas we ther (specify	ter well
GROUT MATERIA out Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO	source of possible con  4 Lateral lii  5 Cess poo  wer lines 6 Seepage  WW  Concrete  5 //y clay	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft., From ft., From ft., From ft., Sewage lag 9 Feedyard	3 Bento	tt., Fro	m	14 A&	oft. to  pandoned wa I well/Gas we ther (specify	ter well
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO	source of possible con  4 Lateral lii  5 Cess poo  wer lines 6 Seepage  WW  Concrete  5 //y clay	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft., From ft., From ft., From ft., Sewage lag 9 Feedyard	3 Bento	tt., Fro	m	14 A&	oft. to  pandoned wa I well/Gas we ther (specify	ter well
GROUT MATERIA out Intervals: Fro nat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO	source of possible con  4 Lateral lii  5 Cess poo  wer lines 6 Seepage  WW  Concrete  5 //y clay	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft., From ft., From ft., From ft., Sewage lag 9 Feedyard	3 Bento	tt., Fro	m	14 A&	oft. to  pandoned wa I well/Gas we ther (specify	ter well
GROUT MATERIA out Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO	source of possible con  4 Lateral lii  5 Cess poo  wer lines 6 Seepage  WW  Concrete  5 //y clay	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft., From ft., From ft., From ft., Sewage lag 9 Feedyard	3 Bento	tt., Fro	m	14 A&	oft. to  pandoned wa I well/Gas we ther (specify	ter well
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight serection from well? FROM TO	source of possible con  4 Lateral lii  5 Cess poo  wer lines 6 Seepage  WW  Concrete  5 //y clay	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft., From ft., From ft., From ft., Sewage lag 9 Feedyard	3 Bento	tt., Fro	m	14 A&	oft. to  pandoned wa I well/Gas we ther (specify	ter well
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO	source of possible con  4 Lateral lii  5 Cess poo  wer lines 6 Seepage  WW  Concrete  5 //y clay	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft., From ft., From ft., From ft., Sewage lag 9 Feedyard	3 Bento	tt., Fro	m	14 A&	oft. to  pandoned wa I well/Gas we ther (specify	ter well
GROUT MATERIA rout Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight ser irrection from well? FROM TO	source of possible con  4 Lateral lii  5 Cess poo  wer lines 6 Seepage  WW  Concrete  5 //y clay	From	ft. to ft. to ft. to ft. to ft. to ft. to ft. ft., From ft., From ft., From ft., Sewage lag 9 Feedyard	3 Bento	tt., Fro	m	14 A&	oft. to  pandoned wa I well/Gas we ther (specify	ter well
GROUT MATERIA rout Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se irrection from well? FROM TO O 6" 0" 0" 10"	Source of possible con  4 Lateral lii  5 Cess pos  wer lines 6 Seepage  NW  Concett  Si My Clay  C12' Bedrock	From	ft. to ft. ft. from ft., From ft. to ft	3 Bento ft.	tt., From tt., F	m Other Other tock pens storage ticide storage ny feet?	14 At 15 Oi 16 Or	ft. to pandoned wa well/Gas we her (specify	ter well all below)
GROUT MATERIA rout Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se irrection from well? FROM TO O 6" 0" 0" 10"	Source of possible con  4 Lateral lii  5 Cess pos  wer lines 6 Seepage  NW  Concett  Si My Clay  C12' Bedrock	From	ft. to ft. ft. from ft., From ft. to ft	3 Bento ft.	tt., From tt., F	m Other Other tock pens storage ticide storage ny feet?	14 At 15 Oi 16 Or	ft. to pandoned wa well/Gas we her (specify	ter well all below)
GROUT MATERIA rout Intervals: Fro that is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se irrection from well? FROM TO O 6" 6" 10" CONTRACTOR'S	Concett Si / Bedrock  OR LANDOWNER'S	From	ft. to ft. ft. from ft., From ft. to ft	3 Bento ft.	tt., From tt., F	onstructed, or (3)	ft. to ft	ft. to pandoned wa I well/Gas we ther (specify	ter well ell below)
GROUT MATERIA rout Intervals: From that is the nearest some some some some some some some some	OR LANDOWNER'S  Om. 1 Neat cemmon ft.  Source of possible con  4 Lateral lii  5 Cess poor  Wer lines 6 Seepage  NW  Concrete  Si Phy Clay  E12' Bedrock  OR LANDOWNER'S  y/year) O-S-	From	ft. to ft	3 Bento ft.	tt., From tt., F	onstructed, or (3) rd is the both services to the b	plugged und	ft. to pandoned wa I well/Gas we ther (specify	ter well below)
GROUT MATERIA out Intervals: Fro hat is the nearest s 1 Septic tank 2 Sewer lines 3 Watertight se rection from well? FROM TO O 6" O 6" O 70" CONTRACTOR'S	OR LANDOWNER'S Sylvear)	From	ft. to ft	3 Bento ft.	tt., From tt., F	onstructed, or (3) rd is the to the lon (my/dsy/yr)	plugged und	ft. to pandoned wa I well/Gas we ther (specify	ter well ell below)