

1 LOCATION OF WATER WELL:		Fraction	Section Number		Township Number	Range Number
County: Wyandotte		NE ¼ NE ¼ NW ¼	9		T 11 S	R 25 E
Distance and direction from nearest town or city street address of well if located within city? Intown						
2 WATER WELL OWNER: Rain Tunnel Car Wash/Tom Schnabel						
RR#, St. Address, Box #: 1549 State Ave.						
City, State, ZIP Code: KC, KS. Plugged						
Board of Agriculture, Division of Water Resources Application Number:						
3 LOCATE WELL'S LOCATION WITH		4 DEPTH OF COMPLETED WELL: 15' ft. ELEVATION:				
AN "X" IN SECTION BOX:		Depth(s) Groundwater Encountered 1. ft. 2. ft. 3. ft.				
		WELL'S STATIC WATER LEVEL ft. below land surface measured on mo/day/yr				
		Pump test data: Well water was ft. after hours pumping gpm				
		Est. Yield gpm: Well water was ft. after hours pumping gpm				
		Bore Hole Diameter in. to ft., and in. to ft.				
WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well						
1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)						
2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well						
Was a chemical/bacteriological sample submitted to Department? Yes. No. ; If yes, mo/day/yr sample was submitted						
Water Well Disinfected? Yes No						
5 TYPE OF BLANK CASING USED:						
1 Steel		3 RMP (SR)	6 Asbestos-Cement	9 Other (specify below)	CASING JOINTS: Glued. Clamped.	
2 PVC		4 ABS	7 Fiberglass		Welded.	
					Threaded.	
Blank casing diameter in. to ft., Dia in. to ft., Dia in. to ft.						
Casing height above land surface in., weight lbs./ft. Wall thickness or gauge No.						
TYPE OF SCREEN OR PERFORATION MATERIAL:						
1 Steel		3 Stainless steel	5 Fiberglass	8 RMP (SR)	10 Asbestos-cement	
2 Brass		4 Galvanized steel	6 Concrete tile	9 ABS	11 Other (specify)	
					12 None used (open hole)	
SCREEN OR PERFORATION OPENINGS ARE:						
1 Continuous slot		3 Mill slot	5 Gauzed wrapped	8 Saw cut	11 None (open hole)	
2 Louvered shutter		4 Key punched	6 Wire wrapped	9 Drilled holes		
			7 Torch cut	10 Other (specify)	ft.	
SCREEN-PERFORATED INTERVALS: From. ft. to ft., From ft. to ft.						
GRAVEL PACK INTERVALS: From. ft. to ft., From ft. to ft.						
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other						
Grout Intervals: From. 15' ft. to 1' ft., From 1' ft. to 0' ft., From ft. to ft.						
What is the nearest source of possible contamination:						
1 Septic tank		4 Lateral lines	7 Pit privy	10 Livestock pens	14 Abandoned water well	
2 Sewer lines		5 Cess pool	8 Sewage lagoon	11 Fuel storage	15 Oil well/Gas well	
3 Watertight sewer lines		6 Seepage pit	9 Feedyard	12 Fertilizer storage	16 Other (specify below)	
Direction from well? How many feet?						
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	
					Fl. mt manways were removed	
					2" pvc pipe pulled & drilled out to TD-15'	
					Well was plugged	
					Bentonite from 15'-1'	
					Drilling cuttings, from	
					cement from 1'-0'	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 4-21-00 and this record is true to the best of my knowledge and belief. Kansas						
Water Well Contractor's Licence No. 539 This Water Well Record was completed on (mo/day/yr) 4-25-00						
under the business name of JB Environmental Drilling by (signature) James Butler						
INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Topeka, Kansas 66620-0001. Telephone 785-296-5524. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.						