		WA	TER WELL RE	CORD Form W	WC-5 KS	A 82a-1212	ID No.					
1 LOCATI	ON OF W	ATER WELL:	Fraction		.,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	Section Nu		Township N	umber	Range Nu	mber	
County:	Wyando	tte		NE 1/2 S		3		т //	S	R 25	(E) V	
Distance a	nd directio	n from nearest to	own or city stree	et address of well if	located with	in city?						
	1400 N	I. 5th St	reet Ka	nsas City,	Ks.							
2 WATER	WELL OV	WNER: Uni	fied Gov	. of Wyand	otte Co	ο.						
RR#, St. A	-	×#: 701	N. 7th	St.				•		ivision of Wate	r Resources	
City, State,	, ZIP Code	: Kan	sas City	, Ks.				Application I				
3 LOCATE	WELL'S L	OCATION WITH	4 DEPTH OF	COMPLETED WEL	L20.	ft. E	LEVATIO	DN:		.		
AN "X" I	IN SECTIO	N BOX:	Depth(s) Groun	ndwater Encountered	d 1.10:		ft. 2.		ft. 3,	-1-10	ft.	
<u> </u>	1	1		C WATER LEVEL .!								
T	NNA/	NE		np test data: Well								
	- 1444	NE	Est. Yield	neter i	water was ./		II. allei		Hours p	umping	ypm	
₩ W	i	i						r conditioning		jection well	II.	
- N	1	1 [1 Domestic	TO BE USED AS: 3 Feedlot		ater supply vater supply				ther (Specify b	elow)	
	SW	SE	2 Irrigation	4 Industrial				onitoring well .		· · · · · · · · · · · · · · · ·		
	_ 3vv	35	•									
<u>†</u>		<u> </u>		/bacteriological sampl	le submitted to							
E TYPE C	S BI ANK	CASING USED:	mitted	5 Wrought iron	9.00	oncrete tile	Water W	ell Disinfected?		d Clamr	<u>//o/</u>	
1 Stee		3 RMP (SI		6 Asbestos-Ceme		ther (specify	helow)	CASING JO		ed		
2 PVC	_	4 ABS	'')	7 Fiberglass						adedx		
			in to $10'$	ft., Dia								
				in., weight								
			TION MATERIAL			PVC	105./11.			ent SCH 4		
1 Stee		3 Stainles		5 Fiberglass	_	RMP (SR)				ent SCH 4	_	
2 Bras		4 Galvaniz		6 Concrete tile		ABS			e used (op			
SCREEN	OR PERF	ORATION OPE	NINGS ARE:	5 Gauzed wrapped			8	3 Saw cut		11 None (ope	n hole)	
1 Con	tinuous slo		ill slot	6 Wire wrapped				Drilled holes			,	
	vered shut		ey punched	7 T	orch cut							
SCREEN	-PERFORA	ATED INTERVA	LS: From 📯	(D) ft. to	۰ !ب	ft.	From		ft. to	0	ft.	
	GRAVEL E	DACK INTERVAL	From	(D) ft. to	。 . & .	ft.	From)	π. #	
	GNAVEL	AONIMIENVA		ft. to								
6 GROUT	MATERIA	Al· 1 Neat c										
Grout Inte	ervals: Fr	om.	oft to 3'	ft From	3'	ft. to	4 Ou1	ft From		ft to	ft	
What is the	he nearest	source of possil	ontaminatio	n:	6	10	Livestocl	k pens	14 AI	pandoned water	r well	
GROUT MATERIAL: 1 Neat cement Grout Intervals: From				7 Pit privy			11 Fuel storage			15 Oil well/Gas well		
2 Sewer lines 5 Cess pool				8 Sew		12 Fertilizer storage			16 Other (specify below)			
_		er lines 6 Seep	•	9 Feedyard			13 Insecticide storage					
		East					w many f					
FROM	ТО		LITHOLOGIC L	og	FRO				IGGING IN	TERVALS		
0	3	F:11. a	irt och	, brick, wo								
		concrete		DEICK, WO								
3	20			s, gravel,								
		slightly	y moist,	soft.								
			MOLDCY	DOIL.								
							F.H	.OKAL N	lon To	שאנו		
										7		
7 CONTR	ACTOR'S	OR LANDOWNE	R'S CERTIFICA	TION: This water we	ell was (1) co	nstructed (2) recons	tructed, or (3) p	olugged und	der my jurisdiction	on and was	
completed	on (mo/da	y/year) . 526	? <i>:.0</i> :0			and this	record is	true to the bes	st of my kno	wiedge and be		
		r's Licence No	53.	This Wate	r Well Recor							
under the t		**	Environm	ental Dril	ling		by (signa	<i>-</i> 1	non Pr	obos)		
INSTRUCT	TIONS: Lies to	ewriter or hall point an	n PI FASE PRESS EI	RMLYand PRINT clearly. P	lease fill in blanke	underline or cir	cle the corre	et answers. Send ton	three copies to	Kansas Department	of Health and	
Environme	nt, Bureau of W	ater, Topeka, Kansas (66620-0001. Telephon	e 785-296-5524. Send one t	o WATER WELL	OWNER and reta	ain one for yo	ur records. Fee of \$5.	00 for each con	structed well.		