			ATER WELL RE	CORD	Form WWC-5	KSA	82a-1212 ID							
1 LOCATION OF WATER WELL: Fraction						Section Number		Township Number		Range Number				
	Iyandot		NE 1/2		<u> 4 Sw</u>		3	<u> </u>		S	R	25	E)W	
Distance a	nd direction	from nearest t	town or city street	et address	of well if locat	ed within	city?							
			reet Ka											
2 WATER	WELL OW	NER: <b>Uni</b>	fied Gov	. of V	Wyandott	e Co.	•							
	ddress, Box	<pre>&lt;# : 701</pre>	N. 7th	St.					-	-	Divisior	n of Water	Resources	
City, State,	ZIP Code	: Kan	sas City	, Ks.					olication I					
_			4 DEPTH OF	COMPLE	TED WELL	. 22:	ft. ELEV	ATION:						
AN "X" I	N SECTION	N BOX:	Depth(s) Grou	ndwater Er	ncountered	<b>.</b>	ا از	. 2		tt. 3.	1-	·	π.	
<u> </u>	1	1	i .				elow land surfa ft.							
	- NW	\ <u>-</u>												
		- NE												
w Kije	ı		WELL WATER					8 Air cond						
- "	•	! [ ]	1 Domestic				ater supply		-		•	Specify be	low)	
	- sw   -	- SE	2 Irrigation				awn & garden)							
		-	Was a chemica	141				_						
₹ ∟	1	<u> </u>	was a chemica mitted	i/bacteriolog	gical sample sut	or permitted		s r er Well Dis			no/day	yrs sampl N		
5 TYPE O	F BLANK C	CASING USED:		5 Wroug	ht iron	8 Con	crete tile				ed	Clamp	ed	
1 Stee	1	3 RMP (S	R)	-	tos-Cement	9 Oth	er (specify belo							
2 PVC	1	4 ABS		7 Fiberg	lass					Thre	aded.	<b>X</b>		
Blank cas	- ing diamete	2315	in. to .I.2.		.ft., Dia		.in. to		, Dia		in.	to		
Casing he	ight above	land surface.	lush. Ht.	in., weight	t		lbs	./ft. Wall th	ickness (	or gauge N	اد ا	SDR.13	3	
			TION MATERIA	L:			PVC					SCH 40		
1 Stee		3 Stainles		5 Fiberg			RMP (SR)							
2 Bras		4 Galvania					ABS			e used (or		•		
1	OR PERFO		NINGS ARE:			ed wrapped		8 Saw	cut ed holes		11 N	lone (oper	ı hole)	
	rered shutte		ey punched		7 Torch					·)			ft.	
		TED INTERVA	LS: From	2'			ft Fro							
			From LS: From	2	ft. to	~ <b>y</b>	ft., Fro	m		ft. t	to		ft.	
	GRAVEL P	ACK INTERVA	LS: From	<b>3</b>	ft. to .11	<b>)</b>	ft., Fro	m		ft. t	to		ft.	
							ft., Fro							
6 GROUT	MATERIA	L: 1 Neat c	ement 21	2 Cemer	nt grout	(3 <b>)</b> 8en	tonite 4	Other						
GROUT MATERIAL: 1 Neat cement Cement Grout Intervals: From					., From 🥹 .	~ (a)	.ft. to.	o.Cft., From			ft. toft.			
1 Septic tank 4 Lateral lines			7 Pit privy		11 Fuel storage 12 Fertilizer storage			16 Other (specify below)						
Sewer lines 5 Cess pool 3 Watertight sewer lines 6 Seepage pit			8 Sewage I 9 Feedyard	-		13 Insecticide storage			``, , ,					
Direction from well?					3 Teedyald	How many feet?								
FROM TO LITHOLOGIC LOG						FROM		ally loot:		GGING IN	ITER\	/ALS		
0	3						+ '			dania ii	VI LIIV	ALG		
3	22		terial,			<b>-</b>	<del>                                     </del>							
			oxides, m en-blk, m											
		UK GIEE		100.0	aor.									
				·										
										·				
	,,									1-1-	Λ_	<del></del>		
			AND STATE OF THE S					<u> </u>	OKA	DYK	<b>V.7</b>	aylo	$ u_{-}$	
									1-1-1			. 11* - 4*		
7 CONTRA	ACTOR'S C	R LANDOWNE	R'S CERTIFICA	TION: This										
completed	on (mo/day	/year) <b>5.22</b>		20			. and this reco	ord is true t	o the bes	of my kn	owledg	ge and beli <b>\</b>	er. Kansas	
water Well	Contractor	s Licence No	536 5 Environm	ental	nns water We Drillir	II Hecord	was completed	on (mo/da		<b>~ !</b> .	مرو	10 N		
unaer the b	ousiness na	me or				_	by (s	signature) (	$-\mu$	TURN	שע			