WYANDOTTE	WATE	R WELL RECORD	Form WWC-5	KSA 82a-12	212	
1 LOCATION OF WATER WELL:	Fraction		Section	on Number	Township Number	Range Number
County:	SE 1/4		W 1/4	9 1	<u>T ) ( S</u>	R 25 (BW
Distance and direction from neares	t town or city street a	ddress of well if locat ∕ <b>û</b> .	ted within city?	as Pet	L, VC	
	edlock	Autocone	<u>-1,10913</u>	$\alpha$	$\gamma$ , $\gamma$	
RR#, St. Address, Box # :		al Ane		101	✓ Board of Agricultu	re, Division of Water Resources
City, State, ZIP Code :	1230 Cent	THE KS	10	MW	Application Number	
LOCATE WELL'S LOCATION W AN "X" IN SECTION BOX:	$\vdash$	OMPLETED WELL.				.&.7
z	_ 1 ' ''					//yr 1./24/01
	Pum	p test data: Well wa	iter was	ft. afte	r hours	pumping gpm
	1 1					pumping gpm
	1 1	eter	/ ~ )			in. to
	WELL WATER 1	TO BE USED AS:	5 Public water	supply 8	Air conditioning	11 Injection well
	1 Domestic	3 Feedlot	6 Oil field water			12 Other (Specify below)
	2 Irrigation	4 Industrial	7 Lawn and ga	irden only 🛈	Monitoring well	<i>.</i>
	Was a chemical/	bacteriological sample	submitted to Dep	partment? Yes		yes, mo/day/yr sample was sub-
<u> </u>	mitted			Water	Well Disinfected? Yes	No No
5 TYPE OF BLANK CASING USE	ED:	5 Wrought iron	8 Concret	e tile	CASING JOINTS: 0	ilued Clamped
1 Steel 3 RMI	P (SR)	6 Asbestos-Cement	t 9 Other (s	specify below)	٧	Velded
(2 <sup>2</sup> PVC 4 ABS		7 Fiberglass				hreaded
Blank casing diameter	· 内. to	•				in. to ft.
Casing height above land surface.		.in., weight			Wall thickness or gaug	e No
TYPE OF SCREEN OR PERFORA	ATION MATERIAL:		(7/ <b>9</b> √0		10 Asbestos-c	
1 Steel 3 Stai	nless steel	5 Fiberglass	8 RMF		• •	cify)
	vanized steel	6 Concrete tile	9 ABS		12 None used	• • • • • • • • • • • • • • • • • • • •
SCREEN OR PERFORATION OP			ized wrapped		8 Saw cut	11 None (open hole)
1 Continuous slot	3 Mill slot		e wrapped		9 Drilled holes	
2 Louvered shutter	4 Key punched	$\frac{1}{2}$	ch cut		• • • • • • • • • • • • • • • • • • • •	
SCREEN-PERFORATED INTERVA	NLS: From	(C) (C) ft. to .	F \ 1			ft. toft.
	_			•		
	From	. / ft. to	<i>A. X</i>	ft., From		ft. toft.
GRAVEL PACK INTERV	From			ft., From ft., From		ft. toft.
	From ALS: From	.60 ft. to ft. to ft. to	44	ft., From ft., From ft., From		ft. toft. ft. toft. ft. to ft.
6 GROUT MATERIAL: 1 N	From ALS: From From eat cement		3 Benton	ft., Fromft., From ft., From ite 4 0	ther	ft. toft. ft. toft. ft. to ft.
6 GROUT MATERIAL: 1 N Grout Intervals: From	From  ALS: From  From  eat cement ft. to3		3 Benton	ft., Fromft., From ft., From ite 4 O	ther	ft. to
6 GROUT MATERIAL: 1 N Grout Intervals: From What is the nearest source of poss	From  ALS: From  From  eat cement ft. to3  sible contamination:	tt. to  ft. to  ft. to  2 Cement grout  ft., From	3 Benton	ft., Fromft., From ft., From ite 4 O	ther	ft. to
6 GROUT MATERIAL: 1 N Grout Intervals: From What is the nearest source of poss 1 Septic tank 4 I	From  ALS: From From  eat cement ft. to3  sible contamination: Lateral lines	ft. to  ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy	3 Benton	ft., Fromft., From ft., From ite 4 O	ther	ft. to
GROUT MATERIAL: 1 N Grout Intervals: From What is the nearest source of post 1 Septic tank 4 I 2 Sewer lines 5 6	From  ALS: From From  eat cement ft. to3  sible contamination: Lateral lines  Cess pool	2 Cement grout ft. to ft. to ft. to 7 Pit privy 8 Sewage la	3 Benton	ft., Fromft., From ft., From ite 4 O	ther	ft. to
GROUT MATERIAL:  Grout Intervals: From  What is the nearest source of poss  1 Septic tank  2 Sewer lines  3 Watertight sewer lines  6 S	From  ALS: From From  eat cement ft. to3  sible contamination: Lateral lines  Cess pool	ft. to  ft. to  ft. to  ft. to  2 Cement grout  ft., From  7 Pit privy	3 Benton	tt., From tt., From tt., From tt., From tt. 4 OOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOOO	ther	ft. to
6 GROUT MATERIAL:  Grout Intervals: From  What is the nearest source of poss  1 Septic tank  2 Sewer lines  3 Watertight sewer lines  6 S  Direction from well?	From  ALS: From From  eat cement  t. ft. to  sible contamination: Lateral lines  Cess pool  Seepage pit	2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	3 Benton	ft., Fromft., From ft., From ite 4 O	ther	ft. to
GROUT MATERIAL: 1 N Grout Intervals: From  What is the nearest source of poss 1 Septic tank 4 I 2 Sewer lines 5 0 3 Watertight sewer lines 6 5 Direction from well?	From  ALS: From From  eat cement  ft. to  sible contamination: Lateral lines Cess pool Seepage pit  LITHOLOGIC	2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard	Benton ft. to	tt., From ft., From ft., From ite 4 O ite 5 O ite 6 O ite 7 O	ther	ft. to
6 GROUT MATERIAL:  Grout Intervals: From  What is the nearest source of poss  1 Septic tank  2 Sewer lines  3 Watertight sewer lines  6 Direction from well?  FROM TO  (g" ASpho	From  ALS: From From  eat cement  f ft. to	2 Cement grout ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard	Benton ft. to	tt., From ft., From ft., From ite 4 O ite 5 O ite 6 O ite 7 O	ther	ft. to
GROUT MATERIAL:  Grout Intervals: From	From  ALS: From From  leat cement  I. ft. to  sible contamination: Lateral lines Cess pool Seepage pit  LITHOLOGIC	2 Cement grout ft. to ft. to ft. to 2 Cement grout ft., From 7 Pit privy 8 Sewage la 9 Feedyard LOG	Benton ft. to	tt., From ft., From ft., From ite 4 O ite 5 O ite 6 O ite 7 O	ther	ft. to
GROUT MATERIAL:  Grout Intervals: From.  What is the nearest source of post  1 Septic tank  2 Sewer lines  3 Watertight sewer lines  6 Direction from well?  FROM  TO  (a'' 47' Brown  47' (ao' Light	From  ALS: From From  eat cement  f. ft. to Sible contamination: Lateral lines Cess pool Seepage pit  LITHOLOGIC  LITHOLOGIC	tt. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard  LOG	Benton ft. to	tt., From ft., From ft., From ite 4 O ite 5 O ite 6 O ite 7 O	ther	ft. to
GROUT MATERIAL:  Grout Intervals: From.  What is the nearest source of poss  1 Septic tank  2 Sewer lines  3 Watertight sewer lines  6 Direction from well?  FROM TO  (a'' 47' Brown  47' (ac' Light	From  ALS: From From  leat cement  fft. to Sible contamination: Lateral lines Cess pool Seepage pit  LITHOLOGIC  LITHOLOGIC  LITHOLOGIC  LITHOLOGIC  LITHOLOGIC  LITHOLOGIC	tt. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard  LOG	Benton ft. to	tt., From ft., From ft., From ite 4 O ite 5 O ite 6 O ite 7 O	ther	ft. to
GROUT MATERIAL:  Grout Intervals: From.  What is the nearest source of post  1 Septic tank  2 Sewer lines  3 Watertight sewer lines  6 Direction from well?  FROM  TO  (a'' 47' Brown  47' (ao' Light	From  ALS: From From  eat cement  f. ft. to Sible contamination: Lateral lines Cess pool Seepage pit  LITHOLOGIC  LITHOLOGIC	tt. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard  LOG	Benton ft. to	tt., From ft., From ft., From ite 4 O ite 5 O ite 6 O ite 7 O	ther	ft. to
GROUT MATERIAL:  Grout Intervals: From.  What is the nearest source of post  1 Septic tank  2 Sewer lines  3 Watertight sewer lines  6 Direction from well?  FROM  TO  (a'' 47' Brown  47' (ao' Light	From  ALS: From From  eat cement  f. ft. to Sible contamination: Lateral lines Cess pool Seepage pit  LITHOLOGIC  LITHOLOGIC	tt. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard  LOG	Benton ft. to	tt., From ft., From ft., From ite 4 O ite 5 O ite 6 O ite 7 O	ther	ft. to
GROUT MATERIAL:  Grout Intervals: From.  What is the nearest source of post  1 Septic tank  2 Sewer lines  3 Watertight sewer lines  6 Direction from well?  FROM  TO  (a'' 47' Brown  47' (ao' Light	From  ALS: From From  eat cement  f. ft. to Sible contamination: Lateral lines Cess pool Seepage pit  LITHOLOGIC  LITHOLOGIC	tt. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard  LOG	Benton ft. to	tt., From ft., From ft., From ite 4 O ite 5 O ite 6 O ite 7 O	ther	ft. to
GROUT MATERIAL:  Grout Intervals: From.  What is the nearest source of post  1 Septic tank  2 Sewer lines  3 Watertight sewer lines  6 Direction from well?  FROM  TO  (a'' 47' Brown  47' (ao' Light	From  ALS: From From  eat cement  f. ft. to Sible contamination: Lateral lines Cess pool Seepage pit  LITHOLOGIC  LITHOLOGIC	tt. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard  LOG	Benton ft. to	tt., From ft., From ft., From ite 4 O ite 5 O ite 6 O ite 7 O	ther	ft. to
GROUT MATERIAL:  Grout Intervals: From.  What is the nearest source of post  1 Septic tank  2 Sewer lines  3 Watertight sewer lines  6 Direction from well?  FROM  TO  (a'' 47' Brown  47' (ao' Light	From  ALS: From From  eat cement  f. ft. to Sible contamination: Lateral lines Cess pool Seepage pit  LITHOLOGIC  LITHOLOGIC	tt. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard  LOG	Benton ft. to	tt., From ft., From ft., From ite 4 O ite 5 O ite 6 O ite 7 O	ther	ft. to
GROUT MATERIAL:  Grout Intervals: From.  What is the nearest source of post  1 Septic tank  2 Sewer lines  3 Watertight sewer lines  6 Direction from well?  FROM  TO  (a'' 47' Brown  47' (ao' Light	From  ALS: From From  eat cement  f. ft. to Sible contamination: Lateral lines Cess pool Seepage pit  LITHOLOGIC  LITHOLOGIC	tt. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard  LOG	Benton ft. to	tt., From ft., From ft., From ite 4 O ite 5 O ite 6 O ite 7 O	ther	ft. to
GROUT MATERIAL:  Grout Intervals: From.  What is the nearest source of post  1 Septic tank  2 Sewer lines  3 Watertight sewer lines  6 Direction from well?  FROM  TO  (a'' 47' Brown  47' (ao' Light	From  ALS: From From  eat cement  f. ft. to Sible contamination: Lateral lines Cess pool Seepage pit  LITHOLOGIC  LITHOLOGIC	tt. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard  LOG	Benton ft. to	tt., From ft., From ft., From ite 4 O ite 5 O ite 6 O ite 7 O	ther	ft. to
GROUT MATERIAL:  Grout Intervals: From.  What is the nearest source of post  1 Septic tank  2 Sewer lines  3 Watertight sewer lines  6 Direction from well?  FROM  TO  (a'' 47' Brown  47' (ao' Light	From  ALS: From From  eat cement  f. ft. to Sible contamination: Lateral lines Cess pool Seepage pit  LITHOLOGIC  LITHOLOGIC	tt. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard  LOG	Benton ft. to	tt., From ft., From ft., From ite 4 O ite 5 O ite 6 O ite 7 O	ther	ft. to
GROUT MATERIAL:  Grout Intervals: From.  What is the nearest source of post  1 Septic tank  2 Sewer lines  3 Watertight sewer lines  6 Direction from well?  FROM  TO  (a'' 47' Brown  47' (ao' Light	From  ALS: From From  eat cement  f. ft. to Sible contamination: Lateral lines Cess pool Seepage pit  LITHOLOGIC  LITHOLOGIC	tt. to  ft. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard  LOG	Benton ft. to	tt., From ft., From ft., From ite 4 O ite 5 O ite 6 O ite 7 O	ther	ft. to
GROUT MATERIAL:  Grout Intervals: From.  What is the nearest source of post 1 Septic tank 4 I 2 Sewer lines 5 G 3 Watertight sewer lines 6 S Direction from well?  FROM TO  O (0" HSONO (0" 47' Brown 47' (00' Light (00' 70' Yellow	From  ALS: From From  eat cement  f. ft. to . 3 sible contamination: Lateral lines Cess pool Seepage pit  LITHOLOGIC  LITHOLOGIC  LITHOLOGIC  LITHOLOGIC  SILL  DAOWN SILL  Sh. DROWN S	t. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy  8 Sewage la  9 Feedyard  LOG	3Benton ft. to	tt., From tt., From ft., From ite 4 O  10 Livestor 11 Fuel str 12 Fertilize 13 Insection How many	ther	ft. to
GROUT MATERIAL:  Grout Intervals: From.  What is the nearest source of post 1 Septic tank 4 I 2 Sewer lines 5 G 3 Watertight sewer lines 6 S Direction from well?  FROM TO  O (0" HSONO (0" 47' Brown 47' (00' Light (00' 70' Yellow	From  ALS: From From  eat cement  f. ft. to . 3 sible contamination: Lateral lines Cess pool Seepage pit  LITHOLOGIC  LITHOLOGIC  LITHOLOGIC  LITHOLOGIC  SILL  DAOWN SILL  Sh. DROWN S	t. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy  8 Sewage la  9 Feedyard  LOG	3Benton ft. to	tt., From tt., From ft., From ite 4 O  10 Livestor 11 Fuel str 12 Fertilize 13 Insection How many	ther	ft. to
GROUT MATERIAL:  Grout Intervals: From.  What is the nearest source of post  1 Septic tank  2 Sewer lines  3 Watertight sewer lines  6 Direction from well?  FROM  TO  (a'' 47' Brown  47' (ao' Light	From  ALS: From From  eat cement  f. ft. to . 3 sible contamination: Lateral lines Cess pool Seepage pit  LITHOLOGIC  LITHOLOGIC  LITHOLOGIC  LITHOLOGIC  SILL  DAOWN SILL  Sh. DROWN S	t. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy  8 Sewage la  9 Feedyard  LOG	Benton  goon  FROM  was (1) construct	ted, (2) recons	ther	ft. to
GROUT MATERIAL:  Grout Intervals: From	From	to to the	Benton ft. to  goon  FROM  was (1) construct  Well Record was	ted, (2) reconsand this record	ther  tt, From  k pens  torage  torage  feet?  PLUGGIN  structed, or (3) plugged is true to the best of m	ft. to
GROUT MATERIAL:  Grout Intervals: From.  What is the nearest source of post 1 Septic tank 4 I 2 Sewer lines 5 G 3 Watertight sewer lines 6 S Direction from well?  FROM TO  (a'' 47' Brown 47' Brown 47' (ao' Light)  (b' 70' Yellow 70' Yellow 70' Completed on (mo/day/year)	From  From From  From  From  From  From	t. to  ft. to  ft. to  ft. to  2 Cement grout  7 Pit privy 8 Sewage la 9 Feedyard  LOG  Clay  LOG  ION: This water well  This Water	Benton ft. to goon  FROM  Was (1) construct  Well Record was Tesh ne	ted, (2) reconstand this record to by (signature	ther  tt, From  k pens  torage  torage  feet?  PLUGGIN  Structed, or (3) plugged is true to the best of me  (mo/day/w)  (mo/day/w)	ft. to