		WA	TER WELL RE	CORD F	Form WWC-5	KSA 82a	-1212 ID	No	-	/// 10
1 LOCATIO	N OF WA	TER WELL:	Fraction			Section	on Numbe	r Townshi	p Number	Range Number
County: 1	Jundo	He	NE		14 SW	/7	27	Т,	// s	R 25 (E)W
Distance an	d direction	from nearest to	own or city stre			d within city				
2 WATER	WELL OW	NER: Milal			mans Cr	7				
RR#, St. Ac		* '^ -		Arti e-c)				Board of	Aariculture. D	ivision of Water Resources
City, State,	ZIP Code	Belt	ton, Mo	04-102-		<del></del>	. E. E.	Applicati	on Number:	
_		OCATION WITH			ED WELL			ATION: . 7.90		· · · · · · · · · · · · · · · · · · ·
AN "X" II	N SECTIO	N BOX:	Deptin(s) Grou WELL'S STAT	IC WATER I	EVEL 7.35	ft below	land surfa	ice measured on	mo/day/yr 0	2/12/0/
<b>A</b>	!									umping gpm
	NW	NE	Est. Yield	gpn	: Well water	was	ft.	. after	hours p	umping gpm
	i	_								in. to <del></del> ft.
₹ W	1	- E	WELL WATER 1 Domestic			blic water su   field water :		8 Air conditioni 9 Dewatering	•	jection well
	- C/A/	SE	2 Irrigation					10 Monitoring w		ther (Specify below)
	SW -	3E	•			-			7	
<u> </u>	'     S		Was a chemica mitted	al/bacteriologio 	cal sample subr	nitted to Depa		es No. X ter Well Disinfec	-	no/day/yrs sam <del>ple</del> was sub-
5 TYPE O	F BLANK	CASING USED:		5 Wrough	t iron	8 Concret	e tile	CASING	JOINTS: Glue	d Clamped
1 Steel	5)	3 RMP (SI	R)		s-Cement	9 Other (s	pecify bel	ow)	Weld	ed <del></del>
(2 PVC)	9	4 ABS		7 Fibergla						aded 🔭
Blank casii	ng diamete	er <b>4-</b>	in to/							in. to
Casing hei	ight above	land surface		. in., weight .	Sch 40		_	s./ft. Wall thickne	ess or gauge N	o <del></del>
1	SCREEN	OR PERFORAT				7 PVC			Asbestos-cem	- · · ·
1 Steel 2 Brass	e	3 Stainles: 4 Galvaniz		5 Fibergla 6 Concret		8 RMP 9 ABS	(SH)		Other (specify) None used (op	
l		ORATION OPE		0 00110101		d wrapped		8 Saw cut	(Op	11 None (open hole)
I -	inuous slot	The second secon	Mill slot 6 Wire wrap					9 Drilled ho	les	Triono (opon noic)
2 Louv	ered shutt	er 4 K	ey punched		7 Torch			10 Other (spe	əcify)	
SCREEN-I	PERFORA	TED INTERVAL		. <b>. (</b> . <u>.</u>		<u> </u>				o <del></del> ft.
,	SDAVEL B	ACK INTERVAL			ft. to	77	tt., Fro.	om		o
`	JAAVEL F	ACK INTERVAL				# F	ft., Fro	om <del></del>	ft. to	o <del></del> ft.
6 GROUT	MATERIA	Neat c	ement	2 Cement	arow (	3 Bentonit	e 4	4 Other		
Grout Inte		(D) \			From O			ft., From		ft. to
What is th	e nearest	source of possil	ble contamination	on:			10 Live	estock pens	14 Al	pandoned water well
1 Septic tank 4 L		4 Later	ral lines		7 Pit privy		11 Fue	storage	15 O	il well/Gas well
2 Sewer lines 5 C			ess pool 8 Sewage			goon	12 Fert	tilizer storage	16 O	ther (specify below)
3 Watertight sewer lines 6 Se			page pit 9 Feedyard				13 Inse	ecticide storage		
Direction f	rom well?						How m	any feet?		
FROM	ТО	<b>A</b> 0.	LITHOLOGIC L	_OG		FROM	то		PLUGGING IN	ITERVALS
0.0	0.5	Asphalt	-							
0,5	1.0	Concrete	- 00	11 / 0	0					
4.0	4.0	Kornad	gravelfil	1/coul +	mes				<del> </del>	
4-0	10.0	Cleyey Si	14 F, dent 19 1. Soft	More to b	Verch,					
W2 C	17.0	Ol mois		- L.	ach, wet					
10.0	17.0	Clayey 81	12 care or	rown vor	ace, our					
			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,							
		<u> </u>								
7 CONTRA	ACTOR'S	OR LANDOWNE	R'S CERTIFICA							der my jurisdiction and was
		//year) <b>2.1</b> 9/	656							owledge and belief. Kansas
1		r's Licence No	Λ <b>Λ</b>			Hecord was	•	d on (mo/day/yr)	المرابع الم	
under the b		Plea		north I				signature)	out-	forper
								e correct answers. Sen e for your records. Fee		Kansas Department of Health and
l ⊏u∧ironmeu.	i, Dui eau Of W	aler, ropera, ransas c	Juden out I. Telephor	100°250°3324.	CONTROL OF TO WATE	LLL OWNER	- I I I I I I I I I I I I I I I I I I I		an worder for backing on	MUNICU WOIL