							TE3(A)
1 LOCATION OF WATER WELL:		WELL RECORD	Form WW		82a-1212	oumahin Alumbar	Panga Number
	NW 1/4	NW ½ N	w "	Section Nu 16	mber 1	ownship Number s	Range Number
County: WYANDOITE Distance and direction from nearest tow			- /-			11 s	R 25
		139 S 18 TH KA	ANSAS	ĆITY KS			
WATER WELL OWNER: LARRY	"S STANDAR	D SERVICE					
RR#, St. Address, Box # : 139 S 1	18 TH				Boa	ard of Agriculture, [Division of Water Resources
City, State, ZIP Code : KANS	AS CITY KS				Арј	olication Number:	
LOCATE WELL'S LOCATON WITH	4 DEDTU OF CC	MADI ETED MELL		25 4	ELEVATION		
AN "X" IN SECTION BOX:	DEPTH OF CC	MPLETED WELL		10 E	ELEVATION	l;	
							. 3 Ft0/04
, N							ay/yr 5/9/01
↑ 1×)						rs pumping
NWNE	Est. Yield	Gpm: Well wat	ter was		Ft. after	Hou	rs pumping Gpm
	Bore Hole Diamete	er 4.25 In to	n n n n n n n n n n n n n n n n n n n	25	ft. and	A (1777) 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	in. to Ft 11 Injection well 12 Other (Specify below)
₩ W	VELL WATER TO	3 Feed lot 6	Oil field v	ater supply vater supply	9 1	Air conditioning Dewatering	11 Injection well 12 Other (Specify below)
		4 Industrial 7	Lawa and	d gardon (do	mostic) 10	Monitoring well	1 MW-1
SW SE							
↓ 		acteriological sample	supmitte	eu to Departr			ves, mo/day/yr sample was
TYPE OF BLANK CASING USED:	Submitted	E \M=		Danasste til			No X
	CD)	5 Wrought Iron		Concrete tile			lued Clamped
	SR)	6 Asbestos-Ceme	ent 9 C	Other (specif	y below)		<u>/elded</u>
2 PVC 4 ABS		7 Fiberglass				Tr	nreaded X
Slank casing diameter 2	in to 10	Ft.,		In to	ff C	lia.	in to #
Blank casing diameter 2 Casing height above land surface	FLUSH	Dia	SCH 40	ō 10ī	he /# \Mail #	nickaasa es gauga	III. (U II.
TYPE OF SCREEN OR PERFORATION		i., weight	0011.4	7 PVC	DS.M. VVAN	10 Asbestos-ce	mont
1 Steel 3 Stainle		5 Fiberglass			SR)		ify)
	nized steel	6 Concrete tile		9 ABS	•	12 None used (open hole)
SCREEN OR PERFORATION OPENIN			uzed wrap				11 None (open hole)
1 Continuous slot 3	Mill slot		e wrapped		9 D	rilled holes	(,
2 Louvered shutter 4	Key punched	7 Tor			10 O	ther (specify)	
SCREEN-PERFORATED INTERVALS:	From 1	10 ft. to	2	25	ft. From		ft. toft.
							ft. to F(
SAND PACK INTERVALS:	From	9 ft. to	2	25	ft From		ft. toFI
	From	ft. to			ft. From		ft. to Fi
GROUT MATERIAL: 1 Neat of		Cement grout	Ţ.	3 Bentonite			
		Ft	_	Ft.	7 000	er	
Grout Intervals From3 7	ft. to 9	From2	J		7	t. From	ft. to ft.
What is the nearest source of possible of					Livestock pe		Abandoned water well
1 Septic tank	4 Lateral lines	7 Pit priv	vy	11	Fuel storage	15 _	Oil well/ Gas well
2 Sewer lines	5 Cess pool	8 Sewag	ge lagoon	12	Fertilizer sto	rage 16	Other (specify below)
3 Watertight sewer lines	6 Seepage pit	9 Feedy	ard	13	Insecticide s	torage Č	Contaminated Site
Direction from well?					many feet?		
FROM TO CODE	LITHOLO		FR	ROM TO	0	PLUGGING	INTERVALS
	AVEL & FILL	MATERIAL					
	TY SAND	OLE.					
25 TD EN	D OF BOREH	ULE	<u></u>				
			-				
	· · ·						7 14 17 14 14 14 14 14 14 14 14 14 14 14 14 14
							
					1-		
			<u> </u>				
			-		<u> </u>		
CONTRACTOR'S OR LANDOWNER	R'S CERTIFICATIO	N: This water well v	was (x) co	instructed, (2	2) reconstruct	ed, or (3) plugged	under my jurisdiction and w
Completed on (mo/day/yr))1					vledge and belief. Kansas
Water Well Contractor's License No.		585				as completed on (r	
under the business name of	Associate	d Environmen	ital, Inc) .	By (sign	ature) Darin R	Duncan
INSTRUCTIONS: Please fill in blank	s and circle the correc	ct answers. Send thre	e copies to	Kansas Dep	artment of Hea	ilth and Environment	, Bureau of Water, Topeka,
Kansas 66620-0001. Telephone: 913	3-296-5545. Send or	e to WATER WELL O	WNER and	d retain one fo	or your records	.`	