.			WELL RECORD	Form WWC-					
LOCATION OF WATER WELL:		Fraction	*1: 1	ł	ction Number	Township		Range N	_
County: (NYANDOTTE Distance and direction from nearest town or			NW 1/4 S(T	<u>s</u>	R 25	(E)W
Jistance and direction		or city street add		ea within city?					
WATER WELL OV		13 70. 01	, <u></u>						
a RR#, St. Address, Bo	x # 1000 SW	Jackson St	Suite 410			Board o	f Agriculture, D	ivision of Wate	er Resource
City, State, ZIP Code	: Topoka	KS 6661	66612			Application Number:			
LOCATE WELL'S L AN "X" IN SECTIO			MPLETED WELL						
	T w	FIL'S STATIC	WATER LEVEL 3	2.55 # 1	nelow land sur	face measured	on mo/day/yr	3/17/02	
/ i	1 1 1"		test data: Well war						
NW	NE	- Viala 5	test uata. Well wal	lei was		nter	. nours pui	mping	gpm
		st. field	gpm: Well war	ter was	π. a	πer	. hours pui	mping	gpm
¥ 1	1 		er (2in. to						
<u>.</u> ,,			D BE USED AS:	5 Public water		8 Air condition	•	njection well	
X _w _₹	SE	1 Domestic	3 Feedlot	6 Oil field wa		9 Dewatering	_	Other (Specify	,
1	ļ !	2 Irrigation	4 Industrial		-	10 Monitoring v			
		as a chemical/ba itted	acteriological sample	submitted to D		esNo ter Well Disinfe	-	mo/day/yr sam	•
TYPE OF BLANK	CASING USED:		5 Wrought iron	8 Concr	ete tile	CASING	OINTS: Glued	Clam	ped
1 Steel	3 RMP (SR)		6 Asbestos-Cement		(specify below	•		ed	
2 PVC	4 ABS	44	7 Fiberglass						
	r . 2 in.		ft., Dia	in. to		ft., Dia	i	n. to	ft.
asing height above I	land surfacef/us	<i>\$</i> ki	n., weight	<u></u>	Ibs./f	ft. Wall thicknes	s or gauge No	s. S.d. 40	
TYPE OF SCREEN C	R PERFORATION N	MATERIAL:		(7 PV	\sim	10 A	sbestos-ceme	nt	
1 Steel	3 Stainless st	teel	5 Fiberglass	8 RM	IP (SR)	11 (Other (specify)		
2 Brass	4 Galvanized	steel	6 Concrete tile	9 A E	S	12 N	lone used (ope	en hole)	
CREEN OR PERFO	RATION OPENINGS	ARE:	5 Gau	zed wrapped		8 Saw cut		11 None (ope	n hole)
1 Continuous sk	ot 3 Mill's	slot	6 Wire	wrapped		9 Drilled hole	s		
2 Louvered shut	tter 4 Key	punched	7 Torc			10 Other (spe	cify)		
CREEN-PERFORAT	ED INTERVALS:	From . 39.3	§ ft. to .	24-38	ft., Fror	m	ft. to)	ft.
		From	ft. to .		ft., Fror	m	ft. to) <i></i>	ft.
GRAVEL PA	CK INTERVALS:	From 3.9. 8	ీ ft. to .	21	ft., Fror	m	ft. to)	ft.
		From	ft. to		ft., Fron	m	ft. to)	ft.
GROUT MATERIA			Cement grout			Other			
Grout Intervals: Fro	ım≠İ ft.	to gound.	ft., From	ft.	to	ft., From	.	. ft. to	
What is the nearest s	ource of possible cor	ntamination:			10 Livest	tock pens	14 At	andoned wate	r well
1 Septic tank 4 Lateral lin		ines	7 Pit privy			15 Oil well/Ga		l well/Gas well	
2 Sewer lines 5 Cess poo			8 Sewage lagoon		12 Fertili	12 Fertilizer storage 16 Other (specify below)			elow)
_	ver lines 6 Seepage	e pit	9 Feedyard		13 Insect	ticide storage			
	Northeast				How mar				
FROM TO	+	LITHOLOGIC L		FROM	то		PLUGGING IN	ITERVALS	
0 15	Silt Wlbrick		<u>(n)</u>		ļ				
15 40	Sand with s	714			-				
					ļ				
					 -				
					ļ				
					 				
					ļļ_				
									
					<u> </u>				· · · · · · · · · · · · · · · · · · ·
CONTRACTOR'S	OR LANDOWNER'S	CERTIFICATIO	N: This water well v	vas (1) constri	cted) (2) reco	nstructed, or (3) plugged und	er my iurisdicti	on and was
completed on (mo/day	(vear) 3/11/02	2	TING HAIO! WO!! Y	00.1541		rd is true to the			
Vater Well Contractor	's License No	698	This Water V	Vell Record wa			4/20102		
	ime of Fleerand				by (signat		971		
	ypewriter or ball point pen.			lagga fill in blanks		1	Sand ton throat	onies to Kanana D	anartmont
of Health and Environ	nent, Bureau of Water, Top	eka, Kansas 66620-	0001. Telephone: 913-296-	5545. Send one to	WATER WELL OV	VNER and etain on	e for your records.	-picc to italians D	