		WA	TER WELL RE	CORD For	m WWC-5		-1212 IE		·				
1 LOCATION			Fraction	- 1/4	1/1		n Numbe		ownship	Number	Range Number		
County: Wyandotte SE/41/4 SE/4 Distance and direction from nearest town or city street address o					SE14	/4 1	0		<u>г ј/</u>	S	R 25 (<u>w</u>	
Distance and	direction	from nearest to	own or city stree Metal	ot address of w	rell if locate	d within city	? K.C. <i>k</i>	⟨\$.					
			mabia										
RR#, St. Addre		# :3005	Hanches	ter	in Les	RESULT OF		E	Board of A	griculture, [Division of Water Res	ources	
City, State, ZIF	Code	· KI al	Mp. 6412	_					Application				
3 LOCATE WE	LL'S LO	CATION WITH		COMPLETED	WELL	40	. ft. ELE\	VATION:					
AN "X" IN S	SECTION N	I BOX:	Depth(s) Groun	ndwater Encou	ntered 1	<u>(Ω'</u>	1	ft. 2	. .	. د ft.,3.			
		!									oumping	• • • • • •	
NV	v	- NE	Est. Yield	gpm:	Well water	was . ,	ft	. after		hours p	oumping in. to	. apm	
<u></u> ₩ —		 	WELL WATER						onditioning		in. to	. π.	
	v -	- SE	1 Domestic 2 Irrigation	3 Feedlot 4 Industri		field water s			atering		Other (Specify below)		
5	v -	- 5E						_			no/day/yrs sample wa		
<u> </u>	S		mitted				Wa	ter Well I	Disinfected	? Yes	(Ng)		
_	LANK C	ASING USED:		5 Wrought ire		8 Concrete			CASING J		ed Clamped		
1 Steel		3 RMP (SF	R)	6 Asbestos-0	Cement	9 Other (s		-			ied 🗙		
& PVC		AABS AABS		, 7 Fiberglass							aded.:	• • • • •	
Blank casing	diamete		in. to 22)ia	in. t	0	• • • • • • •	.ft., Dia	• • • • • • • • • •	in. to	ft	
								s./ft. Wal	l thickness	or gauge N	65th 40		
	REEN		TION MATERIAL	.: 5 Fiberglass		7 PVC				bestos-cem			
1 Steel 2 Brass						orglass 8 RMP (S crete tile 9 ABS				ner (specify) ne used (op		• • • • •	
	RATION OPEN	o concrete ti	5 Gauzed wrapped			8 54	aw cut	ne useu (of	11 None (open hole				
1 Continue		L3 WI	6 Wire wrapped					rilled holes	;	i i None (open nois	"		
2 Louvere	d shutte		ey punched	/	7 Torch	eut		10 Ot	her (speci	fy)		ft.	
SCREEN-PE	RFORAT	TED INTERVAL			ft. to .📯	<i>Q</i>					0		
GR	AVFI P	ACK INTERVAL	From	,,,,,	ft. to	Z 1·····	ft., Fro	om		ft. t	0	ft.	
	AVEL 17	1011 1111 211111	From		ft. to		ft., Fro	om		ft. t	0	it. ft.	
6 GROUT MA	TERIAL	: 1 Neat ce	ement	2 Cement gro	out	3 Bentonite	9 ,4	4 Other .					
Grout Interva		101	3 . to .3	•	om 3	,	o. D				ft. to		
What is the n	earest s		ontamination			CEHEM	_	estock pe			bandoned water well		
1 Septic tank 4 Lateral lines			al lines	7 Pit privy			11 Fue	11 Fuel storage			il well/Gas well		
2 Sewer lines 5 Cess pool			pool	8 Sewage lagoon			12 Fertilizer storage			16 C			
3 Watertig	ht sewe	r lines , 6 Seepa	age pit	9 Feedyard			12 Fertilizer storage 16 Other (specify, below) 13 Insecticide storage Tower Oliver Surviving Surviva						
Direction from	n well? 🕻	aco					How m	any feet	2501	,			
FROM	то	L	LITHOLOGIC LO	OG ,		FROM	ТО		PL	UGGING IN	ITERVALS		
0 /	7.5	DKBUG-6	Brack 4	sy w/	nek	Wood							
1 11		asbs	es, wet				,						
17.5 4	0.0	Gray sil	Lyclay,	dryt	app.	100.00	se l						
		W/Way	y Clayy	roltos	tria	ca w							
		fine a	nainal	vand-	- 0							-	
		,	,										
												<u>_</u>	
7 CONTRACT	OR'S O	R LANDOWNE	R'S CERTIFICAT	TION: This wat	er well was	(10 construc	ted (2) re	construct	ted, or (3)	plugged und	der my jurisdiction and	i was	
		year) 7. 8	A -/			an	d this rec	ord is tru	e to the be		owledge and belief. K		
Water Well Co			732	This \	Nater Well	Record was	completed	d on (mo/	/day/yr) '7.	-06-6	ス3		
under the busir	ness nan	ne of A	SUVICES	V Sun	Oli		by (signature	Ch11	nauk	eper		
INSTRUCTIONS	: Use type	vriter or ball point nen			arty, Please fill	n blanks, underlin	e or circle the	e correct and	wers, Send to	p three conies to	Kansas Department of Health	and	
			6620-0001. Telephone		-						•		