WYANDO	ATTE W	ATER WELL REC	CORD Form WWC-5	KSA 82a	a-1212 ID	No			
1 LOCATION OF V	≨ 677	Fraction 1/4		1/4	ection Numbe	_	wnship Number	Range Numb	er
Distance and direction	on from nearest to	wn or city street	address of well if located 285	$\delta - 29$	00 W.	47+6;	K.C.Ks		
2 WATER WELL	WNER: Bloc	k & Comp	dny,						
RR#, St. Address, Bo City, State, ZIP Code		W. 47+5 Ho. 64112	; Suite 100				eard of Agriculture, E oplication Number:	Division of Water Res	source
3 LOCATE WELL'S	LOCATION WITH	4 DEPTH OF C	OMPLETED WELL	15'	ft. ELEV	ATION:			
AN "X" IN SECTIO	N BOX: N	Depth(s) Group	ndwater Encountered C WATER LEVEL 7.4	1-X	low load our	ft. 2	ft. 3	プログ	ft.
	1	Pu	mp test data: Well wat	a. ≰ it. de er was	tt	. after	ed on mo/day/yr 🕬 hours p	umping	gpn
NW	NE	Est. Yield	gpm: Well wat	er was	ft	. after	hours p	umping	gpn
ı	1	1 Domestic		Public water Oil field water		8 Air coi		njection well Other (Specify below))
w	E .	2 Irrigation							
1	ı						V		
SW	SE		al/bacteriological sample	submitted to				no/day/yrs sample wa	as sub
<u> </u>		mitted			'	water well t	Disinfected? Yes	No	
5 TYPE OF BLANK	S CASING LISED.		F Marine Ind. Sec.				OULO LOURITO OL		
1 SteeL	3 RMP (S	B)	5 Wrought iron 6 Asbestos-Cement	8 Conc 9 Other	rete tile r (specify belo			dClamped led	
2 PVC	4 ABS	,	7 Fiberglass	**********			Thre	aded	
Blank casing diameter	er d.3/15	n. to 👀	ft., Dia		in. to		ft., Dia	in. to	ft.
		•	in., weight			lbs./ft. Wa			
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless Steel			5 Fiberglass 8 RI		RMP (SR)		10 Asbestos-Cement 11 Other (Specify)		
2 Brass	4 Galvani		6 Concrete tile	9 A	` '		12 None used (or	•	
SCREEN OR PERFO	ORATION OPENII	NGS ARE:	5 Gua	zed wrapped		8 Saw	cut	11 None (open hol	le)
1 Continuous slo		Mill slot	6 Wire 7 Toro	wrapped			ed holes		ft
2 Louvered shut SCREEN-PERFORA		(ey punched			4 5		(apecity)		
SONELIN-FERFORA	NED INTERVALS		ft. to	····	π., Froi	m m	π. το ft. to		n. ft.
GRAVEL F	PACK INTERVALS	6: From	15.6" ft. to .4	<i>[</i>	ft., Froi	m	ft. to		ft.
		From	ft. to		π., ⊢ror	m	π. το		π.
6 GROUT MATER	IAL: 1 Nea	it cement	2 Cement grout	3 Ber	ntonite,	4)Other	concute		
Grout Intervals: Fr	om4	3. ft. to	ft., From		to D	ft., Fr	rom mor	ft. to	ft.
What is the nearest s	•		7. Dit auton	\mathscr{G}		stock pens		bandoned water wel	(1
1 Septic tank 4 Lateral lines Sewer lines 5 Cess pool			7 Pit privy 8 Sewage lagoon		11 Fuel storage12 Fertilizer storage			15 Oil well/Gas well16 Other (specify below)	
	wer lines 6 See	•	9 Feedya	-		cticide stora		mier (specify below)	
Direction from well?		,	,			any feet? 2			
FROM TO		LITHOLOGIC	LOG	FROM	то		PLUGGING IN	TERVALS	
0 ,50	Asphal	<u>t </u>							
150 2.50	DKBLAD	Black	Hyllay, How	to, fism					
2.50 3.0 3.0 5.5	01.41.	rubble		16/1					
2.50 3.0 3.0 5.5 5.5 10.5		Blay		11/11/11/19	oxides	Bin			
70.0	HALO	e source	7 mars and	7 500,	on the control				
10.5 15.5	KUDO BU	rouides	tained clay,	soft, no	odou				
						thus	111 hair	11 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	al)
				<u> </u>		Euwy	rit anua	u ogganine	
				1			y w ray		
CONTRACTOR'S	OR LANDOWNE	SERTIFICA	TION: This water well w	as (1 consti	ructed, (2) red	constructed,	or (3) plugged und	ler my jurisdiction ar	nd was
			3732 This Wate						Kansas
water well Contractor under the business na		Wills	nis wate	vveil Hecord			Cames C		
		COUCK!			٠,	,)	- Turice C		

INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.