

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County: Wyandotte		NE ¼ SE ¼ SW ¼	27	T 11 S	R 25 E
Distance and direction from nearest town or city street address of well if located within city?					
1122 Southwest Boulevard, Kansas City, Kansas					
2 WATER WELL OWNER: McCall Service Stations, Inc.					
RR#, St. Address, Box #: P.O. Box 138					
City, State, ZIP Code: Belton, Missouri 64012					
Board of Agriculture, Division of Water Resources					
Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:		4 DEPTH OF COMPLETED WELL 18.5 ft. ELEVATION:			
		Depth(s) Groundwater Encountered 1 10.5 ft. 2 ft. 3 ft.			
		WELL'S STATIC WATER LEVEL 10.60 ft. below land surface measured on mo/day/yr 07/19/04			
		Pump test data: Well water was ft. after hours pumping gpm			
		Est. Yield NA gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 8.5 in. to 18.5 ft. and in. to ft.			
		WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well			
		1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)			
		2 Irrigation 4 Industrial 7 Lawn and garden (domestic) 10 Monitoring well			
		Was a chemical/bacteriological sample submitted to Department? Yes No If yes, mo/day/yr sample was submitted			
		Water Well Disinfected? Yes No X			
5 TYPE OF BLANK CASING USED:					
1 Steel 3 RMP (SR) 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped					
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below) Welded					
7 Fiberglass Threaded X					
Blank casing diameter 2.375 in. to 8.5 ft. Dia in. to ft. Dia in. to ft.					
Casing height above land surface Flush Mount in., weight lbs./ft. Wall thickness or gauge No. Schedule 40					
TYPE OF SCREEN OR PERFORATION MATERIAL:					
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify)					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS 12 None used (open hole)					
SCREEN OR PERFORATION OPENINGS ARE:					
1 Continuous slot 3 Mill slot 5 Gauzed wrapped 8 Saw cut 11 None (open hole)					
2 Louvered shutter 4 Key punched 7 Torch cut 9 Drilled holes 12 Other (specify)					
SCREEN-PERFORATED INTERVALS: From 18.5 ft. to 8.5 ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From 18.5 ft. to 4.0 ft. From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals From 0.0 ft. to 1.5 ft. From 1.5 ft. to 4.0 ft. From ft. to ft.					
What is the nearest source of possible contamination:					
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage (former) 15 Oil well/ Gas well					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 16 Other (specify below)					
13 Insecticide storage					
Direction from well? Northwest How many feet? 5					
LITHOLOGIC LOG					
FROM TO CODE					
0.0 0.5 Concrete					
0.5 5.0 Red brown sandy clay, slightly silty, friable, odor					
5.0 7.5 Black clayey silt, very friable, moist, odor					
7.5 10.5 Black silty clay, friable-firm, moist, odor					
10.5 18.5 Black silty clay, wet, odor					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/yr) 07/16/04 and this record is true to the best of my knowledge and belief. Kansas					
Water Well Contractor's License No. 692 This Water Well Record was completed on (mo/day/yr) 07/22/04					
under the business name of Quad State Services, Inc. by (signature)					
INSTRUCTIONS: Please fill in blanks and circle the correct answers. Send three copies to Kansas Department of Health and Environment, Bureau of Water, 1000 S W Jackson St., Ste. 420, Topeka, Kansas 66612-1367. Telephone: 913-296-5545. Send one to WATER WELL OWNER and retain one for your records.					