K-MW	/- II3		TED WELL D		E \4846	25 404							
1 LOCATION		R WELL:	TER WELL RE		Form WWC)-5 KSA	82a-1212 Section	Number	Town	ship Num	ber	Range N	
County: Wy	gando	He		14 とい			27		T	11	ş	R 25	O W
Distance and dir	rection fro	m nearest tov	vn or city stree	et address	of well if loca		city?						
2 WATER WE			3	_	Kumbi	:-4							
RR#, St. Addres		370		Bluel					Boar	d of Agric	ulture Di	vision of Wate	r Resource
City, State, ZIP		Kansa	12 C.T	125	•				Appli	cation Nu	ımber:		
3 LOCATE WEL		ATION WITH	4 DEPTH OF		TED WELL .		f	ft. ELEVATIO	ON:			.,	
AN "X" IN SEC	CTION BO N	OX:	Depth(s) Gro	oundwater	Encountered	1		ft. 2			ft. 3 <u>.</u>	1. /05-	ft.
1		1	WELLSSIA	Pump test	C WATER LEVEL 7 1. Delow land surface measured materials. Well water was						ay/yr ⇔ hours pu	mping	apr
- NW	,	NE	Est. Yield	/V./7	gpm: Well water wasft. afterft.						hours pu	mping	gpn
1		< -	1 Domest		R TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 2 Other (Specify below) 1 4 Industrial 7 Domestic (lawn & garden) 1 Monitoring well 2 Monitoring well 3 Monitoring w								elow)
w		= <u> </u> E .	2 Irrigatio	on 4	Industrial	7 Domest	ic (lawn &	garden) 16	Monitori	ng well			
1		1											
SW	'	SE	Was a chemi mitted	ical/bacter	iological sam	ple submitte	ed to Depa					/day/yrs samp	
		· i	milled					vvate	er Well Dis	antected?	res		No
5 TYPE OF BL	S	SING LISED:		F \\/.		0.6			O A C I A		- C. Cl	Olean	
TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR)				ought iron estos-Cemen		8 Concrete tile 9 Other (specify below)			NG JOIN I		Clamp سر		
2 PVC 4 ABS				7 Fiberglass							Threa	ded	
Blank casing dia	ameter		in. to	1.5	ft., Dia	ì	in	. to		ft., Dia		in. to	ft
Casing height above land surface					weight								***************************************
1 Steel 3 Stainless Steel					erglass		7 PVC 8 RMP (SR)			10 Asbestos-Cement 11 Other (Specify)			
2 Brass 4 Galvanized Steel					crete tile		9 ABS			2 None	used (ope	n hole)	
SCREEN OR PERFORATION OPENINGS ARE:						iuazed wrap						11 None (ope	n hole)
1 Continuou 2 Louvered			ey punched			Vire wrappe orch cut	a		 Drilled Other (ft
SCREEN-PERF				15	ft to	25							
			From		ft. to			ft., From			ft. to		ft
GRAV	EL PACK	(INTERVALS:											
							<u></u>						
6 GROUT MA			cement	2 C	ement grout	3	Bentonite	4 0					
Grout Intervals: From					π., From	••••	10 Livestock					ft. toandoned wate	
1 Septic tank 4 Lateral lines					7 Pit pr	ivv	11 Fuel stora						
2 Sewer lines 5 Cess pool					-	ige lagoon							
3 Watertight sewer lines 6 Seepage pit				9 Feedy	yard	13 Insecticid			-				
Direction from well?							How many fe			eet? PLUGGING INTE			
FROM T	TO	j	LITHOLOG	IC LOG		FRC	M T	0		PLUG	SING INT	ERVALS	
3 /3		Top, S		1 1	,								
12 2		11/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1/1	7	7 40	<u> </u>								
		2117-34											
					· · ·								.
						_							
						_							
7 CONTRACTO	ND:0.05												
CONTRACTO				ATION: TI								r my jurisdiction wledge and be	
Water Well Contra	actor's Li	cence No	609					na this record completed o					
under the busines	ss name	of Environ	mental f	Car. L	, Eru		~~ ``	by (sign		PHI	Int	/- -	
			. PLEASE PRESS				ks, underline	or circle the corr	rect answers.	Send top th	ree copies to	Kansas Departme	nt of Health

and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well.