

CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

County: Wyandotte

Location listed as:

Location changed to:

Section-Township-Range: 10-50N-25E

10-11S-25E

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): SE SE SW

SE SE SW

Other changes: Initial statements: _____


Changed to: _____

Comments: _____

verification method: Written & legal descriptions, position on plat
map, and Kansas City 1:24,000 topo. map.

initials: ORL date: 10/6/2005

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WATER WELL: County: <u>WYANDOTE</u>		Fraction <u>SE 1/4 SE 1/4 SW 1/4</u>	Section Number <u>10</u>	Township Number <u>T 50 N</u>	Range Number <u>R 25 EW</u>
Distance and direction from nearest town or city street address of well if located within city? <u>NO ADDRESS - ON LEEVE NEAR FAIRFAX MUNICIPAL AIRPORT (KANSAS CITY)</u>					
2 WATER WELL OWNER: <u>FAIRFAX DRAINAGE DIST. 40 S.B. & B. FOURTH E STATE</u> RR#, St. Address, Box #: <u>TOWER II, GATEWAY CENTER, SUITE 700</u> Board of Agriculture, Division of Water Resources City, State, ZIP Code: <u>KANSAS CITY, KS 66101</u> Application Number:					
3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX: 		4 DEPTH OF COMPLETED WELL: <u>34</u> ft. ELEVATION: <u>741</u> Depth(s) Groundwater Encountered 1. <u>12</u> ft. 2. <u>12</u> ft. 3. <u>12</u> ft. WELL'S STATIC WATER LEVEL <u>12</u> ft. below land surface measured on mo/day/yr <u>4-30-87</u> Pump test data: Well water was <u>12</u> ft. after <u>4</u> hours pumping <u>12</u> gpm Est. Yield <u>6 3/4</u> gpm: Well water was <u>34</u> ft. after <u>4</u> hours pumping <u>12</u> gpm Bore Hole Diameter <u>6 3/4</u> in. to <u>34</u> ft. and <u>12</u> in. to <u>12</u> ft. WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Lawn and garden only <u>10</u> Observation well Was a chemical/bacteriological sample submitted to Department? Yes <u>No</u> <u>X</u> ; If yes, mo/day/yr sample was submitted <u>4-30-87</u> Water Well Disinfected? Yes <u>No</u> <u>X</u>			
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile CASING JOINTS: Glued <u>Clamped</u> <u>2 PVC</u> 4 ABS 6 Asbestos-Cement 9 Other (specify below) <u>Welded</u> Blank casing diameter <u>2</u> in. to <u>22.4</u> ft. Dia <u>22.4</u> in. to <u>34</u> ft. Dia <u>34</u> in. to <u>12</u> ft. Dia <u>12</u> in. to <u>12</u> ft. Dia Casing height above land surface <u>30</u> in., weight <u>SCH. 40</u> lbs./ft. Wall thickness or gauge No. <u>12</u> TYPE OF SCREEN OR PERFORATION MATERIAL: <u>7 PVC</u> 10 Asbestos-cement 1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR) 11 Other (specify) <u>12</u> None used (open hole) 2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS SCREEN OR PERFORATION OPENINGS ARE: 5 Gauzed wrapped <u>8 Saw cut</u> 11 None (open hole) 1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes 2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) <u>12</u> None (open hole) SCREEN-PERFORATED INTERVALS: From <u>22.4</u> ft. to <u>32.4</u> ft. From <u>32.4</u> ft. to <u>12</u> ft. GRAVEL PACK INTERVALS: From <u>12.5</u> ft. to <u>34.0</u> ft. From <u>34.0</u> ft. to <u>12</u> ft. 6 GROUT MATERIAL: <u>1 Neat cement</u> 2 Cement grout <u>3 Bentonite</u> 4 Other <u>12</u> None (open hole) Grout Intervals: From <u>0</u> ft. to <u>9</u> ft. From <u>9</u> ft. to <u>12.5</u> ft. From <u>12.5</u> ft. to <u>12</u> ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 14 Abandoned water well 2 Sewer lines 5 Cess pool 8 Sewage lagoon 11 Fuel storage 15 Oil well/Gas well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage <u>16 Other (specify below)</u> <u>NONE</u> Direction from well? <u>12</u> How many feet? <u>12</u>					
LITHOLOGIC LOG FROM <u>0</u> TO <u>34</u> <u>LT. BROWN, FINE-MED GRAIN SAND w/ SILT</u>					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was <u>(1)</u> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <u>4-29-87</u> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <u>399</u> This Water Well Record was completed on (mo/day/yr) <u>5-13-87</u> under the business name of <u>WOODWARD-CLYDE CONSULTANTS</u> by (signature) <u>Richard L. Mohr</u> INSTRUCTIONS: Use typewriter or ball point pen. PLEASE PRESS FIRMLY and PRINT clearly. Please fill in blanks, underline or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water Protection, Topeka, Kansas 66620-7320, Telephone: 913-862-9360. Send one to WATER WELL OWNER and retain one for your records.					