## CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

(to reelly lacking of incorrec	a mormation)
Location listed as:	County: Wyandotte Location changed to:
Section-Township-Range: 10-50N-25E	10-115-25E
Fraction ( 1/4 1/4 1/4): SE SE SW	SE SE SW
Other changes: Initial statements:	
Changed to:	
Comments:	
verification method: Written & legal descr map, and Kansas City 1:24	,000 topo map.
	initials: QRL date: 10/6/2005

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

,			WATE	R WELL RECORD	Form WWC-5	KSA 82a-	1212 <b>E</b> 60	7020-1	P-2
•	ON OF WAT	TER WELL:	Fraction	SE 1/4 S	Sect	ion Number	Township	Number	Range Number R 25 ŒW
Distance a	nd direction	from nearest tow	n or city street ac	dress of well if locate	ed within city?		······		
	WELL OW			CAINAGE O					ANSAS CITY)
,		NEH: /~/	CON VI	ATENAM CEN	Tec 15	99 صد رو	Pared of		_
	Address, Bo			, Ks. 64101				Agriculture, L on Number:	ivision of Water Resources
LOCATI AN "X"	E WELL'S L	OCATION WITH	4 DEPTH OF C	OMPLETED WELL					
í	-		WELL'S STATIC	WATER LEVEL		elow land surf	ace measured	on mo/day/yr	5-12-87 mping gpm
-	NW	NE							mping gpm to
* w  -	<u> </u>	E E							toft.
<u>-</u>	i		1 Domestic	O BE USED AS: 3 Feedlot			<ol> <li>Air conditioni</li> <li>Dewatering</li> </ol>	•	Other (Specify below)
-	- SW	SE	2 Irrigation	4 Industrial			Observation		
L	<u>i x</u>			pacteriological sample	submitted to De	•			mo/day/yr sample was sub
TYPE (	OF BLANK (	CASING USED:	mitted	5 Wrought iron	8 Concre		er Well Disinfed CAS!NG J		No X
1 Ste		3 RMP (SI	R)	6 Asbestos-Cement		specify below			ed
(2 PV		4 ABS	20	7 Fiberglass					ded 📯
									n. to ft.
		and surface R PERFORATIO	-	in., weight	(* <del>7</del>			s or gauge No sbestos-ceme	)
1 St		3 Stainless		5 Fiberglass		P (SR)			
2 Br		4 Galvaniz		6 Concrete tile	9 ABS			one used (op	
SCREEN	OR PERFO	RATION OPENIN	GS ARE:	5 Gau	zed wrapped		8 Saw cut		11 None (open hole)
	ontinuous slo		ill slot		wrapped		9 Drilled hole		
	uvered shut		ey punched	7 Toro					
SCREEN-	PERFORATI	ED INTERVALS:	_						o
(	GRAVEL PA	CK INTERVALS:	From	ft. to .	34.0	ft., Fron	n	ft. to	o
Lengur	E MATERIAL	: 1 Neat o	From	ft. to	60	ft., Fror			) ft.
Grout Inte	Γ MATERIAL	m D	ft to 7	2 Cement grout	S Bento	8. 5	th From		. ft. to
		ource of possible		, 110			ock pens		pandoned water well
1 Se	ptic tank	4 Later	al lines	7 Pit privy		11 Fuel s	storage	15 O	I well/Gas well
2 Se	wer lines	5 Cess	pool	8 Sewage lag	goon	12 Fertilia	zer storage	<b>(60</b> )	ther (specify below)
3 W	atertight sew	er lines 6 Seep	age pit	9 Feedyard		13 Insect	ticide storage	NON	
Direction f FROM	rom well?	Γ	LITHOLOGIC	100	I FROM I	How mar	ny feet?	LITUOLOG	10.1.00
D	13.5	BROW	LITHOLOGIC CLAYE		FROM	то		LITHOLOG	C LOG
10 0									
13.5	21.5	4KA7	SILTY C	.247					
21.5	34	GRAY,	FINE-M	ED GRAINE	D				
		SAND							<u> </u>
								<u> </u>	
			·						
CONTE	RACTOR'S	OR LANDOWNER	R'S CERTIFICATION		\ _				er my jurisdiction and was
completed	on (mo/day	year) 5 's License No	399						owledge and belief. Kansas - Rフ
			*	This Water N			on (mo/day/yr) ure)		
INSTRUC	CTIONS: Use t	ypewriter or ball poin	t pen. PLEASE PRES	SS FIRMLY and PRINT cle	early. Please fill in b	olanks, underline	or circle the corre	ct answers. Sen	d top three copies to Kansas
Departme	ent of Health a	nd Environment, Bur	eau of Water Protect	ion, Topeka, Kansas 666	20-7320, Telephon	e: 913-862-936	0. Send one to WA	TER WELL OW	NER and retain one for your
records.					•				