CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:	County: Wyandotte Location changed to:
Section-Township-Range: 10-50N-25E	10-115-25E
Fraction (1/4 1/4 1/4): SE SE SW	SE SE SW
Other changes: Initial statements:	
Changed to:	
Comments:	
	:
verification method: Written & legal descr	iptions, position on plat
map, and Kansas City 1:24,	
	initials: DRL date: 10/6/2005

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726 to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

		WATER WE	LL RECORD	Form WWC-5	KSA 82	a-1212 86678	1050	P	5
LOCATION OF WA		Fraction	Y -		tion Numbe			Range N	
County: WTAN		SE 14 S		W 1/4	10	T 50		R AS	E)W
		or city street address		•				/	- 11
NO ADO	6522 - LA	cated on	CEVEE	NEAR	FAIR	FAY AIR	DORT (/11A-NBAS	(19kg)
WATER WELL O	WNER: FA) B	FAY LEUS	EE DIS	. 40	5. 13, 2				•
R#, St. Address, Be		ER IL! GA	•		, 5 m	Board of A	Agriculture, D	ivision of Wat	er Resources
ty, State, ZIP Code	: KAU	SAS CITY, A	13. 6610	2/			n Number:		
LOCATE WELL'S AN "X" IN SECTION	LOCATION WITH 4 IN BOX:	DEPTH OF COMPL epth(s) Groundwater	ETED WELL.	3.4 /2	. ft. ELEV	ATION:	7.39 # 3	•••••••	
		ELL'S STATIC WAT	ER LEVEL	12 ft. b	elow land s	urface measured or	n mo/day/yr	5-1-1	3 7
NW		st. Yield	gpm: Well water	erwas	ft.		. hours pun	nping	gpm
w	──	ore Hole Diameter							π.
		ELL WATER TO BE		5 Public wate		8 Air conditioning		njection well	
sw	SE	1 Domestic	3 Feedlot			9 Dewatering			
1		2 Irrigation	4 Industrial	7 Lawn and g	arden only	10 9bservation w	ell		
LX		/as a chemical/bacter	iological sample	submitted to De					
T/DE OF DIANK		nitted				ater Well Disinfecte			<u>X</u>
TYPE OF BLANK			rought iron	8 Concre				Clam	
1 Steel	3 RMP (SR)		sbestos-Cement					d	
2 PVC)	4 ABS		berglass				Threa	ded	•
		. to							
		⊋6 in., v	veight 🚑		***	s./ft. Wall thickness	or gauge No) <i></i>	
YPE OF SCREEN (OR PERFORATION I			(7'PV	c)		bestos-cemer		
1 Steel	3 Stainless s	teel 5 Fi	berglass	8 RM	P (SR)	11 Oth	ner (specify)		
2 Brass	4 Galvanized	I steel 6 Co	oncrete tile	9 AB	S	12 No	ne used (ope	en hole)	
CREEN OR PERFO	PRATION OPENINGS	S ARE:	5 Gauz	ed wrapped		8 Saw cut		11 None (op	en hole)
1 Continuous s	ot 3 Mill	slot	6 Wire	wrapped		9 Drilled holes			
2 Louvered shu	tter 4 Kev	punched	7 Torch			10 Other (specif	v)		
CREEN-PERFORA	•	From	S ft to	31.8	ft Fr	om	ft. to)	
0.122.11. 2.11. 0.11.	LD INTLITUTES.				# Fr	om	ft to		ft
GRAVEL P	ACK INTERVALS:	From. 9.5	ft. to .	34.c	ft., Fr	om	ft. to)	
		From	ft. to						ft.
GROUT MATERIA	L: 1 Neat cer	nent 2 Cer to	ment grout	3 Bento	nite	4 Other			
irout Intervals: Fr	om 📯 ft.	to	ft., From :	<i>4:-5</i> ft.	to7:5	ft., From	. <i></i> .	. ft. to	
	source of possible co	ntamination:				stock pens		andoned wate	
1 Septic tank	4 Lateral	lines	7 Pit privy		11 Fue	l storage	15 Oi	well/Gas wel	1
2 Sewer lines	5 Cess po		8 Sewage lag	oon	12 Fer	tilizer storage	(16 Ot	her (specify b	elow)
3 Watertight se	wer lines 6 Seepag	e pit	9 Feedyard		13 Inse	ecticide storage	بر	BNE	
Pirection from well?		,- ,-				any feet?			
FROM TO		LITHOLOGIC LOG		FROM	TO	any loct:	LITHOLOGI	C LOG	
0 34	BROWN	FINE GRI	AINED						
	Siz								
		, , , , , ,							
									1 1 1
				-					
									
									<u> </u>
									27.00
									100
									1
00117711	05.140.500								
CONTRACTOR'S	OR LANDOWNER'S	CERTIFICATION: T							
	ج/year)					cord is true to the be			elief. Kansas
		399 ALD-62702				d on (mo/day/yr) . nature) wh			0
INSTRUCTIONS: Lise	typewriter or hall point p	en. PLEASE PRESS FIRE	MLY and PRINT cle	arly. Please fill in	blanks, under	ine or circle the correct	answers. Send	top three copie	s to Kansas
Department of Health	and Environment, Burea	u of Water Protection, To	peka, Kansas 6662	20-7320, Telephor	ne: 913-862-9	360. Send one to WAT	ER WELL OW	NER and retain o	one for your