

CORRECTION(S) TO WATER WELL RECORD (WWC-5)

(to rectify lacking or incorrect information)

Location listed as:

Section-Township-Range: None Given

Fraction ($\frac{1}{4}$ $\frac{1}{4}$ $\frac{1}{4}$): SE NE SW

County: Wyandotte
Location changed to:

21-11S-25E

SE NE SW

Other changes: Initial statements: No county given.

Changed to: Wyandotte County

Comments:

verification method: well address, city street map on internet,
and Shawnee 1:24,000 topo-map.

initials: DR date: 11/28/2005

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

1 LOCATION OF WATER WELL:		Fraction	Section Number	Township Number	Range Number
County:		SE 1/4 NE 1/4 SW 1/4		T S R	E/W
Distance and direction from nearest town or city street address of well if located within city? At 1134 South 12th St. KC, KS					
2 WATER WELL OWNER:		All Freight Systems			
RR#, St. Address, Box # :		1134 South 12th St.			
City, State, ZIP Code :		Kansas City, KS 66105			
3 LOCATE WELL'S LOCATION WITH		4 DEPTH OF COMPLETED WELL			
AN "X" IN SECTION BOX:		ft. ELEVATION: 755.91 TOC			
		Depth(s) Groundwater Encountered 1. 38.5 ft. 2. ft. 3. ft.			
		WELL'S STATIC WATER LEVEL 38.11 ft. below land surface measured on mo/day/yr 10-24-03			
		Pump test data: Well water was NA ft. after hours pumping gpm			
		Est. Yield gpm: Well water was ft. after hours pumping gpm			
		Bore Hole Diameter 6.4 in. to 4.5 ft. and in. to ft.			
WELL WATER TO BE USED AS:		5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well			
Was a chemical/bacteriological sample submitted to Department? Yes. (No) If yes, mo/day/yr sample was submitted		Water Well Disinfected? Yes (No)			
5 TYPE OF BLANK CASING USED:		CASING JOINTS: Glued. Clamped. Welded. Threaded. X			
1 Steel 3 RMP (SR) 5 Wrought iron 8 Concrete tile					
2 PVC 4 ABS 6 Asbestos-Cement 9 Other (specify below)					
Blank casing diameter 2 in. to 27.5 ft. Dia		in. to ft. Dia in. to ft.			
Casing height above land surface NA in. weight lbs./ft. Wall thickness or gauge No. 40					
TYPE OF SCREEN OR PERFORATION MATERIAL:		X PVC 10 Asbestos-cement 11 Other (specify) 12 None used (open hole)			
1 Steel 3 Stainless steel 5 Fiberglass 8 RMP (SR)					
2 Brass 4 Galvanized steel 6 Concrete tile 9 ABS					
SCREEN OR PERFORATION OPENINGS ARE:		5 Gauzed wrapped 8 Saw cut 11 None (open hole)			
1 Continuous slot 3 Mill slot 6 Wire wrapped 9 Drilled holes					
2 Louvered shutter 4 Key punched 7 Torch cut 10 Other (specify) ft.					
SCREEN-PERFORATED INTERVALS: From 28.5 ft. to 43.5 ft. From ft. to ft.					
GRAVEL PACK INTERVALS: From 26.5 ft. to 45 ft. From ft. to ft.					
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other					
Grout Intervals: From chips 2 ft. to 26.5 ft. From grout 0 ft. to 2 ft. From ft. to ft.					
What is the nearest source of possible contamination:		10 Livestock pens 14 Abandoned water well			
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well/Gas well					
2 Sewer lines 5 Cess pool 8 Sewage lagoon 12 Fertilizer storage 16 Other (specify below) V.S.T.					
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide storage					
Direction from well?		How many feet?			
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS
0	5.5	Fill, Sandy Clay			
5.5	12	Slightly clayey sand			
12	27.5	Fine grained sand			
27.5	45	Medium to coarse grained sand			
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 10-15-03 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's Licence No. 650 This Water Well Record was completed on (mo/day/yr) 9/23/04 under the business name of DIES by (signature)					