			TER WELL RE	CORD	Form WV	VC-5	KSA 82a	-1212 ID N	No	5		
1 LOCATI County: \	ON OF WAT	1	Fraction NW 1/2	, hm	1/	W 1/4	Se	ction Number		hip Number	Range Nu	mber (E)W
							Malia alta O	<i>a</i> - (<u> </u>	<u>II s</u>	R 2/5	CPM
Distance an	a direction t	rom nearest tow orth	vn or city street -	address	of well if lo	cated w	tnin city?					
				1.40								
2 WAILIN	WELL OWN	IER: Colgad	e paimoi	ave.								_
City, State,	ZIP Code	: 1806 : Kans	as City I	KC 6	66105				Applic	ation Number:	Division of Water	
3 LOCATE	WELL'S LO	CATION WITH	4 DEPTH OF	COMPLE	TED WELI	40	2	ft. ELEVA	ATION:			
	SECTION		Depth(s) Grou	ındwater	Encountere	ed 1	37	f	ft. 2	ft. 3	3	ft.
T. 4	N		WELL'S STAT	IC WATE	R LEVEL	_ > 2.7	. . ft. be	low land surfa	ce measured	on mo/dav/vr	11/30/05	
×	1	i	Pt Cat Viola	ump test o	data: Wel	l water v	was	ft.	after	hours	oumping	gpm
	-NW	- NE	WELL WATER					π. supply			oumping	gpm
								Other (Specify be	low)			
W E 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well												
SW SE Was a chemical/bacteriological sample submitted to Department? Yes No; If yes, mo/day/yrs sai										mo/day/yrs sampl	e was sub-	
mitted Water Well Disinfected? Yes									N	10		
Ь.	S											
5 TYPE C	F BLANK C	ASING USED:		5 Wro	ught iron		8 Conci	ete tile	CASIN		ed Clampe	
1 Steel		3 RMP (SF	₹)		estos-Cem	ent	9 Other	(specify below	D) COVE	Wel	ded	
2 PVC		4 ABS	/w	7 Fibe	erglass					Thre	eaded in. to	
Blank casin	g diameter .				ft., l	Dia	•••••	in. to		ft., Dia	in. to	ft.
		PERFORATIO		in.,	weight	•••••					ge No	
1 Steel		3 Stainless		5 Fibe	erglass		7 P\ 8 B	MP (SR)	11	Other (Specific	nent y)CPv:	
2 Brass 4 Galvanized Steel					6 Concrete tile			9 ABS		12 None used (open hole)		
SCREEN C	R PERFOR	ATION OPENIN	IGS.ARE:		5	Guaze	d wrapped		8 Saw cut	t	11 None (open	n hole)
	inuous slot		lill slot				rapped		9 Drilled h	noles		<i>'</i>
2 Louv	ered shutter	4 K	ey punched			Torch o						
SCREEN-P	ERFORATE	D INTERVALS:	From	40	ft.	to	35	ft., From	n	ft. to	o	ft.
	DAVEL DA		From	110	ft.	to	3.1	ft., Fron	n	ft. to	o 33	ft.
G	HAVEL PAC	CK INTERVALS	: From	.T.U	ft.	to to	7.7	ft., From	n	ft. to	0 0	ft.
								11., 1 1011			J	
6 GROU	T MATERIA	L: 1 Near	t cement	(20	ement gro	ut	3 Ber	ntonite	4 Other			
Grout Interv	vals: From	33	ft. to3		ft., From		ft.	to	ft., From	١	ft. to	ft.
What is the	nearest sou	rce of possible	contamination:					10 Lives	stock pens	14 .	Abandoned water	r well
1 Septic tank 4 Lateral lines			7 Pit privy				11 Fuel storage		15	15 Oil well/Gas well		
2 Sewer lines 5 Cess pool				8 Sewage la			igoon 12 Fertiliz		16	16 Other (specify below)		
3 Watertight sewer lines 6 Seepage pit					9 Feedyard			13 Insec	cticide storage			
Direction fro	om well?							How ma	any feet?			
FROM	то		LITHOLOG	IC LOG			FROM	то		PLUGGING II	NTERVALS	
0	4	Fill										
_4	28	Clay, tra	ce Silt a	nd san	d, dark	gray						
28	40	Fine to n	redium :	sand,	olive q	Kay'						
												
				-								
						-						
								-				
						-						
								1				
7 00115	ACTODIO O	D I ANDOMAS	Dio Aprilio	ATION: T	hia		(4)			- (O) -1 ·		
		ear)									nder my jurisdictio	
		Licence No	579	}	Thie	Water W	Vell Record	and this f	ted on (mo/day	//vr)	knowledge and be	iiei. r\ansas
	usiness nam						. 5 1 (000)(bv	(eignature)	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	111-	
		writer or ball point pe	en. PLEASE PRESS				ill in blanks u			Seno on three conic	es to Kansas Departme	nt of Health
and Enviro	nment, Bureau d		ction, 1000 SW Jac								NER and retain one for	