4 LOCATION OF WATER WELL.	Fraction	TECHEOORD TOM	Saction	n Number	Township Nur	mbor	Range Numb	or
1 LOCATION OF WATER WELL:		IVAZ NIVAZ		9		į.		E
County: Wyandotte				3	т 11	S	R 25	
Distance and direction from nearest 1549 State Avenue, Kansas		s of well if located with	iin City?					
2 WATER WELL OWNER: Total								
RR#, St. Address, Box # : 1710					Decord of Amileo	Division	of Motor Doc	
City, State, ZIP Code : Kan	ese City KS 66100	-4222			Board of Agricu		i oi water Kes	ources
LOCATE WELL'S LOCATON W	THI	4222			Application Nur	nber:		
3 LOCATE WELL'S LOCATON WI AN "X" IN SECTION BOX:	4 DEPTH OF COME	PLETED WELL	14.3	ft. ELEV	ATION:	842.10	(TOC)	
T x i	Depth(s) Groundwate	r Encountered 1		 ft.	2	ft. 3		ft.
	WELL'S STATIC WAT							
NW NE		data: Well water w						gpm
w W W								
÷ "	E Est. Yield	8 25 in to	45 11 7	'' }	the and	in to	ping	. gpiii
sw se	WELL WATER TO BE	USED AS: 5 Pub	lic water sur	noly	8 Air condition	ina 11 Ir	iection well	ft.
500	Bore Hole Diameter WELL WATER TO BE 1 Domestic 3	Feed lot 6 Oil f	ield water si	upply	9 Dewatering	12 C	ther (Specify I	pelow)
† <u>L</u>	2 Irrigation 4	Industrial 7 Law	n and garde	n (domestic	10 Monitoring	well		
S	Was a chemical/bacte							
	submitted	shological sample suc	milited to Di		ter Well Disinfected			
E TYPE OF BLANK CASING LISE		Manualit Isaa	9 Canara					
5 TYPE OF BLANK CASING USE		Wrought Iron						···
	MP (SR) 6		•		·			-
2 PVC 4 AE		Fiberglass				Threaded	Fius	n
Blank casing diameter 2	in. to 4.3	ft., Dia	in. to		ft., Dia	in.	to	ft.
Casing height above land surface	Flush in., v	weight 0.	703	lbs./ft.	Wall thickness or g	gauge No.	SCH. 4	0
TYPE OF SCREEN OR PERFORA	TION MATERIAL:		7 F	PVC	10 Asbe	stos-cement		
	ainless steel 5	Fiberglass	8 F	RMP (SR)	11 Other	(specify)		
		Concrete tile		ABS		used (open h		
SCREEN OR PERFORATION OPE		5 Gauzed	wrapped		8 Saw cut		None (open	hole)
	3 Mill slot	6 Wire wr			9 Drilled holes			1
2 Louvered shutter					10 Other (speci	fy)		
SCREEN-PERFORATED INTERVA	LS: From 4.3	ft. to	14.3	ft. F	rom	ft. to		ft.
	From	ft. to		ft. F	rom	ft. to		ft.
GRAVEL PACK INTERVAL	.S: From 3.3	ft. to	14.3	ft. F	rom	ft. to		ft.
	From	ft. to		ft. F	rom	ft. to		ft.
6 GROUT MATERIAL: 1 N	eat cement 2 Cer	ment grout	3 Bent	onite	4 Other			
Grout Intervals From .5	ft. to 3.3	ft. From	ft. to	,	ft. From		ft. to	ft.
What is the nearest source of possi					tock pens		loned water we	
1 Septic tank	4 Lateral lines	7 Pit privy			storage	15 Oil we	II/ Gas well	
2 Sewer lines				12 Fertilizer storage 16 Other (specify below)				
3 Watertight sewer lines	6 Seepage pit	9 Feedyard			ticide storage	,		
Direction from well?				How many	feet?			
FROM TO CODE	LITHOLOGI		FROM	ТО	PLU	IGGING INTE	RVALS	
0 2	Fill, debris, concre							
2 11	Clay, med. Brown	, firm, no odor			4.	210 1	<u> </u>	
11 14.3	Limestone				this w	CUC.	2	
			<u></u>		102011.00	ment	well-	
			<u> </u>		replace	- 6 10.4	a wai	Hr.
				<u> </u>	Cover	econy	W 00-41	301
					A	not f	include	20
					Course			
					11)air	xer		
7 CONTRACTOR'S OR LANDOV	VNER'S CERTIFICATION:	This water well was	(1) construc	ted, (2) rec	onstructed, or (3) pla	ugged under r	ny jurisdiction a	and was
completed on (mo/day/yr)					true to the best of n			
Water Well Contractor's License N					ecord was complet			7/06
under the business name of	Geotechnical	. 		(signature)		PM		
INSTRUCTIONS:. Please fill in I	blanks and circle the correct a	answers. Send three co	pies to Kans	as Departme	nt of Health and Envi	forment, Bure	au of Water, 100	00 S W
Jackson St., Ste. 420, Topeka, K	ansas 66612-1367. Telepho	ne: 913-296-5545. Se	nd one to WA	TER WELL	OWNER and retain of	one for your rec	ords.	