
County:	Wyandotte	Fraction:	SW SE NW I	W/	Sec	21	т	11	_s	R	25	_ <u>E</u>
CORRECT	ION(S) to WATER WE	LL COMPLE	TION RECORD	Forn	ı WWC	C-5 (to	rectify	lacking	g or in	согте	ct info	mation)_
Owner: Co	olgate-Palmolive										1	47 C
If location corrected, was listed as:				Locat	ion cha	nged to	:					
Section-Tow	nship-Range:											
Fraction (1/4 o	calls):	IW NW NW			SW SE NW NW							
Other chang	ges: Initial statements:	atitude and	d Longitude ta	ken fr	om pl	ugging	g reco	rd				
										-		
Changed to:	Latitude 39.08468	3 Longitud	e -94.646090									
Comments					<del></del>							
Comments.												<del></del>
Verification	method: Verified wit	h LEOWEE	and KGS ma	pper								
						Initials:	SH	D	Date:	04-1	16-20	19
Submitted by	Kansas Geological	•	<b>*</b> *		Constant	t Ave., L	awrenc	e, KS				1267
	Kansas Dept. of He	aiui & Eliviron	miciit, Bureau OI V	ater, I	000 2 W	Jackson	ii, Suite	42U, I	орека	a, NS	00012	-130/

(rev 01/26/2018)



\A/AT(	ED WELL BECORD	Form WWC-5	KSA 82a-1	212 ID No		1 - 47	'→ I-51
1 LOCATION OF WATER WELL:	Fraction	Folili WWC-5		on Number	Township Nun	nber	Range Number
Counting you dotte	NW 14 NW	14 NW 1		21	т 11	(s)	R 25 (E)W
Distance and direction from nearest town							
WATER WELL OWNER: Col 90	Hansas P	siive (	Compa	~ y			on of Water Resources
City, State, ZIP Code : Kons	as city, k	<u>'S</u>			Application N		
3 LOCATE WELL'S LOCATION WITH 4	DEPTH OF COMPLE						
N   N   N   N   N   N   N   N   N   N	J Depth(s) Groundwater E WELL'S STATIC WATER Pump test d Est. Yield g WELL WATER TO BE U	R LEVEL lata: Well water pm: Well water	ft. belo was	w land surfac ft. a ft. a	e measured on mo/c after	lay/yr . hours pump . ho <u>urs pump</u>	inggpm
W	1 Domestic 3 F	eedlot 6 C	Dil field water Domestic (law	supply n & garden)	9 Dewatering 10 Monitoring well		(Specify below)
	Was a chemical/bacterion	ological sample s	submitted to D		es Noater Well Disinfected		ay/yrs sample was sub- No
5 TYPE OF BLANK CASING USED: 1 Steel 3 RMP (SR) 2 PVC 4 ABS		ught iron estos-Cement		te tile specify below		Welded.	Clamped
Blank casing diameter							
Casing height above land surface	in	weight			lbs./ft. Wall thicknes	s or guage No	0
TYPE OF SCREEN OR PERFORATION		wo.g.n.	7 PV(			stos-Cement	
1 Steel 3 Stainless 5		rglass		P (SR)			
2 Brass 4 Galvanize	d Steel 6 Con	crete tile	9 ABS	3	12 None	used (open h	nole)
SCREEN OR PERFORATION OPENING	GS ARE:	5 Guaz	ed wrapped		8 Saw cut	11	None (open hole)
1 Continuous slot 3 Mill	l slot		wrapped		9 Drilled holes		,
2 Louvered shutter 4 Key	y punched	7 Torch	cut		10 Other (specify)		ft.
SCREEN-PERFORATED INTERVALS:	From	ft. to		ft., From		ft. to	ft.
	From	ft. to		ft., From		ft. to	ft.
GRAVEL PACK INTERVALS:	From	π. to ft. to	•••••	π., From	•••••	ft. to	ft. ft.
	11011						
6 GROUT MATERIAL: 1 Neat of		ement grout	3 Bento				
Grout Intervals: From	ft. to	t., From	ft. to		ft., From	ft.	toft.
What is the nearest source of possible of	ontamination:			10 Lives	tock pens	14 Aban	doned water well
1 Septic tank 4 Latera	ıl lines	7 Pit privy		11 Fuels	storage	15 Oil w	ell/Gas well
2 Sewer lines 5 Cess p	pool	8 Sewage	lagoon	12 Fertili	zer storage	16 Other	r (specify below)
3 Watertight sewer lines 6 Seepa	ige pit	9 Feedyard	d	13 Insec	ticide storage		
Direction from well?				How mar	ny feet?		
FROM TO	LITHOLOGIC LOG		FROM	ТО	PLUC	GING INTER	RVALS
7 CONTRACTOR'S OR LANDOWNER	Y'S CERTIFICATION: TI						
completed on (mo/day/year)	7-06			and this re	cord is true to the bea	st of my knowl	
completed on (mo/day/year)	7-00	This Water		and this re was complete	cord is true to the bead on (mo/day/yr)	st of my knowl	my jurisdiction and was edge and belief. Kansas
completed on (mo/day/year)	LEVALUATION	This Water	Well Record	and this re was complete by	cord is true to the bed d on (mo/day/yr) (signature)	st of my knowl	edge and belief. Kansas