WATE	R WELI	RECORD MW-13	Form WWC-	5	Division of Wate	r Resources; App. No.		
1 LOC	CATION C	OF WATER WELL:	Fraction 1/4 N		Section Number		Range Number R EW	
Distance and direction from nearest town or city street address of well if					Global Positioning Systems (decimal degrees, min. of 4 digits)			
locat	ed within o	eity?	Duindaro RIV	1.	Latitude:		41.44	
SW COINEY & Paisfax Thux & Quindaro Blvd. 2 WATER WELL OWNER: Conocu Phothiss					Longitude:			
1 2 XX7 A	TED WEI	TOWNED. CHOCO DE	Pn /25		Elevation:			
RR#	, St. Addre	ess, Box # : /254 ////	ing pro-		Datum:			
City	, State, ZII	^{o Code} : Battesville	on 74004		Data Collection I	Method:		
	CATE WE			20	ft.			
	CATION		5 . 1 (1)	10				
1	WITH AN "X" IN Depth(s) Groundwater Encountered (1)							
SEC	SECTION BOX: WELL'S STATIC WATER LEVEL							
	gpin							
🔻	Est. Yieldgpm: Well water wasft. afterhours pumpinggpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well							
	[NW]NE							
W E Domestic 3 Feedlot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well								
SV	SW SE Was a chemical/bacteriological sample submitted to Department? Yes No; Jf yes, mo/day/yrs							
Sample was submitted								
Sample was submitted								
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped								
		ING USED: 5 Wrought	Iron 8 Conc	rete tile	CASING			
	Steel	3 RMP (SR) 6 Asbestos	-Cement 9 Other	(specify	below)	Welded	······································	
Blank casing diameter								
Blank ca	asing diam	eter in. to	II., Diameter	1	n. to It.,	Diameter	ın. tott.	
Casing height above land surface								
	Steel	3 Stainless Steel 5 Fiber		Q A	RS	11 Other (Specify)		
1 Steel 3 Stainless Steel 5 Fiberglass PVC 9 ABS 11 Other (Specify)								
SCREEN OR PERFORATION OPENINGS ARE:								
1 Continuous slot Mill slot 5 Gauzed wrapped 7 Torch cut 9 Drilled holes 11 None (open hole)								
2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)								
SCREEN-PERFORATED INTERVALS: From 2011 ft. to ft., From ft., from ft.								
From								
GRAVEL PACK INTERVALS: From. 20 ft. to 4 ft., From ft. to ft.								
From								
1	UT MATI	ERIAL: 1 Neat cement 2	Cement grout 3 Ber	itonite	4 Other			
Grout Intervals: From								
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage (16)Other (specify								
	Septic tanl Sewer line						16 Other (specify	
1			0 0	1 Fuel st		andoned water well	below)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer Storage 15 Oil well/gas well Formula How many feet?								
FROM	TO	LITHOLOGIC		FROM		PLUGGING INTI	EDWAIC	
0	4	londeal fill debri		TROM	10	TEOGOING INTI	ERVALS	
4	n	alturby alt in	1+					
12	20	Carly Clay	man 1 /4					
10	ω	savy cray ver, 1	JOPA SOPY					
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. This waster well were 1 (2)								
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (2) constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year)								
Kansas Water Well Contractor's License No. 7/2. This Water Well Record was completed on (mo/day/year)								
under the business name of Blow 6 well solver. The by (signature)								
INSTRUC	TIONS II	se typewriter or ball point pen. <u>PLEA</u>	SE PRESS FRMI Y and P	U) RINT clear	ly Please fill in blanks	underline or drole the co	rrect answers Cond ton	
three copie	es to Kansas	Department of Health and Environment	nt, Bureau of Water, Geolog	gy Section,	1000 SW Jackson St., S	Suite 420, Topeka, Kansas	66612-1367. Telephone	
785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at								
http://www.kdheks.gov/waterwell/index.html.								