ber		
	F	

1 LOCATIO	ON OF WATE	R WELL:	Fraction				Sect	ion Numbe	r T	ownship Num	ber	Rai	nge Numb	per
County:	Wyai	ndotte	1/4	NE	1/4	NE	1/4	27	Т	11	S	R	25	E
Distance and	d direction from	m nearest	town or city street a	ddress of v	well if l	ocated wit	hin city?							
North of	Southwest	Boulev	ard, between 29	" and 31	Str	reets, Ka	ansas Cit	y						
2 WATER	WELL OWNE	R: Uni	on Pacific Rail	road Co	mpa	any								
RR#, St. Ad	dress, Box #	: 141	6 Dodge Street	t					Во	ard of Agricul	ture, Divi	ision of V	Vater Res	ources
04. 01.4.	710.0.1.	. Om	aha Nahraeka	69170					Ap	plication Num	ber:			
3 LOCATE	WELL'S LOC	CATON W	DEPTH OF				40							
AN "X" IN	N SECTION B	OX:	DEPTH OF	COMPLET	red w	ELL	13	ft. ELE	EVATIO	N:				
lî l	1	¦ x												
	NW	- NE	WELL'S STATI											🛱
	i	i	Pun	np test data	a: W	ell water v	vas		ft. after		hours p	oumping		gpm
∯ W			E Est. Yield	apr	n: W	ell water v	vas		ft. after		hours r	pumpina		gpm m
ī			Bore Hole Diam WELL WATER 1 Domest	neter	B. 5	in. to	13	3	ft. and	d	ir	n. to		ft. N
	sw	- SE	WELL WATER	TO BE US	ED AS	5: 5 Put	olic water s	upply	8	Air conditioni	ng 1	1 Injecti	on well	হ
		i	1 Domest	ic 3 Fee	ed lot	6 Oil	field water	supply	<u>9</u>	Dewatering	1	2 Other	(Specify I	below)
	<u> </u>		2 Irrigatio	n 4 Ind	ustrial	7 Lav	vn and gard	den (domes	tic) 10	Monitoring v	veli			
	S		Was a chemica	l/bacteriolo	ogical s	sample su	bmitted to I	Department	? Yes	No X	If yes	, mo/day	yr sampl	e was
			submitted		_	•			-	Il Disinfected				
5 TYPE O	F BLANK CAS	SING USE		5 Wr	ouaht 1	ron		ete tile		ASING JOINT				
_	el		MP (SR)		-			(specify bel			Weld			
2 PV		7 4 AE	. ,					` .	•				Flus	h
				7 Fib	•									
Blank casing	g diameter _	2	in. to	5ft.	, Dia		in. 1	io	ft., l	Dia 		in. to		ft.
			Flushmount	in., weig	ht	0.	703	lbs./ft	t. Wall t	hickness or g	auge No.	·	SCH. 4	0
TYPE OF S	CREEN OR P		TION MATERIAL:				7	PVC		10 Asbes	tos-ceme	ent		
1 Ste	el		ainless steel	5 Fib	erglas	S		KIME (SK)		11 Other	(specify)	'		
2 Bra			alvanized steel	6 Co	ncrete	tile	9	ABS		12 None				
SCREEN O	R PERFORAT		NINGS ARE:							Saw cut		11 No	ne (open	hole)
1 Coi	ntinuous slot		3 Mill slot				rapped			Orilled holes				
2 Lou	overed shutter		4 Key punched			Torch o				Other (specify				
SCREEN-P	ERFORATED	INTERVA	ALS: From	3	ft.	to	13	ft.	From		ft.	to		ft.
			From		ft.	to		ft.	From		ft.	to		ft. 20
GR.	AVEL PACK I	NTERVAL	S: From	2.5	ft.	to	13	ft.	From		ft.	to		ft.
			From											
6 GROUT	MATERIAL:	1 N	eat cement											
			ft. to 2.5											
1			ble contamination:		10111		^{IL.}	10 Live		one	14 Ah	andonec	d water w	
	riearest sourc	•			7	Pit privy		11 Fue				I well/ Ga		-"
1	wer lines		5 Cess pool			Sewage la		12 Feri					cify below	۸
	itertight sewer	lines	6 Seepage pi			Feedyard	-	13 Inse		•		inoi (ope	Oiry Dolott	′
Direction fro	-	11163	o occpage pi		J	recayara		How mar		Storage				
FROM	TO	CODE	1 ITHC	DLOGIC LO)G		FROM	TO	T TOOLS	PLU	GGING I	NTERVA	ALS	
0	1	0000	Fill, silty sand w											
			Sand, light brow			se								, K
1	10	SP	grained											
10	13	CL	Silty Clay, darl	k gray										
									-					
		-												
								-	+					
									+-					
									+					
							-		+					
7 00:17-	10705'0 67	1.42/200	ALEBIO DESTINA	TION: TI			(4)	4-4 (0)		ted == (0) =1		dan marris	ria dinti-	
\vdash			NER'S CERTIFICA		s wate	r well was								
completed of	on (mo/day/yr)		09/07						the best of m				
Water Well	Contractor's L	icense N	0.	531					,,	was complete	d on (mo	o/day/yr)	10/1	0/07
under the b	usiness name	of	Geotechn					y (signature		1//2				
			planks and circle the co											xosw