			Form WWC-5	Divi	sion of Wa	iter Reso	urces; Ap	p. No.		
County:	LOCATION OF WATER WELL: ounty: Wyandotte		NE % SE %	NE ¼	3		Т	<b>11</b> s	Range Number R 25 E	
Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits) located within city? 1st & Garfield Latitude: N 39.12600°										
Kansas City, KS Longitude: W 94.61336°  WATER WELL OWNER: Unified Goy't of WyCo/KCK Elevation: RIM: 768.92, TOC: 768.64										
DD# S	EK WELL	Box # : 701 No	d GoV't of WyCo/KCK	1 1	Elevation: RIM: 768.92, TOC: 768.64  Datum: above mean sea level					
City S	State ZIP C	nde : Kansas	City, KS 66101	1	Datum. Data Colle	ection N	Method:	legal survey		
City, State, ZIP Code : Kansas City, KS 66101 Data Collection Method: legal survey  3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 23.9 ft.										
LOCATON MW8										
	I AN "X" I	N Depth(s) Groun	ndwater Encountered 1			ft. 2		ft. 3	ft.	
	ION BOX:	WELL'S STA	ndwater Encountered 1	13.00 ft.	below las	nd surfa	ce measi	ired on mo/d	av/vr 9/7/07	
	N	Pum	test data: Well water	was	ft.	after		hours pumpi	ing gnm	
	N Pump test data: Well water was ft. after hours pumping gp Est. Yield gpm: Well water was ft. after hours pumping gp									
-NN	NW NE - X WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well									
	1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below									
w		E 2 Irrigation 4	Industrial 7 Domestic	(lawn & g	arden) (1	0)Mon	itoring w	ell	(1)	
⊢sw	E 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10 Monitoring well									
	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs									
S Sample was submitted Water Well Disinfected? Yes No X										
5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped										
1 Ste	eel	3 RMP (SR) 6	A shestos-Cement	Other (s	necify he	low)	1110 301	Welde	d Clampou	
(2) PV	1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  7 PVC 4 ARS 7 Fiberglass Threaded V									
Blank casing diameter 2 in to 89 ft Dia in to ft Dia in to 4										
2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 8.9 ft., Dia in. to ft., Dia in. to ft.  Casing height below land surface 0.28 ft., Weight Ibs./ft. Wall thickness or gauge No.										
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)										
1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 9 ABS 11 Other (specify)  2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)										
SCREEN OR PERFORATION OPENINGS ARE:										
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From 8.9 ft. to 23.9 ft. From ft. to ft.  From ft. to ft. From ft. to ft.  GRAVEL PACK INTERVALS: From 8 ft. to 24.5 ft. From ft. to ft.  From ft. to ft. From ft. to ft.										
SCREEN-PERFORATED INTERVALS: From 8.9 ft to 23.9 ft From ft to ft										
From ft to ft From ft to ft										
GRAVEL PACK INTERVALS: From 8 ft to 24.5 ft From ft to ft										
			From	ft. to		ft. Fro	om	ft. t	o ft.	
COOLUMN A TERRAL 1 No.										
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other concrete, 0-1.5										
Grout Intervals From 1.5 ft. to 8 ft. From ft. to ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination:										
ł control de la control de										
1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify 2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below)										
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well										
	from well?			low many			8			
FROM	TO	LITUO	LOGIC LOG	FROM	ТО		DITIO	GING INT	CDVAIC	
0	0.5	Rock & brick fill	LOGIC LOG	FROM	10		FLOC	JOING IN I	EKVALS	
0.5	12		increasing moisture							
		with depth								
12	24.5	Clay, dark gray, s	tained, moist, fuel odor							
		saturated at 13'								
							<del></del>			
	·					Flushu	nount w	aiver from I	ROW	
				-		- lusiili	unt Wi	11 0111 1		
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed, (2) reconstructed, or (3) plugged										
under my jurisdiction and was completed on (mo/day/year) 9/6/07 and this record is true to the best of my knowledge and belief.										
1		ntractor's License No.				omplete	on (mo/d	iay/year)9	/26/07	
1		of Larsen & Asse		by (signatu					·	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansa Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5322. Send one to WATER WELL OWNER and retain one for										
Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522 Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.										