		RECORD		WWC-5				urces; App. No.			
1 LO	CATION OF	WATER WELL:	Fraction	CW 12 C	Se Se	ection Nu	mber	Township Numl	per 1	Range Number	
County: Wyandotte SW ½ SW ½ SE ½ 35 T 11 S R 25 =E Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees, min. of 4 digits)											
located	d within city?	516 Francis, Kansas	City, KS	iddiess of w	L	atitude:	N 39	.04525°	ucgice	s, illin. or 4 digits)	
A WALL WITH A CHANGE AND						Longitude: W 94.61083°					
2 WATER WELL OWNER: KDHE RR#, St. Address, Box # : 1000 SW Jackson, Suite 400						Elevation: 913.32 pin/ 912.65 toc Datum: above mean sea level					
				lite 400	ת ו	atum:	abov	e mean sea level lethod: legal sur			
		ode : Topeka		ED WELL		ata Colle			vey		
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 34 ft. LOCATON MW12											
ì		N Domath (a) Consum	d	4				4	2		
1	TH AN "X" I CTION BOX	Depth(s) Groun	Idwater Encou	intered i	2 94 A	halow lon	n. 2	ft. ice measured on n	ئ مص/طعیر	n.	
SE	N N	Pum	test data: W	/ell water w	2.04	ft :	iu suria after	hours and	mnino	/yi //25/0/	
Pump test data: Well water was ft. after hours pumping Est. Yield gpm: Well water was ft. after hours pumping WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Spe									mnino	gpm gpm	
									1 Unie	ction well	
w -	w E Domestic 3 reed for 6 Off field water supply 9 Dewatering 12 Other (Specify bell 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) (10) Monitoring well									(Specify below)	
	Was a chamical/hasterial scient sample submitted to Department? Ves No. V. If year may devik ye										
-	Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs Sample was submitted Water Well Disinfected? Yes No X										
Sample was submitted Water Well Disinfected? Yes No X 5 TYPE OF CASING USED: 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued Clamped											
5 TY	PE OF CASI	NG USED: 5	Wrought Iron	1 8	Concrete	tile	CAS	ING JOINTS: GI	ued	Clamped	
1	Steel	3 RMP (SR) 6	Asbestos-Cer	nent 9	Other (sp	ecify bel	low)	W	elded		
2	1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded (2) PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 14 ft., Dia in. to ft., Dia in. to ft.										
Blank casing diameter 2 in. to 14 ft., Dia in. to ft., Dia in. to ft.											
Casing neight below land surface 0.07 It., weight ibs./It. wan unickness of gauge No.											
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) SCREEN OR PERFORATION OPENINGS ARE:											
1 Continuous slot 3 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 14 ft. to 34 ft. From ft. to ft.											
SCRE	EN-PERFORA	TED INTERVALS	From	14	ft. to	34	ft. Fr	om	ft. to	ft.	
			From		ft. to		ft. Fr	om	ft. to	ft.	
	GRAVEL PA	CK INTERVALS:	From	12	ft. to	34	ft. Fr	om	ft. to	ft.	
			From		ft. to		ft. Fr	om	ft. to	ft.	
From ft. to ft. From ft. to ft. GRAVEL PACK INTERVALS: From 12 ft. to 34 ft. From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft. From ft. to ft. 6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other cement, 0-2 ft											
Grout	Intervals E	rom 2 ft to	12 6	in grout From	Denion	0		From	A	t to ft	
Grout Intervals From 2 ft. to 12 ft. From ft. to ft. From ft. to ft. From ft. to ft. What is the nearest source of possible contamination:											
,	Septic tank		nes 7 Pit priv		Livestoc	k nens	13 Inse	ecticide Storage	1	6 Other (specify	
	Sewer lines	5 Cess poo			Fuel stor			andoned water we		below)	
		er lines 6 Seepage						well/ gas well	***	001011)	
Direction from well? How many feet?											
FRO			LOGIC LOG		FROM	TO		PLUGGING I	NITED	NAI S	
0	1	Topsoil	LOGIC LOG		TROM	10		I LUGGING I	TAICK	. v ALS	
1	7.5	Silty Clay, brown									
20		Limestone, light g	rav								
28		Shale, gray									
							The		DC	NX7	
		<u> </u>					riusni	nount waiver fro	m RC	· • • • • • • • • • • • • • • • • • • •	
7 00	NTRACTOR	'S OR LANDOWN	ER'S CERTI	FICATION	V: This m	ater well u	/as (1) h	onstructed (2) reco	netruct	ed or (3) plugged	
under	my jurisdiction	nd was completed on	mo/dav/vear)	7/24/07	** 11112 W			true to the best of			
		ntractor's License No.			r Well Rec			d on (mo/day/year)			
		e of Larsen & Ass			by (signatu						
INSTR	UCTIONS Pleas	e fill in blanks or circle t	ne correct answer	Send top thr	ee copies to	Kansas De	partment	of Nealth and Environ	nment.	Bureau of Water.	
INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Nealth and Environment. Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for											
your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.											