		RECORD		ı WWC	-5 I	Division of W	ater Reso	ources: App.	No.		
1 LOCA	ATION OF W	WATER WELL: vandotte	Fraction NW 14	NE 15		Section N	lumber	Townshi	p Number	Range Number	
Distance and direction from nearest town or city street address of well if Global Positioning System (decimal degrees. min. of 4 digits)											
located within city? 1273 Kansas Avenue, Kansas City, KS  Latitude: N 39.08700°  Longitude: W 94.64350°											
2 WATER WELL OWNER: Armourdale Muffler Shop							Elevation: Pin: 752.15 TOC: 751.85				
		Box # : 5350 S				Datum:	abov	e mean sea	lievei		
City, State, ZIP Code : Kansas City, KS 66106 Data Collection Method: legal survey											
LOCATON MW13											
!	I AN "X" I	N Depth(s) Group	ndwater Enc	ountered l		141 44 13	ft. 2		ft. 3	ft	
1	SECTION BOX: WELL'S STATIC WATER LEVEL 32.15 ft. below land surface measured on mo/day/yr 1/25/08										
Pump test data: Well water was ft. after hours pumping gpm											
X     Est. Yield gpm: Well water was ft. after hours pumping gpm											
NW NE WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well											
W E Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well											
2 Intigation 4 industrial / Domestic (lawn & garden) (IO)Monitoring well											
SW SE Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs											
	S	Sample was sul	omitted	J			Water W	ell Disinfe	cted? Yes	No X	
5 TYPE	OF CASI	NG USED: 5	Wrought Ir	on	8 Conc	rete tile	CAS	ING JOIN	TS: Glued	Clamped	
1 Ste	eel	3 RMP(SR) 6	Asbestos-C	ement	9 Othe	r (specify be	elow)		Welde	d	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded  (2) PVC 4 ABS 7 Fiberglass Threaded X											
Blank casing diameter 2 in. to 25 ft., Dia in. to ft., Dia in. to ft.											
2 PVC 4 ABS 7 Fiberglass Threaded X  Blank casing diameter 2 in. to 25 ft., Dia in. to ft., Dia in. to ft.  Casing height below land surface 0.30 ft., Weight lbs./ft. Wall thickness or gauge No.											
11 YPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ARS 11 Other (specific)											
TYPE OF SCREEN OR PERFORATION MATERIAL:  1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify)  2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)											
INCREEN OR PERFORATION OPENINGS ARE:											
1 Continuous slot 5 Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify)  SCREEN-PERFORATED INTERVALS: From 25 ft. to 45 ft. From ft. to ft.											
SCREEN-PERFORATED INTERVALS: From 25 ft. to 45 ft. From ft. to ft.											
From II. to II. From II. to II.											
GRAVEL PACK INTERVALS: From 24 ft. to 45 ft. From ft. to ft.											
GRAVEL PACK INTERVALS:         From         24         ft. to         45         ft. From         ft. to         ft.           From         ft. to         ft. From         ft. ft.											
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout (3 Bentonite (4)Other cement, 0-2 feet											
Grout Intervals From 2 ft. to 24 ft. From ft. to ft. From ft. to ft.											
What is the nearest source of possible contamination:  1 Septic tank  4 Lateral lines 7 Pit privy  10 Livestock pens 13 Insecticide Storage  16 Other (specify)											
	ver lines							andoned wa		below)	
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1) Fuel storage 14 Abandoned water well below) 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well											
Direction	from well?	West			How ma	ny feet? ~?	225 feet				
FROM	TO		LOGIC LOG		FRO	м то		PLUGO	JING INTE	RVALS	
0	l	Topsoil with gravel	fill, parking	lot. mois	t.						
1	6	No odor Sandy clay, brown.	moist no o	dor			-				
6	32	Sand, tan, medium			or	-			7112		
32	38	Sand, gray, medium	to coarse g	rained. we	et						
38	45	no odor	0.000000.000	sinad wat			ļ				
30	43	Sand, tan, medium to odor	o coarse gra	imed, wet			-				
							Flushr	nount wai	ver from B	OW	
T CONTRACTOR'S OR LANDOWNER'S CERTIFICATION. The											
CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed. (2) reconstructed. or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12/7/07 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 757. This Water Well Record was completed on (mo/day/year) 2/12/08											
Kansas Wa	iter Well Cor	itractor's License No.	757	. This V	Vater Well	Record was	complete	√on (mo/da	y/year) 2/	12/08	
under the b	usiness nam	e of Larsen & Asso	ciates. Inc.		_ by (sign	nature)					
INSTRUCTIONS Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water. Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 6612-1367. Telephone 785-296-5522. Send-one to WATER WELL OWNER and retain one for											
Sour records Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.											