WATER Y	WELL F	RECORD	For	m WWC-	5 Div	ision of W	ater Reso	urces: App.	No.			
1 LOCAT	ON OF V	VATER WELL:	Fraction			Section N	iumber	Townshi	p Number	Range	Number	
County	Wya	andotte	NW !	NE a	NW %	21		T 1	<u> 11 s</u>	R 2	5 E	
County: Wyandotte NW 14 NE 14 NW 14 21 T 11 S R 25 E Distance and direction from nearest town or city street address of well if located within city? ~175 ft east of Kansas Ave. & Shawnee Ave. Latitude: N 39.08581°												
Kansas City KS												
2 WATER	WELL O	WNER: Armou		Elevation: PIN: 751.52 TOC: 751.26								
RR#. St.	Address. E	30x # : 5350 Sv	vartz			Datum:	above	e mean sea	a level			
City. Stat	e. ZIP Coo	le : Kansas	City, KS	66106		Data Col	lection M	1ethod: le	gal survey			
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 44.5 ft.												
LOCATO	ON					MW15						
WITH AN "X" IN Depth(s) Groundwater Encountered 1 ft. 2 ft. 3										ft.		
SECTIO	SECTION BOX: WELL'S STATIC WATER LEVEL 31.80 ft. below land surface measured on mo/day/yr 1/25/08											
Pump test data: Well water was ft. after hours pumping gpm Est. Yield gpm: Well water was ft. after hours pumping gpm												
Est. Yield gpm: Well water was ft. after hours pumping gp										gpm		
NW—— NE—— WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well										vell		
U Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)												
W E 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) 10 Monitoring well												
- SW SE												
Was a chemical/bacteriological sample submitted to Department? Yes No X; If yes, mo/day/yrs Sample was submitted Water Well Disinfected? Yes No X												
	S	Sample was sub	mitted				Water W	ell Disinfe	ected? Yes		No X	
5 TYPE O	F CASING	G USED: 5	Wrought	Iron	8 Concre	te tile	CASI	ING JOIN	TS: Glued	Clar	mped	
1 Steel	3	RMP (SR) 6	A shestos	-Cement	9 Other	specify b	elow)		Welde	ed		
2 PVC	4	ABS 7	Fiberglas	s .	/ Other (speen, o	01011)		Thread	ded	X	
Blank casino	diameter	2 in to	74.5	ft Dia		in to	fi	Dia	in.	to	ft	
1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded 2 PVC 4 ABS 7 Fiberglass Threaded X Blank casing diameter 2 in. to 24.5 ft., Dia in. to ft., Dia in. to ft. Cooling beight below lond surface 0.26 ft. Weight lbs /ft. Wall thickness or gauge No.												
Casing height below land surface 0.26 ft., Weight lbs./ft. Wall thickness or gauge No. TYPE OF SCREEN OR PERFORATION MATERIAL:												
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)												
2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)												
SCREEN OR PERFORATION OPENINGS ARE:												
1 Continuous slot Mill slot 5 Guaze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) SCREEN-PERFORATED INTERVALS: From 24.5 ft. to 44.5 ft. From ft. to ft.												
2 Louve	ered shutte	T 4 Key punche	u o w	ire wrapped	o Saw	44 E	of Er	(specify)	'			
From ft. to 44.5 ft. From GRAVEL PACK INTERVALS: From 23.5 ft. to 44.5 ft. From								ft. t	·			
CDAVEL DACK INITEDVALS: From 23.5						44.5	A Fr	om	ft. t	0		
GRA	VELFACI	CINTERVALS.	23.3	ft to		A Fr	om	ft t	o	fi		
6 GROUT	MATERI	AL: 1 Neat cem	ient 2 C	ement grout	: (3 Bent	onite (4)Other	cement,	0-2 feet			
Grout Interv	als Fro	m 2 ft. to	23.5	ft. From	ft.	to	^{ft} .	From		ft. to	π.	
		rce of possible con			10.1		10.1			16 04	(: C .	
	tank		nes 7 Pit	privy	10 Livesto			ecticide St			r (specify	
	lines			vage lagoon				andoned w		belo	w)	
3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well 13 Watertight sewer lines 6 Seepage pit 9 Feedyard 14 How many foot? 500 ft												
Direction from well? North-northwest How many feet? ~500 ft												
FROM	TO		LOGIC LO		FROM				GING INT			
0	1 0	rass, topsoil, silty	clay, brov	vn	40	45			um to coars	se		
1		andy clay, brown,					grained	d, moist, no	o odor			
5		and, brown, mediu o odor	im grained	ı, moist,	_		-					
13		Clavey sand, brown	very fine	grained								
		noist, no odor	, very min	<u> granica.</u>								
18		clayey sand, brown	, medium	grained								
	n	noist, no odor										
23		and, light brown, r		coarse			Flushn	nount wai	ver from E	30W		
	g OTFO	rained, moist, no o	dor	DETELO	ION: The		\perp		(2)		2) minoral	
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed. (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) 12/10/07 and this record is true to the best of my knowledge and belief.												
under my jurisdiction and was completed on (mo/day/year) 12/10/07 and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. 757. This Water Well Record was completed on (mo/day/year) 2/12/08.												
		under the business name of Larsen & Associates, Inc. by (signature) NSTINGTIONS. Phono fill in blooks as well the correct enquery. Send ton three copies to Vancas Department of Health and Environment. Bureau of Water										

INSTRUCTIONS: Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to-WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.