WATER WELL RECORD Form WWC-5	Division of Water Resources; App. No.
LOCATION OF WATER WELL: Fraction	SW 4 Section Number Township Number Range Number T 11 S R 25 E
Distance and direction from nearest town or city street address of located within city? 4519 Adams St., Kansas City, KS	well if Global Positioning System (decimal degrees, min. of 4 digits) Latitude: N 39.04511°
	Longitude: W 94.61300°
2 WATER WELL OWNER: KDHE RR#, St. Address, Box # : 1000 SW Jackson, Suite 400	Elevation: Pin: 949.81 TOC: 949.56 Datum: above mean sea level
City, State, ZIP Code : Topeka, KS 66612	Data Collection Method: legal survey
3 LOCATE WELL'S 4 DEPTH OF COMPLETED WELL 25 ft.	
LOCATON WITH AN SYN IN Double(s) Crown division Engagement of the	MW18
WITH AN "X" IN Depth(s) Groundwater Encountered I WELL'S STATIC WATER LEVEL	MW18 ft. 2 ft. 3 ft. 24.62 ft. below land surface measured on mo/day/yr 2/4/08
N Pump test data: Well water v	was ft. after hours pumping gpm
Est. Yield gpm: Well water	was ft. after hours pumping gpm
Domestic 2 Food let 6 Oil field w	Public water supply 8 Air conditioning 11 Injection well vater supply 9 Dewatering 12 Other (Specify below)
W 2 Irrigation 4 Industrial 7 Domestic	(lawn & garden) OMonitoring well
	i i
was a chemical sactoriological sample	submitted to Department? Yes No X; If yes, mo/day/yrs
	Water Well Disinfected? Yes No X
5 TYPE OF CASING USED: 5 Wrought Iron 8	Concrete tile CASING JOINTS: Glued Clamped Other (specify below) Welded
2 PVC 4 ABS 7 Fiberglass	Threaded X
Blank casing diameter 2 in. to 5 ft., Dia	Threaded X in. to ft., Dia in. to ft. lbs./ft. Wall thickness or gauge No.
Casing height below land surface 0.25 ft., Weight	lbs./ft. Wall thickness or gauge No.
1 Steel 3 Stainless steel 5 Fiberglass (7) PVC	9 ABS 11 Other (specify)
TYPE OF SCREEN OR PERFORATION MATERIAL: 1 Steel 3 Stainless steel 5 Fiberglass 7 PVC 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR)	10 Asbestos-Cement 12 None used (open hole)
INCKEEN OR PERFORATION OPENINGS ARE:	
2 Louvered shutter 4 Key punched 6 Wire wrapped	7 Torch cut 9 Drilled holes 11 None (open hole) 8 Saw Cut 10 Other (specify) ft. to 25 ft. From ft. to ft.
SCREEN-PERFORATED INTERVALS: From 5	ft to ft From ft to ft.
GRAVEL PACK INTERVALS: From 4	ft. to ft. From ft. to ft. ft. to ft. to ft. ft. to ft. ft. to ft. ft. to ft.
rrom	it. to it. from it. to it.
6 GROUT MATERIAL: 1 Neat cement 2 Cement grout 3 Bentonite 4 Other cement, 0-2 ft. Grout Intervals From 2 ft. to 4 ft. From ft. to ft. From ft. to ft.	
Grout Intervals From 2 ft. to 4 ft. From What is the nearest source of possible contamination:	ft. to ft. From ft. to ft.
1	0 Livestock pens 13 Insecticide Storage 16 Other (specify
2 Sewer lines 5 Cess pool 8 Sewage lagoon (1	
	2 Fertilizer storage 15 Oil well/ gas well low many feet? ~325 feet
FROM TO LITHOLOGIC LOG	FROM TO PLUGGING INTERVALS
0 10 Topsoil, silty-clay, brown	TROM TO TEOGRAM INTERVALS
10 25 Limestone, yellow-brown, 6-8 in. clay seam at 16 ft.	
	Flushmount waiver from BOW
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was (1) constructed. (2) reconstructed. or (3) plugged	
under my jurisdiction and was completed on (mo/day/year) Kansas Water Well Contractor's License No. 757 This Water Well Record was completed on (mo/day/year) 2/19/08	
under the business name of Larsen & Associates, Inc.	
INSTRUCTIONS Please fill in blanks or circle the correct answers. Send ton three copies to Kansas Department of Nealth and Environment, Bureau of Water.	
Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WA FER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at http://www.kdheks.gov/waterwell.	