KSA 82a-1212 ID No.

1 LOCATIO	ON OF WATE	R WELL:	Fraction			- 1	ion Number	Township N	lumber	Range	Number	
	Wyar					1/4	27	T 11	S	R 2	25	Ε
Distance and	d direction from	m nearest	town or city street add	dress of well	if located wi	ithin city?						$\Box$
			ard, between 29 <sup>th</sup>			ansas Ci	у					
			on Pacific Railro	oad Com	pany				, , , , , , , , , , , , , , , , , , ,			
			6 Dodge Street					Board of Agri	culture, Div	ision of Wate	r Resour	ces
City State 7	ZID Code	Om	aha Nehraska	68179				Application N				
3 LOCATE	WELL'S LOC	W NOTAC	TH 4			40						
AN "X" IN	SECTION B	OX:	DEPTHOFC			13	ft. ELE\	/ATION:				
<b>1</b>	1	⊹ x	Depth(s) Ground									
	NW	- NE	WELL'S STATIC									
0		i	Pump	test data:	Well water	was	f	t. after	hours	pumping	gr	pm
₩ W	<del>-   -  </del>	+	E Est. Yield	gpm:	Well water	was /	f	t. after	hours	pumping	q	pm
\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \			Bore Hole Diame WELL WATER T	ter 8.25	in. to	13	3	ft. and	į	n. to		ft.
}	sw <b>-</b>	SE	WELL WATER T	O BE USED	AS: 5 Pu	blic water s	upply	8 Air condition 9 Dewaterin	oning 1	1 Injection v	vell	``.
		i	1 Domestic		ot 6 Oil	l field water	supply	9 Dewaterin	9 1	2 Other (Sp	ecify belo	ow)
	S		2 Irrigation	4 Industri	ial 7 La	wn and gard	den (domesti	c) 10 Monitorin	ig well			
	3		Was a chemical/	bacteriologica	al sample su	ubmitted to	Department?	Yes No	If yes	s, mo/day/yr s	sample w	as
			submitted				Wa	ter Well Disinfect	ed? Yes	N	o X	- 1
5 TYPE OF	F BLANK CAS	SING USE	D:	5 Wrough	ht Iron	8 Concr	ete tile	CASING JO	INTS: Glue	ed C	lamped	
1 Ste	el	3 RI	MP (SR)	_			(specify belo		Wel		٠.	
	С	4 AE	, ,	7 Fibergl			• •		Thres	ded	Flush	$\neg$
				•								
Blank casing	g diameter	<del>.</del>	in. to 3	tt., Dia	a	In. '		ft., Dia		. in. to		<sup>ft.</sup>
			Flush	in., weight		)./U3	lbs./ft.	Wall thickness o	r gauge No		H. 40	
			TION MATERIAL:					10 Ast				ł
1 Ste			ainless steel	5 Fibergl	ass	8	RMP (SR)	11 Oth	er (specify	) 		
2 Bra			alvanized steel			9		12 No				,
1								8 Saw cut		11 None (	open hole	e)
	ntinuous slot	1	3 Mill slot		6 Wire w			9 Drilled hole				
			4 Key punched		7 Torch			10 Other (spe	city)		<b></b> .	
SCREEN-PI	ERFORATED	INTERV						From				
			From		ft. to		ft. F	From	ft.	to	. <b></b> .	ft.
GR/	AVEL PACK I	NTERVAL	.S: From	2.5	ft. to	13	ft. I	From	ft.	to		ft.
			From		ft. to		ft. I	From	ft.	to		ft.
6 GROUT	MATERIAL:	1 N	eat cement 2	Cement gro	ut	3 Ber	ntonite	From 4 Other				
Grout Interv	als From	1	ft. to 2.5	ft. From	1	ft.	to	ft. From		ft. to		ft.
			ible contamination:					stock pens		pandoned wa		
1 Septic tank 4 Lateral lines 7 Pit privy 11 Fuel storage 15 Oil well.								il well/ Gas w	ell			
	wer lines		5 Cess pool			lagoon		lizer storage	16 O	ther (specify	below)	
3 Waterlight sewer lines 6 Seepage pit 9 Feedyard 13 Insecticide st											,	
Direction fro	_				•		How many	/ feet?		• • • • • • • • • • • • • • • • • • • •		
FROM	TO	CODE		OGIC LOG		FROM	TO		LUGGING	INTERVALS		
0.0	1.0		Fill, road gravel									
			Sand, poorly grad	-								
1.0	13.0		medium brown, fin	e to mediu	m grained							
							-					
	<del> </del>	<del> </del>										
	ļ	-				<del> </del>						
7 001175	ACTORIC CO	LANDON	(NEDIO OFFICIOAT	IONI, This	Andrew December	(4)	-1d (0)		-1	1		
$\vdash$			VNER'S CERTIFICAT		iter well was							
	on (mo/day/yr)			1/09				true to the best of				
Water Well	Contractor's L	License N	o	531		This	Nater Well R	ecord was comp	eted on (m	o/day/yr)	07/14/0	09
under the b	usiness name	of	Geotechnic				y (signature)					
INSTR	UCTIONS: PI	ease fill in	blanks and circle the cor	rect answers.	Send three o	copies to Kan	sas Departme	nt of fealth and Er	vironment, f	Bureau of Wate	er, 1000 S	W