							VMP-3S	
		LL RECORD	Form W	WC-5		r Resources App. N		
1 LOCATION OF WATER WELL: County: Wyandotte		Fraction	. 17 17	Section Number 20	Township No. T 11 S	Range Number		
Cour	ty: VVV	Address of Well Leastions	NW 1/4 NW 1/4 NW				R 25 ZE W	
Street/Rural Address of Well Location; if unknown, distance & direction from nearest town or intersection: If at owner's address, check here								
						Longitude: 94.6670 (in decimal degrees)		
3401 Fairbanks Avenue Kansas City, KS 66106 Elevation:								
					Datum: WGS 84, NAD 83, NAD 27			
2 WATER WELL OWNER: Sinclair Transportation Company					Collection Method:			
RR#, Street Address, Box #: P.O. Box 30825					GPS unit (Make/Model: Garmin 12			
City	, State, Z	ZIP Code : Salt Lak	e City, UT 84130-08			c Map, Land Survey		
Est. Accuracy: □ <3 m, □ 3-5 m, ☑ 5-15 m, □ >15 m								
3 LOCATE WELL WITH AN "X" IN 4 DEPTH OF COMPLETED WELL 13.0' ft.								
SECTION BOX: N Depth(s) Groundwater Encountered (1)								
K/ T	Pump test data: Well water wasft. after hours pumping gpm							
EST. YIELDgpm. Well water was								
W Bore Hole Diameter 3.25' in. to .13.0' ft., and in. to								
WELL WATER TO BE USED AS: Public water supply Geothermal Injection well								
SW SE Domestic Feedlot Oil field water supply Dewatering Other (Specify below)								
☐ Irrigation ☐ Industrial ☐ Domestic-lawn & garden ☐ Monitoring well Vapor Point								
Was a chemical/bacteriological sample submitted to Department? Yes No								
S If yes, mo/day/yr sample was submitted								
1 mile Water well disinfected? ☐ Yes ☑ No								
5 TYPE OF CASING USED: Steel PVC Other								
CASING JOINTS: Glued Clamped Welded Threaded								
Casing diameter .1" in. to .11.0! ft., Diameter in. to								
Casing height above land surface. Flush in., Weight								
TYPE OF SCREEN OR PERFORATION MATERIAL:								
☐ Steel ☐ Stainless Steel								
☐ Brass ☐ Galvanized Steel ☐ None used (open hole)								
SCREEN OR PERFORATION OPENINGS ARE:								
Continuous slot Mill slot Gauze wrapped Torch cut Drilled holes None (open hole)								
Louvered shutter Key punched Sire wrapped Saw cut Other (specify) SCREEN-PERFORATED INTERVALS: From. 8.0' ft. to								
SCREE	N-PEKI						to ft.	
	GP AV	EL PACK INTERVALS:	From 7.0' f	13.0'	f From	A	to ff	
	OKA V				,			
From								
Grout In	tervals:	From 1.0' ft to	7.0 ft From	Denter	ft. to ft	From	ft. toft.	
What is the nearest source of possible contamination: Septic tank Lateral lines Pit privy Livestock pens Insecticide storage Other (specify below)								
	Sewer lin			Tuel storage				
	Watertig	ht sewer lines	it 🗌 Feedyard 📜	Fertilizer st		s well		
Direc		n well Southeast		Distance 1				
FROM	TO	LITHOLOG	IC LOG	FROM	TO LITHO. LO	OG (cont.) or PLU	GGING INTERVALS	
0	3'	Silty Clay, Dk Yellowish	Brown, Dry					
3'	6'	Silt, Very Dk, Greyish B						
6'	10'	Silt, Trace Organic Mat	ter, Black					
10'	13'	Silt, Vy Dk Grey, Damp						
7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION: This water well was ☑ constructed, ☐ reconstructed, or ☐ plugged								
under my jurisdiction and was completed on (mo/day/year) .7/28/09 and this record is true to the best of my knowledge and belief.								
Kansas Water Well Contractor's License No606 This Water Well Record was completed on (molds //year) .9/29//09								
under the business name of PSA Environmental by (signature)								
INSTRUCTIONS: Use typewriter or ball point pen. <u>PLEASE PRESS FIRMLY</u> and <u>PRINT</u> clearly. Please fill in blanks and check the correct answers. Send three copies								
(white, blue, pink) to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367.								
Telephone 785-296-5522. Send one copy to WATER WELL OWNER and retain one for your records. Include <u>fee</u> of \$5.00 for each <u>constructed</u> well. Visit us at http://www.kdheks.gov/waterwell/index.html .								
		ov/waterweil/index.html.			Charles (Charles	to Corr. D	io Comu Dint- Com	
SA 82a-	1212				Check: / X Wh	ite Copy, 🔲 Blu	ie Copy, Pink Copy	