

## WATER WELL RECORD

Form WWC-5

Division of Water Resources: App. No.  

<b>1 LOCATION OF WATER WELL:</b> County: <b>Wyandotte</b> Distance and direction from nearest town or city street address of well if located within city? 1206-1212 Barnett Ave. Kansas City, KS		Fraction <b>NE 1/4 SE 1/4 NW 1/4</b> Section Number <b>9</b> Township Number <b>T 11 S</b> Range Number <b>R 25 E</b>																																											
<b>2 WATER WELL OWNER:</b> Community Housing at Wyandotte County RR#, St. Address, Box # : 2 S 14 <sup>th</sup> St. City, State, ZIP Code : Kansas City, KS 66102-5041		<b>Global Positioning System</b> (decimal degrees, min. of 4 digits) Latitude: <b>N 39.11294°</b> Longitude: <b>W 94.64114°</b> Elevation: <b>PIN: 883.04; TOC: 882.51</b> Datum: <b>above mean sea level</b> Data Collection Method: <b>legal survey</b>																																											
<b>3 LOCATE WELL'S LOCATION WITH AN "X" IN SECTION BOX:</b> <div style="text-align: center;"> </div>	<b>4 DEPTH OF COMPLETED WELL 34 ft.</b> <b>MW5R</b> Depth(s) Groundwater Encountered 1 _____ ft. 2 _____ ft. 3 _____ ft. WELL'S STATIC WATER LEVEL <b>29.75</b> ft. below land surface measured on mo/day/yr <b>10/15/09</b> Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well 1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below) 2 Irrigation 4 Industrial 7 Domestic (lawn & garden) <b>10 Monitoring well</b> Was a chemical/bacteriological sample submitted to Department? Yes _____ No <b>X</b> ; If yes, mo/day/yr Sample was submitted _____ Water Well Disinfected? Yes _____ No <b>X</b>																																												
<b>5 TYPE OF CASING USED:</b> 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) <b>2 PVC</b> 4 ABS 7 Fiberglass Blank casing diameter <b>2</b> in. to <b>19</b> ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft. Casing height below land surface <b>0.53</b> ft., Weight _____ lbs./ft. Wall thickness or gauge No. _____ <b>TYPE OF SCREEN OR PERFORATION MATERIAL:</b> 1 Steel 3 Stainless steel 5 Fiberglass <b>7 PVC</b> 9 ABS 11 Other (specify) 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole) <b>SCREEN OR PERFORATION OPENINGS ARE:</b> 1 Continuous slot <b>3 Mill slot</b> 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) <b>SCREEN-PERFORATED INTERVALS:</b> From <b>19</b> ft. to <b>34</b> ft. From _____ ft. to _____ ft. <b>GRAVEL PACK INTERVALS:</b> From <b>17</b> ft. to <b>34</b> ft. From _____ ft. to _____ ft. <b>6 GROUT MATERIAL:</b> 1 Neat cement <b>2 Cement grout</b> <b>1 Bentonite</b> <b>4 Other</b> <b>Concrete: 0-2ft; Sand: 17-34ft</b> Grout Intervals From <b>2</b> ft. to <b>15</b> ft. From <b>15</b> ft. to <b>17</b> ft. From _____ ft. to _____ ft. What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify below) 2 Sewer lines 5 Cess pool 8 Sewage lagoon <b>11 Fuel storage</b> 14 Abandoned water well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well Direction from well? <b>West</b> How many feet? <b>~95 feet</b>																																													
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>2</td> <td>Silty clay with limestone gravel, brown, moderate plasticity</td> <td></td> <td></td> <td>then yellow brown, moderate to high plasticity</td> </tr> <tr> <td>2</td> <td>3</td> <td>Silty clay, sand, brown, moderate plasticity</td> <td>27.5</td> <td>34</td> <td>Sand, fine to coarse grained, red brown, poorly sorted</td> </tr> <tr> <td>3</td> <td>8</td> <td>Silty clay, brown with dark brown mottling, some sand sized rubble, moderate plasticity</td> <td></td> <td></td> <td></td> </tr> <tr> <td>8</td> <td>9</td> <td>Silty clay, brown, moderate plasticity, iron staining</td> <td></td> <td></td> <td></td> </tr> <tr> <td>9</td> <td>27.5</td> <td>Silty clay with very fine grained sand, brown with some gray mottling, turning to gray</td> <td></td> <td></td> <td></td> </tr> <tr> <td></td> <td></td> <td></td> <td></td> <td></td> <td>Flushmount waiver from BOW</td> </tr> </tbody> </table>	FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	2	Silty clay with limestone gravel, brown, moderate plasticity			then yellow brown, moderate to high plasticity	2	3	Silty clay, sand, brown, moderate plasticity	27.5	34	Sand, fine to coarse grained, red brown, poorly sorted	3	8	Silty clay, brown with dark brown mottling, some sand sized rubble, moderate plasticity				8	9	Silty clay, brown, moderate plasticity, iron staining				9	27.5	Silty clay with very fine grained sand, brown with some gray mottling, turning to gray									Flushmount waiver from BOW	<b>7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:</b> This water well was <b>1</b> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>10/15/09</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>757</b> . This Water Well Record was completed on (mo/day/year) <b>11/20/09</b> under the business name of <b>Larsen &amp; Associates, Inc.</b> by (signature) _____		
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																								
0	2	Silty clay with limestone gravel, brown, moderate plasticity			then yellow brown, moderate to high plasticity																																								
2	3	Silty clay, sand, brown, moderate plasticity	27.5	34	Sand, fine to coarse grained, red brown, poorly sorted																																								
3	8	Silty clay, brown with dark brown mottling, some sand sized rubble, moderate plasticity																																											
8	9	Silty clay, brown, moderate plasticity, iron staining																																											
9	27.5	Silty clay with very fine grained sand, brown with some gray mottling, turning to gray																																											
					Flushmount waiver from BOW																																								
<b>INSTRUCTIONS:</b> Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at <a href="http://www.kdheks.gov/waterwell">http://www.kdheks.gov/waterwell</a> .																																													

KSA 82a-1212

Form provided by Forms-On-A-Disk, Inc. • Dallas, Texas • (214) 340-9429