

**CORRECTION(S) TO WATER WELL RECORD (WWC-5)**  
(to rectify lacking or incorrect information)

Location listed as:

Section-Township-Range: 11-12 S-25 E

Fraction (  $\frac{1}{4}$   $\frac{1}{4}$   $\frac{1}{4}$  ): SW NW SW

County: Wyandotte

Location changed to:

11-11 S-25 E

N2 SE SW

Other changes: Initial statements: \_\_\_\_\_

Changed to: \_\_\_\_\_

Comments: \_\_\_\_\_

verification method: Wellsite address, city street map, and  
mapping tool on KGS website.

initials: DRK date: 11/2/2010

submitted by: Kansas Geological Survey, Data Resources Library, 1930 Constant Ave., Lawrence, KS 66047-3726  
to: Kansas Dept of Health & Environment, Bureau of Water, 1000 SW Jackson, Suite 420, Topeka, KS 66612-1367.

## WATER WELL RECORD

## Form WWC-5

Division of Water Resources; App. No.  

<b>1 LOCATION OF WATER WELL:</b>		Fraction <b>SW ¼ NW ¼ SW ¼</b>		Section Number <b>11</b>	Township Number <b>T 12 S</b>	Range Number <b>R 25 E</b>																																																						
County: <b>Wyandotte</b>				Distance and direction from nearest town or city street address of well if located within city? <b>45 N James St., Kansas City, KS</b>																																																								
<b>2 WATER WELL OWNER: Frank Molle</b> RR#, St. Address, Box # : <b>601 W 103<sup>rd</sup> St.</b> City, State, ZIP Code : <b>Kansas City, MO 64114-4504</b>				<b>Global Positioning System</b> (decimal degrees, min. of 4 digits) Latitude: <b>NA</b> Longitude: <b>NA</b> Elevation: <b>RIM: 754.23; TOC: 753.93</b> Datum: <b>NAVD88</b> Data Collection Method: <b>legal survey</b>																																																								
<b>3 LOCATE WELL'S LOCATON WITH AN "X" IN SECTION BOX:</b>		<b>4 DEPTH OF COMPLETED WELL 27 ft.</b>																																																										
<div style="text-align: center;"> </div>		<b>Depth(s) Groundwater Encountered 1 MW8 ft. 2 ft. 3 ft.</b> <b>WELL'S STATIC WATER LEVEL 20.55 ft. below land surface measured on mo/day/yr 7/12-13/10</b> Pump test data: Well water was _____ ft. after _____ hours pumping _____ gpm Est. Yield _____ gpm: Well water was _____ ft. after _____ hours pumping _____ gpm <b>WELL WATER TO BE USED AS: 5 Public water supply 8 Air conditioning 11 Injection well</b> <b>1 Domestic 3 Feed lot 6 Oil field water supply 9 Dewatering 12 Other (Specify below)</b> <b>2 Irrigation 4 Industrial 7 Domestic (lawn &amp; garden) 10 Monitoring well</b>																																																										
		Was a chemical/bacteriological sample submitted to Department? Yes _____ No <b>X</b> ; If yes, mo/day/yr Sample was submitted _____ Water Well Disinfected? Yes _____ No <b>X</b>																																																										
		<b>5 TYPE OF CASING USED:</b> 5 Wrought Iron 8 Concrete tile CASING JOINTS: Glued _____ Clamped _____ 1 Steel 3 RMP (SR) 6 Asbestos-Cement 9 Other (specify below) Welded _____ <b>2 PVC 4 ABS 7 Fiberglass</b> Threaded <b>X</b> Blank casing diameter <b>2</b> in. to <b>12</b> ft., Dia _____ in. to _____ ft., Dia _____ in. to _____ ft. Casing height below land surface <b>0.30</b> ft., Weight _____ lbs./ft. Wall thickness or gauge No. _____																																																										
		<b>TYPE OF SCREEN OR PERFORATION MATERIAL:</b> 1 Steel 3 Stainless steel 5 Fiberglass <b>7 PVC</b> 9 ABS 11 Other (specify) _____ 2 Brass 4 Galvanized steel 6 Concrete tile 8 RM (SR) 10 Asbestos-Cement 12 None used (open hole)																																																										
<b>SCREEN OR PERFORATION OPENINGS ARE:</b> 1 Continuous slot <b>3 Mill slot</b> 5 Gauze wrapped 7 Torch cut 9 Drilled holes 11 None (open hole) 2 Louvered shutter 4 Key punched 6 Wire wrapped 8 Saw Cut 10 Other (specify) _____																																																												
<b>SCREEN-PERFORATED INTERVALS:</b> From <b>12</b> ft. to <b>27</b> ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft. <b>GRAVEL PACK INTERVALS:</b> From <b>10</b> ft. to <b>27</b> ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft.																																																												
<b>6 GROUT MATERIAL:</b> 1 Neat cement 2 Cement grout <b>3 Bentonite</b> <b>4 Other Concrete: 0-1ft</b> Grout Intervals From <b>1</b> ft. to <b>10</b> ft. From _____ ft. to _____ ft. From _____ ft. to _____ ft.																																																												
What is the nearest source of possible contamination: 1 Septic tank 4 Lateral lines 7 Pit privy 10 Livestock pens 13 Insecticide Storage 16 Other (specify below) 2 Sewer lines 5 Cess pool 8 Sewage lagoon <b>11 Fuel storage</b> 14 Abandoned water well 3 Watertight sewer lines 6 Seepage pit 9 Feedyard 12 Fertilizer storage 15 Oil well/ gas well Direction from well? <b>SW</b> How many feet? <b>~150ft</b>																																																												
<table border="1" style="width: 100%; border-collapse: collapse;"> <thead> <tr> <th>FROM</th> <th>TO</th> <th>LITHOLOGIC LOG</th> <th>FROM</th> <th>TO</th> <th>PLUGGING INTERVALS</th> </tr> </thead> <tbody> <tr> <td>0</td> <td>0.5</td> <td>Asphalt</td> <td></td> <td></td> <td></td> </tr> <tr> <td>0.5</td> <td>4</td> <td>Fill material, brick rocks</td> <td></td> <td></td> <td></td> </tr> <tr> <td>4</td> <td>5</td> <td>Soft brown silty clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td>5</td> <td>6</td> <td>Fill material</td> <td></td> <td></td> <td></td> </tr> <tr> <td>6</td> <td>10</td> <td>Dark brown clay silt w/ gravel grading to brown silt</td> <td></td> <td></td> <td></td> </tr> <tr> <td>10</td> <td>15</td> <td>Brown clayey silt</td> <td></td> <td></td> <td></td> </tr> <tr> <td>15</td> <td>27</td> <td>Brown silty fine sand with trace clay</td> <td></td> <td></td> <td></td> </tr> <tr> <td colspan="6" style="text-align: center;"><b>Flushmount waiver from BOW</b></td> </tr> </tbody> </table>							FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS	0	0.5	Asphalt				0.5	4	Fill material, brick rocks				4	5	Soft brown silty clay				5	6	Fill material				6	10	Dark brown clay silt w/ gravel grading to brown silt				10	15	Brown clayey silt				15	27	Brown silty fine sand with trace clay				<b>Flushmount waiver from BOW</b>					
FROM	TO	LITHOLOGIC LOG	FROM	TO	PLUGGING INTERVALS																																																							
0	0.5	Asphalt																																																										
0.5	4	Fill material, brick rocks																																																										
4	5	Soft brown silty clay																																																										
5	6	Fill material																																																										
6	10	Dark brown clay silt w/ gravel grading to brown silt																																																										
10	15	Brown clayey silt																																																										
15	27	Brown silty fine sand with trace clay																																																										
<b>Flushmount waiver from BOW</b>																																																												
<b>7 CONTRACTOR'S OR LANDOWNER'S CERTIFICATION:</b> This water well was <b>1</b> constructed, (2) reconstructed, or (3) plugged under my jurisdiction and was completed on (mo/day/year) <b>7/12/10</b> and this record is true to the best of my knowledge and belief. Kansas Water Well Contractor's License No. <b>757</b> . This Water Well Record was completed on (mo/day/year) <b>8/20/10</b> under the business name of <b>Larsen &amp; Associates, Inc.</b> by (signature) <i>[Signature]</i>																																																												

**INSTRUCTIONS:** Please fill in blanks or circle the correct answers. Send top three copies to Kansas Department of Health and Environment, Bureau of Water, Geology Section, 1000 SW Jackson St., Suite 420, Topeka, Kansas 66612-1367. Telephone 785-296-5522. Send one to WATER WELL OWNER and retain one for your records. Fee of \$5.00 for each constructed well. Visit us at <http://www.kdheks.gov/waterwell>.